

MATHEMATICAL PROCEEDINGS

(formerly Proceedings)

*of the
Cambridge Philosophical Society*

VOLUME 151



CAMBRIDGE
UNIVERSITY PRESS

Published by the Press Syndicate of the University of Cambridge
The Pitt Building, Trumpington Street, Cambridge CB2 1RP, United Kingdom

CAMBRIDGE UNIVERSITY PRESS

The Edinburgh Building, Cambridge CB2 8RU, United Kingdom
32 Avenue of the Americas, New York, NY 10013–2473, USA
477 Williamstown Road, Port Melbourne, VIC 3207, Australia
C/Orense, 4, planta 13, 28020 Madrid, Spain
Lower Ground Floor, Nautica Building, The Water Club, Beach Road,
Granger Bay, Cape Town 8005, South Africa

© Cambridge Philosophical Society 2011

Printed in the United Kingdom by the University Press, Cambridge

INDEX FOR VOLUME 151

	PAGE
Albujer, A. L., Camargo, F. E. C. & De Lima, H. F. Complete spacelike hypersurfaces in a Robertson–Walker spacetime	271
Alfes, C., Bringmann, K. & Lovejoy, J. Automorphic properties of generating functions for generalized odd rank moments and odd Durfee symbols	385
Bae, Y. & Frauenfelder, U. Continuation homomorphism in Rabinowitz Floer homology for symplectic deformations	471
Bavula, V. V. On the eigenvector algebra of the product of elements with commutator one in the first Weyl algebra	245
Biswas, I., Gothen, P. B. & Logares, M. On moduli spaces of Hitchin pairs	441
Böttcher, A., Grudsky, S. & Iserles, A. Spectral theory of large Wiener–Hopf operators with complex-symmetric kernels and rational symbols	161
Bufetov, A. I. & Series, C. A pointwise ergodic theorem for Fuchsian groups	145
Cai, X. A Gram determinant for Lickorish’s bilinear form	83
Chuaqui, M., Gröhn, J. & Rättyä, J. Generalized Schwarzian derivatives and higher order differential equations.	339
Elsenhans, A.-S. & Jahnel, J. On the computation of the Picard group for $K3$ surfaces	263
Erdélyi, T. On the L_q norm of cyclotomic Littlewood polynomials on the unit circle	373
Falconer, K. J. & Fraser, J. M. The horizon problem for prevalent surfaces	355
Farber, M., Hausmann, J.-C. & Schütz, D. The Walker conjecture for chains in \mathbb{R}^d	283
Fletcher, A. N. & Nicks, D. A. Julia sets of uniformly quasiregular mappings are uniformly perfect	541
Ikeda, T. Finite group actions on homologically peripheral 3-manifolds	319
Jordan, T., Shmerkin, P. & Solomyak, B. Multifractal structure of Bernoulli convolutions	521
Kovalev, A. & Lee, N.-H. $K3$ surfaces with non-symplectic involution and compact irreducible G_2 -manifolds	193
Liu, J., Qu, Y. & Wu, J. Two Linnik-type problems for automorphic L -functions	219
Livingston, C. & Van Cott, C. A. Concordance of Bing Doubles and Boundary Genus	459
Lovell, S. & Truss, J. K. Cycle-types in the automorphism groups of countable homogeneous graphs	23
Macarini, L. & Schlenk, F. Positive topological entropy of Reeb flows on spherizations	103
Nickel, A. Leading terms of Artin L -series at negative integers and annihilation of higher K -groups	1
Ozawa, M. Nonminimal bridge positions of torus knots are stabilized	307
Perreiter, E. Spectra of L^1 -convolution operators acting on L^p -spaces of commutative hypergroups	503
Russell, H. M. & Tymoczko, J. S. Springer representations on the Khovanov Springer varieties	59
Satoh, T. The kernel of the Magnus representation of the automorphism group of a free group is not finitely generated	407
Scharlemann, M. Berge’s distance 3 pairs of genus 2 Heegaard splittings	293
Schwermer, J. & Waldner, C. On the cohomology of uniform arithmetically defined subgroups in $SU^*(2n)$	421
Sixsmith, D. J. Entire functions for which the escaping set is a spider’s web	551
Ulrich, B. & Validashti, J. Numerical criteria for integral dependence	95
Wall, C. T. C. Plücker formulae for singular space curves	129
Wan, J. & Wang, W. Twisted Dickson–Mui invariants and the Steinberg module multiplicity	43
Zerbes, S. L. Akashi series of Selmer groups	229

INSTRUCTIONS TO AUTHORS

1. Preparation of Manuscripts

A paper should be submitted electronically to mpeditor@hermes.cam.ac.uk in pdf form only. Authors are encouraged to prepare their manuscripts in LaTeX 2e using the PSP class file. The class file, together with a guide, `PSP2egui.tex`, and sample pages, `PSP2esam.tex`, can be downloaded from <ftp://ftp.cambridge.org/pub/texarchive/journals/latex/pspscls> in either packed or unpacked form. These files will be updated periodically: please ensure that you have the latest version.

A cover page should give the title, the author's name and institution, with the address to which mail should be sent.

The title, while brief, must be informative (e.g. *A new proof of the prime-number theorem*, whereas, *Some applications of a theorem of G. H. Hardy* would be useless).

Authors are asked to provide an abstract as a basis for search on the Web. This may be an explicit abstract at the start of the paper. Otherwise the first paragraph or two should form a summary of the main theme of the paper, providing an abstract intelligible to mathematicians. Please note that the abstract should be able to be read independently of the main text. References should therefore not be included in the abstract.

Authors are encouraged to check that where references are given, they are used in the text. Experience has shown that unused references have a habit of surviving into the final version of the manuscript.

For a typescript to be accepted for publication, it must accord with the standard requirements of publishers, and be presented in a form in which the author's intentions regarding symbols etc. are clear to a printer (who is not a mathematician). Please also check the Cambridge University Press website for information about the style in which the paper should be submitted.

2. Notation

Notation should be chosen carefully so that mathematical operations are expressed with all possible neatness, to lighten the task of the compositor and to reduce the chance of error. For instance n sub k is common usage, but avoid if possible using c sub n sub k . Fractions are generally best expressed by a solidus. Complicated exponentials like:

$$\exp\{z^2 \sin \theta / (1 + y^2)\}$$

should be shown in this and no other way.

It helps if displayed equations or statements which will be quoted later are numbered in order on the right of their line. They can then be referred to by, for example 'from (7)'.

The author must enable the printer (if necessary by pencilled notes in the margin) to distinguish between similar symbols such as o , O , o , O , 0 ; x , X , \times ; ϕ , Φ , \emptyset ; l , 1 ; ϵ , k , κ , k .

Footnotes should be avoided.

Please use typewriter font for all addresses and email addresses.

Omit \square from the end of proofs.

In listing assertions, conclusions, etc. do not use a vertical column of dots and do not follow (a) or (i) by a capital letter (eg. (i) the absolute value . . .)

In making references precise use [3, theorem 5.1]

3. Diagrams

Diagrams should be in black ink or from a high-quality laser printer and should not be larger than 30 cm by 45 cm. Lettering to be inserted by the printer should be shown clearly on copies of the figures rather than on the original drawings. Please note that a charge may be made if hand-drawn diagrams need to be re-drawn for publication.

Figure 1 here

A typed list of captions may be provided at the end of the manuscript in the following format:

Figure 1. *A basis for . . .*

Note that there is no point at the end of the heading. All headings should be centred.

4. Tables

Tables should be numbered (above the table) and set out on separate sheets. Indicate the position of each in the text as for figures:

Table 3 here

Heading for tables should be shown in the following way:

Table 1. *A basis for . . .*

Note that there is no point at the end of the heading. All headings should be centred over columns.

5. References

References should be collected at the end of the paper numbered in alphabetical order of the authors' names. Where references are given, they should be used in the text. Titles of journals should be abbreviated as in *Mathematical Reviews*. The following examples show the preferred style for references to a paper in a journal, a paper in a proceedings volume, a book and an unpublished dissertation:

[1] J. F. ADAMS. On the non-existence of elements of Hopf invariant one. *Ann of Math.* (2) **72** (1960), 20-104.

[2] M. P. FOURAM and D. S. SCOTT. Sheaves and logic. In *Applications of Sheaves* Lecture Notes in Math. vol. 753 (Springer-Verlag, 1979), pp. 302-401.

[3] P. T. JOHNSTONE. *Stone Spaces*. Cambridge Studies in Advanced Math. no. 3 (Cambridge University Press, 1982).

[4] F. W. LAWVERE. Functional semantics of algebraic theories. PhD. thesis. Columbia University (1963).

6. Submission of papers accepted for publication

When a paper has been accepted for publication the relevant TeX files of the final version, accompanied by a pdf file, should be sent to the Editor by e-mail.

This journal issue has been printed on FSC-certified paper and cover board. FSC is an independent, non-governmental, not-for-profit organization established to promote the responsible management of the world's forests. Please see www.fsc.org for information.

MATHEMATICAL PROCEEDINGS

*of the
Cambridge Philosophical Society*

VOLUME 151 PART 3, pages 385–571, November 2011

CONTENTS

ALFES, C., BRINGMANN, K. & LOVEJOY, J. Automorphic properties of generating functions for generalized odd rank moments and odd Durfee symbols	385
SATOH, T. The kernel of the Magnus representation of the automorphism group of a free group is not finitely generated	407
SCHWERMER, J. & WALDNER, C. On the cohomology of uniform arithmetically defined subgroups in $SU^*(2n)$	421
BISWAS, I., GOTHEN, P. B. & LOGARES, M. On moduli spaces of Hitchin pairs	441
LIVINGSTON, C. & VAN COTT, C. A. Concordance of Bing Doubles and Boundary Genus	459
BAE, Y. & FRAUENFELDER, U. Continuation homomorphism in Rabinowitz Floer homology for symplectic deformations	471
PERREITER, E. Spectra of L^1 -convolution operators acting on L^p -spaces of commutative hypergroups	503
JORDAN, T., SHMERKIN, P. & SOLOMYAK, B. Multifractal structure of Bernoulli convolutions	521
FLETCHER, A. N. & NICKS, D. A. Julia sets of uniformly quasiregular mappings are uniformly perfect	541
SIXSMITH, D. J. Entire functions for which the escaping set is a spider's web	551

© The Cambridge Philosophical Society 2011

Cambridge Journals Online
For further information about this journal
please go to the journal website at:
journals.cambridge.org/psp



MIX
Paper from
responsible sources
FSC® C018127

CAMBRIDGE
UNIVERSITY PRESS