

The Journal of Laryngology and Otology

EDITED BY
G. H. BATEMAN

ASSISTANT EDITOR
LIONEL TAYLOR

Contents

Deviated Nasal Septum III—Its Influence on the Physiology and Disease of the Nose and Ear: Parts I and II	LINDSAY GRAY	953
Tropical Otomycosis	G. P. E. BEANEY	
	Pathological Studies by A. BROUGHTON	987
Otomycosis: A Clinical Entity—Clinical and Experimental Study	V. P. SOOD, A. SINHA and L. N. MOHAPATRA	999
Studies on Fungus Infection of the External Ear: II. On the Chemotherapy of Otomycosis	Y. A. YOUSSEF and M. H. ABDOU	1005
An Outline of Pre- and Post-Operative Prosthetic Treatment for Patients with a Surgical Defect of the Palate	MALCOLM GEDDES and IAN C. BENINGTON	1013
Carcinoma of the Frontal Sinus Associated with Epidermoid Cholesteatoma	D. A. OSBORN and M. WALLACE	1021
Recurrent Benign Giant-Cell Lesions of the Jaws with Metastasis?	E. HJØRTING-HANSEN and J. WORSØE-PETERSEN	1033
Clinical Records— Grommets—A Simple Technique for their Manufacture	JOHN K. DUFF	1043
"Hairy Polyp" of the Nasopharynx	M. R. BICKNELL	1045
Expansion of Antrum and Erosion of Lateral Nasal Wall Antrochoanal Polypus	D. L. CHHANGANI K. K. AGARWAL and S. P. POPLI	1049
Referred Pain due to Impacted Third Molar	K. U. SHAH, P. A. SHAH and S. D. KERAWALLA	1053
Oesophageal Foreign Body of Prolonged Sojourn	L. H. HIRANANDANI V. A. DESAI and G. K. HIRANANDANI	1059
Perichondritis Helicis: An Industrial Hazard—Two Case Reports	BRIAN LIVESLEY and JOHN LAMBALLE	1063
General Notes		

Headley Brothers Ltd

Ashford, Kent

Annual Subscription £5/5/0 net, U.S.A. \$15

Monthly, 12/6 net post free

The Journal of Laryngology and Otology

(FOUNDED in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY

G. H. BATEMAN

ASSISTANT EDITOR
LIONEL TAYLOR

1. Original articles which have not been published elsewhere are invited and should be sent to the Editor. They are considered for publication on the understanding that they are contributed to this *Journal* solely. Reproduction elsewhere, in whole or in part, is not permitted without the previous written consent of the Author and Editor and the customary acknowledgment must be made.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced. Captions to illustrations should be typed on a separate sheet and sent at the same time as original photographs, etc.

The Harvard system of recording references should be used, e.g. GREEN, C., and BROWN, D. (1951) *J. Laryng.*, 65, 33. Abbreviations of Journals should follow the style recommended in *World Medical Periodicals*, published by World Health Organization, 1952.

It is most important that authors should verify *personally* the accuracy of every reference before submitting a paper for publication.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.

4. Illustration blocks will normally be held by the Printers for three years, after which they will be destroyed. Any author is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to HEADLEY BROTHERS, 109 Kingsway, London, WC2. Coloured illustrations will be charged to authors, unless a special grant is authorized by the Editor.

5. Orders for reprints must be sent when returning galley proofs, and for this purpose special forms are supplied.

6. Editorial communications may be addressed to THE EDITOR, *Journal of Laryngology*, c/o HEADLEY BROTHERS, 109 Kingsway, London, WC2.

7. The annual subscription is five guineas sterling (U.S.A. \$15) post free, and payable in advance.

8. Single copies will be on sale at 12s. 6d. each; copies of parts up to Vol. LXIII which are available may be purchased at 7s. 6d. each.

9. All subscriptions, advertising and business communications should be sent to the publishers, HEADLEY BROTHERS, 109 KINGSWAY, LONDON, WC2.


United States of America

Orders for this *Journal* may be sent through local booksellers, or to STECHERT-HARNER, INC., 31-33 East 10th Street, New York, or direct to the publishers, HEADLEY BROTHERS, 109 KINGSWAY, LONDON, WC2, England.

© *Journal of Laryngology and Otology*, 1967

AMPLIVOX

FOR CLINICAL AUDIOMETRY



Audiometer Booths
 prefabricated to ensure correct acoustic environment for threshold audiometry, research, etc. Available in standard and special sizes.

Automatic Audiometers
 As exclusive U.K. distributors, we are able to offer Rudmose Self-Recording Audiometers from the most simple to the most comprehensive Diagnostic Békésy Audiometer illustrated.



Manual Audiometers
 with narrow band masking for highest accuracy and extended resolution. Battery-operated transistor models also available.



Calibration Service, Screening, Speech & Industrial Audiometers
 Please write for technical literature to meet your needs

AMPLIVOX
 HEARING ADVISORY SERVICE LTD
 80 New Bond St, London, W1 Tel: 01-493 9888


Please mention *The Journal of Laryngology and Otology* when replying to advertisements

**for otitis externa and
chronic otitis media**

**Locorten[®]–
Vioform[®]
Eardrops**

flumethasone pivalate 0.02% iodochlorhydroxyquinoline 1%

**Vioform in a new non-oily
vehicle**



True solution – not a suspension

Discourages debris formation

**7.5 ml, in controlled-drop dispenser
reduces the need for repeat
prescriptions**

**Vioform is both antifungal
and antibacterial**

Basic NHS price 9s 8d
Full information on request


C I B A

LFD 2

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

Specifically designed for you and your patients. Precision-engineered, functionally-built equipment for the Ear, Nose and Throat and other Specialists.

S.M.R. keeps you and your patients' comfort and satisfaction in mind. Whatever your needs . . . whether they be for one unit or a completely equipped treatment room, you are assured of the finest . . . a room that reflects professional good taste.



Picture shows what can be done with small treatment room areas. The rooms are complete from the compact treatment unit to the physician's stool. Yet, this equipment fits easily and functionally into a small area. This is just one of many room arrangements available from S.M.R.




**STAINLESS
STEEL POLISH**

SMR Stainless Steel Polish cleans and preserves with superior results —ends fingerprints, watermarks and surface stains.

22 oz. economy size . . . \$2.25

SURGICAL MECHANICAL RESEARCH INC.

P.O. Box 1185, Newport Beach, Calif. 92663
FACTORY DIRECT SALES



Please send for our new catalog
Direct factory sales, F.O.B. Newport Beach, Calif.

Welcome to Booths 4-067-068
October 29 thru November 3, 1967
Palmer House Chicago AAOO Meeting

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

***WHEN A HEARING AID
IS RECOMMENDED
ONLY AMPLIVOX
OFFERS THIS
HEARING AID SERVICE***

The design and manufacture of a complete range with individual fitting facilities.

Best of other makes in addition to Amplivox aids—Amplivox hearing aids are ONLY available from Amplivox.

Highest degree of training of any hearing aid organisation.

Master Hearing Aid evaluations.

Expert follow-up and rehabilitation advice.

14 branch offices with while-you-wait service.

**FOR YOUR PATIENTS' GREATEST SATISFACTION
SPECIFY AMPLIVOX**

AMPLIVOX

World's most experienced and complete hearing service

AMPLIVOX HEARING ADVISORY SERVICE

80 NEW BOND STREET

LONDON, W.1

TEL : 01-493 9888

Please mention *The Journal of Laryngology and Otology* when replying to advertisements



Instrumentation for Audiology and Psychoacoustics

U.K. Distributors of the World's leading makes

Our Range includes:

Portable Audiometers
Clinical Audiometers
Bekey Audiometers
Speech Audiometers
Acoustic Impedance Meters
Sound Level Meters
Zwislocki Bridge
Psychogalvanometer
Auditory Trainers
Group Hearing Aids
Individual Hearing Aids for
School use
Silicon Based Aural Impression
Materials
Audiometric Examination
Rooms and many other items




Madsen
Electronics AS



Kamplex

GRASON-STADLER



Audium

Please let us know your needs

G. C. Johnson, Leyton Instrument Company Limited,
54 Albert Road, Caversham, Reading, Berks Reading 72293

SURGERY OF THE EAR

(New 2nd edition)

By George E. Shambaugh, Jr., M.D., *Professor of Otolaryngology,
Northwestern University Medical School.*

Every disease and disorder of the ear amenable to surgery is described here by one of the world's great otological surgeons. Dr. Shambaugh combines time-proven methods of diagnosis and therapy with the latest surgical techniques. Each discussion includes indications, advantages and disadvantages of available operations. Actual techniques are presented in step-by-step detail.

For this *New (2nd) Edition* Dr. Shambaugh has rewritten the major part of the book and has included two new chapters and many new illustrations. He meticulously describes major changes in the concept and technique of stape surgery for otosclerosis and modifications in methods of tympano-plastic reconstruction of the sound-conducting system. Surgical measures for the relief of symptoms of increased endolymph pressure receive renewed attention.

722 pages.

Illustrations


£10 10s. 0d.

W. B. SAUNDERS COMPANY

12 Dyott Street, London, W.C.1

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

Just one of the reasons why Ceporin has an important place in the ENT unit



Please mention *The Journal of Laryngology and Otology* when replying to advertisements

Ceporin[®] (cephaloridine)

Broad spectrum

Ceporin is highly active against many gram-positive organisms—including penicillin-resistant staphylococci—and many gram-negative organisms.

Bactericidal

Ceporin rapidly kills susceptible organisms at or near the minimum inhibitory concentration.

Safe

Ceporin has very low toxicity and can usually be given safely to penicillin-hypersensitive patients. The injection is remarkably painless.



Please mention *The Journal of Laryngology and Otology* when replying to advertisements

Clinical success

In the ENT unit, Ceporin has proved valuable for use in place of more toxic drugs or combinations of antibiotics. In particular, it is an excellent alternative where penicillin might have proved ineffective or dangerous. While Ceporin is effective in the simple staphylococcal or streptococcal infections, its activity among the gram-negative organisms is also very useful in the mixed infections often encountered in the ear, nose and throat.



Please mention *The Journal of Laryngology and Otology* when replying to advertisements

Ceporin[®] (cephaloridine)

Presentation

Ceporin is issued in vials containing 250 mg, 500 mg and 1 gram of cephaloridine, packed singly and in boxes of five.

Ceporin is a Glaxo trade mark

Detailed literature is available from
Glaxo Laboratories Ltd
Greenford, Middlesex



Please mention *The Journal of Laryngology and Otology* when replying to advertisements

ORBENIN

and its success in Gram-Positive Infections

Otitis media Otitis externa

Boils
Carbuncles
Infected dermatoses

Pneumonia
Lung abscess
Acute bronchitis

Osteomyelitis
Osteitis

Tonsillitis Pharyngitis

Post-operative wound infections
Burns
Skin graft protection

Septicaemia
Acute endocarditis

Staphylococcal enterocolitis
Staphylococcal urinary tract infections
Staphylococcal meningitis

ORBENIN (cloxacillin sodium B.P.) is a penicillin active against virtually all Gram-positive organisms, including staphylococci, β -haemolytic streptococci and pneumococci, irrespective of their resistance to other antibiotics.

It is encouraging that the widespread use of Orbenin in hospitals has not resulted in the emergence of resistant strains.

More than 300 references in the World Literature testify to the excellent clinical results obtained with Orbenin in a wide variety of Gram-positive infections.

Detailed literature is available on request.

Dosage:

Two capsules (500mg.) or one vial (250mg.) q.i.d.

Availability:



Capsules
(250mg.)



Vials
(250mg.)



Syrup
(125mg./
5ml.)



Orbenin (cloxacillin sodium B.P.) (regd.) is a product of British research at
Beecham Research Laboratories
Brentford, England. Telephone: ISLeworth 4111



- Robust construction—high grade components
- Portable, battery operated
- Modern transistor circuitry
- Versatile with many facilities



AUDITORY TRAINING UNIT LINGO MK. 3

- Improved performance
- Treble and Bass tone controls
- Compact and light weight
- Reasonably priced—£52 ex works

For further details please write to:

G. C. Johnson, Leyton Instrument Co. Ltd.,
54 Albert Rd., Caversham, Reading, Berks. Reading 72293

THE LARYNGOSCOPE

A Monthly Journal
devoted to the disease of
EAR, NOSE AND THROAT

*Official organ for the American Laryngological
Rhinological and Otological Society*


Price \$18.00 per year Canada \$19.00 per year
Foreign \$19.00 per year

ESTABLISHED 1896

THEODORE E. WALSH, M.D.
EDITOR

517 SOUTH EUCLID AVENUE
SAINT LOUIS MO. 63110.

Please mention *The Journal of Laryngology and Otology* when replying to advertisements



could
removal
of mucus
minimize
post-operative
hypoxia . . .
in those cases
where it
matters most?

airbron


"...may have a place in the management of chronic bronchitis, tracheostomy and certain post-operative cases." Leading article, *Brit.med.J.*, 1966, 2:603.

Post-operative hypoxia does not normally endanger the healthy patient, but "there are many whose pre-existing desaturation is such that a slight fall in tension cannot be tolerated." An important cause of this pre-existing hypoxia is chronic airways obstruction, due to excess mucus. Thus removal of mucus with AIRBRON* (20 per cent acetylcysteine solution) can be regarded as a way of minimizing hypoxia.

 The British Drug Houses Ltd. London

Detailed information available on request
1. *Lancet*, 1964, 1:220 *trade mark

Please mention *The Journal of Laryngology and Otology* when replying to advertisements



THE DROP THAT SOOTHES THE INFECTED EAR

'Otosporin' rapidly destroys virtually *all* bacteria commonly found in ear infections, reduces irritation, inflammation and pain. 'Otosporin' brand Drops contain polymyxin B sulphate, neomycin sulphate and hydrocortisone in a bland suspension designed to facilitate penetration. Issued in bottles of 5 ml.

'OTOSPORIN'



Burroughs Wellcome & Co. London
(The Wellcome Foundation Ltd.)

Please mention *The Journal of Laryngology and Otology* when replying to advertisements