Nutrition Research Reviews

Nutrition Research Reviews

Volume 23, 2010 ISSN: 0954-4224

Aims and Scope

Nutrition Research Reviews publishes comprehensive and challenging review articles on selected key topics in nutritional science. Authors are encouraged to take a critical approach in appraising the literature while also aiming to advance new concepts and hypotheses. The journal publishes both solicited and unsolicited articles.

Nutrition Research Reviews is published twice a year by Cambridge University Press on behalf of The Nutrition Society.

The contents page of this journal is available on the Internet before publication at http://www.cambridge.org/nrr

Editorial Board

Editor-in-Chief

Dr Kate M Younger, Dublin Institute of Technology, Ireland

Address for correspondence

Dr Kate M Younger, Editor-in-Chief, Nutrition Research Reviews, School of Biological Sciences, Dublin Institute of Technology, Kevin Street, Dublin 8, Republic of Ireland Tel: +353 1 4024662 Fax: +353 1 4024995 Email: katherine.younger@dit.ie

US Editor

Professor C M Weaver, Purdue University, USA

Editors

Dr N Binns, NMB Consulting Limited, Ireland Dr D Dardevet, INRA, France Dr R M Elliot, Institute of Food Research, UK Dr M Pufulete, Kings College London, UK

Editorial Advisors

Dr M Ashwell, Baldock, UK
Dr D A Bender, University College London, UK
Dr J L Black, Warrimo, Australia
Professor J Cade, University of Leeds, UK
Dr C Edwards, Glasgow University, UK
Dr S French, Sheffield University, UK
Professor L Hambraeus, University of Uppsala, Sweden
Professor H J Powers, University of Sheffield, UK
Dr P Rogers, University of Bristol, UK
Dr B Sivakumar, National Institute of Nutrition, India
Professor N W Solomons, CESSIAM, Guatemala
Professor J B Ubbink, University of Pretoria, South Africa
Professor M Verstegen, Wageningen University, Netherlands

Editorial staff

C Goodstein (Publications Manager), C Jackson (Deputy Publications Manager), H Money, J Norton & L Weeks (Publications Officers) C T Hughes (Sub-editor)

The Nutrition Society has as its objective the advancement of the scientific study of nutrition and its applications to the maintenance of human and animal health.

Application of membership is invited from anyone whose work has contributed to the scientific knowledge of nutrition, whether such work has been in the laboratory, the field or the clinic, and whether experimental, clinical, agricultural or statistical in nature. There is also a student membership scheme with reduced subscriptions.

Particulars of The Nutrition Society and application forms for membership are available from The Nutrition Society, 10 Cambridge Court, 210 Shepherds Bush Road, London W6 7NJ, UK.

Tel: +44 (0)20 7602 0228, Fax: +44 (0)20 7602 1756, Email: edoffice@nutsoc.org.uk

The Nutrition Society Home Page is at http://www.nutritionsociety.org

Contents of Volume 23

(All rights reserved)

Younger KM Editorial	1
Guilloteau P, Zabielski R, Hammon HM & Metges CC Nutritional programming of gastrointestinal	
ract development. Is the pig a good model for man?	4
Le Huërou-Luron I, Blat S & Boudry G Breast- v. formula-feeding: impacts on the digestive tract and	
mmediate and long-term health effects	23
Adams CA The probiotic paradox: live and dead cells are biological response modifiers	37
Martel F, Monteiro R & Calhau C Effect of polyphenols on the intestinal and placental transport of	
some bioactive compounds	47
Fardet A New hypotheses for the health-protective mechanisms of whole-grain cereals: what is	
beyond fibre?	65
Sleeth ML, Thompson EL, Ford HE, Zac-Varghese SEK & Frost G Free fatty acid receptor 2 and	
nutrient sensing: a proposed role for fibre, fermentable carbohydrates and short-chain fatty acids in	105
appetite regulation	135
Brownlee IA, Forster DJ, Wilcox MD, Dettmar PW, Seal CJ & Pearson JP Physiological parameters	1.46
governing the action of pancreatic lipase	146
Antunes LC, Levandovski R, Dantas G, Caumo W & Hidalgo MP Obesity and shift work: chronobiological aspects	155
Alexander DD, Morimoto LM, Mink PJ & Lowe KA Summary and meta-analysis of prospective	133
studies of animal fat intake and breast cancer	169
Younger KM Editorial	181
Yadav M, Jain S, Tomar R, Prasad GBKS & Yadav H Medicinal and biological potential of pumpkin:	101
an updated review	184
Wang Z, Ma J & Si D Optimal cut-off values and population means of waist circumference	
n different populations	191
Macready AL, Butler LT, Kennedy OB, Ellis JA, Williams CM & Spencer JPE Cognitive tests used	
n chronic adult human randomised controlled trial micronutrient and phytochemical intervention studies	200
Kubo A, Corley DA, Jensen CD & Kaur R Dietary factors and the risks of oesophageal adenocarcinoma	
and Barrett's oesophagus	230
Browning LM, Hsieh SD & Ashwell M A systematic review of waist-to-height ratio as a screening	
ool for the prediction of cardiovascular disease and diabetes: 0.5 could be a suitable global	
poundary value	247
Hariri N & Thibault L High-fat diet-induced obesity in animal models	270
Ulgheri C, Paganini B & Rossi F Antisecretory factor as a potential health-promoting molecule in man	
and animals	300
Kosti RI, Panagiotakos DB & Zampelas A Ready-to-eat cereals and the burden of obesity in the	21.4
context of their nutritional contribution: are all ready-to-eat cereals equally healthy? A systematic review	314
Erkekoğlu P & Baydar T Toxicity of acrylamide and evaluation of its exposure in baby foods	323
Bester D, Esterhuyse AJ, Truter EJ & van Rooyen J Cardiovascular effects of edible oils:	224
a comparison between four popular edible oils Alexander DD, Morimoto LM, Mink PJ & Cushing CA A review and meta-analysis of red and processed	334
neat consumption and breast cancer	349
Guilloteau P, Martin L, Eeckhaut V, Ducatelle R, Zabielski R & Van Immerseel F From the gut to the	349
peripheral tissues: the multiple effects of butyrate	366
omphoral abbaco, and marable effects of buttate	200

Index of Authors

Adams CA The probiotic paradox: live and dead cells are biological response modifiers, doi:10.1017/S095442241000 0090, 37

Alexander DD, Morimoto LM, Mink PJ & Cushing CA A review and meta-analysis of red and processed meat consumption and breast cancer, doi:10.1017/S0954422410000235, 349

Alexander DD, Morimoto LM, Mink PJ & Lowe KA Summary and meta-analysis of prospective studies of animal fat intake and breast cancer, doi:10.1017/S095442241000003X, 169

Antunes LC, Levandovski R, Dantas G, Caumo W & Hidalgo MP *Obesity and shift work: chronobiological aspects*, doi:10.1017/S0954422410000016, 155

Ashwell M, See Browning LM 247

Baydar T, See Erkekoğlu P 323

Bester D, Esterhuyse AJ, Truter EJ & van Rooyen J Cardiovascular effects of edible oils: a comparison between four popular edible oils, doi:10.1017/S0954422410000223, 334

Blat S, See Le Huërou-Luron I 23

Boudry G, See Le Huërou-Luron I 23

Browning LM, Hsieh SD & Ashwell M A systematic review of waist-to-height ratio as a screening tool for the prediction of cardiovascular disease and diabetes: 0.5 could be a suitable global boundary value, doi:10.1017/S0954422410000144, 247

Brownlee IA, Forster DJ, Wilcox MD, Dettmar PW, Seal CJ & Pearson JP *Physiological parameters governing the action of pancreatic lipase*, doi:10.1017/S0954422410000028, 146 Butler LT, *See* Macready AL 200

Calhau C, See Martel F 47 Caumo W, See Antunes LC 155 Corley DA, See Kubo A 230 Cushing CA, See Alexander DD 349

Dantas G, See Antunes LC 155 Dettmar PW, See Brownlee IA 146 Ducatelle R, See Guilloteau P 366

Eeckhaut V, See Guilloteau P 366 Ellis JA, See Macready AL 200

Erkekoğlu P & Baydar T Toxicity of acrylamide and evaluation of its exposure in baby foods, doi:10.1017/S0954422410000211, 323

Esterhuyse AJ, See Bester D 334

Fardet A New hypotheses for the health-protective mechanisms of whole-grain cereals: what is beyond fibre?, doi:10.1017/S0954422410000041, 65

Ford HE, See Sleeth ML 135 Forster DJ, See Brownlee IA 146 Frost G, See Sleeth ML 135

Guilloteau P, Martin L, Eeckhaut V, Ducatelle R, Zabielski R & Van Immerseel F *From the gut to the peripheral tissues: the multiple effects of butyrate*, doi:10.1017/S0954422410000247, 366

Guilloteau P, Zabielski R, Hammon HM & Metges CC Nutritional programming of gastrointestinal tract development. Is the pig a good model for man?, doi:10.1017/S0954422410000077, 4

Hammon HM, See Guilloteau P 4

Hariri N & Thibault L High-fat diet-induced obesity in animal models, doi:10.1017/S0954422410000168, 270

Hidalgo MP, See Antunes LC 155 Hsieh SD, See Browning LM 247

Jain S, See Yadav M 184 Jensen CD, See Kubo A 230

Kaur R, See Kubo A 230

Kennedy OB, See Macready AL 200

Kosti RI, Panagiotakos DB & Zampelas A Ready-to-eat cereals and the burden of obesity in the context of their nutritional contribution: are all ready-to-eat cereals equally healthy? A systematic review, doi:10.1017/S095442241000020X, 314

Kubo A, Corley DA, Jensen CD & Kaur R Dietary factors and the risks of oesophageal adenocarcinoma and Barrett's oesophagus, doi:10.1017/S0954422410000132, 230

Le Huërou-Luron I, Blat S & Boudry G Breast- v. formula-feeding: impacts on the digestive tract and immediate and long-term health effects, doi:10.1017/S0954422410000065, 23

Levandovski R, *See* Antunes LC 155 Lowe KA, *See* Alexander DD 169

Ma J, See Wang Z 191

Macready AL, Butler LT, Kennedy OB, Ellis JA, Williams CM & Spencer JPE Cognitive tests used in chronic adult human randomised controlled trial micronutrient and phytochemical intervention studies, doi:10.1017/S0954422410000119, 200

Martel F, Monteiro R & Calhau C Effect of polyphenols on the intestinal and placental transport of some bioactive compounds, doi:10.1017/S0954422410000053, 47

Martin L, See Guilloteau P 366 Metges CC, See Guilloteau P 4 Mink PJ, See Alexander DD 169 Mink PJ, See Alexander DD 349 Monteiro R, See Martel F 47 Morimoto LM, See Alexander DD 169 Morimoto LM, See Alexander DD 349

Paganini B, See Ulgheri C 300 Panagiotakos DB, See Kosti RI 314 Pearson JP, See Brownlee IA 146 Prasad GBK, See Yadav M 184

Rossi F, See Ulgheri C 300

Seal CJ, See Brownlee IA 146 Si D, See Wang Z 191

Sleeth ML, Thompson EL, Ford HE, Zac-Varghese SEK & Frost G Free fatty acid receptor 2 and nutrient sensing: a proposed role for fibre, fermentable carbohydrates and short-chain fatty acids in appetite regulation, doi:10.1017/S0954422410000089, 135 Spencer JPE, See Macready AL 200

Thibault L, See Hariri N 270 Thompson EL, See Sleeth ML 135

Tomar R, See Yadav M 184

Truter EJ, See Bester D 334

Ulgheri C, Paganini B & Rossi F*Antisecretory factor as a potential health-promoting molecule in man and animals*, doi:10.1017/S0954422410000193, 300

Index of Authors is also available at www.cambridge.org

Index of Authors 389

Van Immerseel F, *See* Guilloteau P 366 van Rooyen J, *See* Bester D 334

Wang Z, Ma J & Si D Optimal cut-off values and population means of waist circumference in different populations, doi:10.1017/S0954422410000120, 191
Wilcox MD, See Brownlee IA 146
Williams CM, See Macready AL 200

Yadav H, See Yadav M 184

Yadav M, Jain S, Tomar R, Prasad GBK & Yadav H Medicinal and biological potential of pumpkin: an updated review, doi:10.1017/S0954422410000107, 184

Younger KM *Editorial*, doi:10.1017/S0954422410000156, 1 Younger KM *Editorial*, doi:10.1017/S0954422410000296, 181

Zabielski R, *See* Guilloteau P 366 Zabielski R, *See* Guilloteau P 4 Zac-Varghese SEK, *See* Sleeth ML 135 Zampelas A, *See* Kosti RI 314

Index of Subjects

Abdominal obesity

Optimal cut-off values and population means of waist circumference in different populations

23, 191, 2010, doi:10.1017/S0954422410000120

Abdominal obesity

A systematic review of waist-to-height ratio as a screening tool for the prediction of cardiovascular disease and diabetes: 0.5 could be a suitable global boundary value

23, 247, 2010, doi:10.1017/S0954422410000144

Acrylamide

Toxicity of acrylamide and evaluation of its exposure in baby foods

23, 323, 2010, doi:10.1017/S0954422410000211

Adult randomised controlled trials

Cognitive tests used in chronic adult human randomised controlled trial micronutrient and phytochemical intervention studies

23, 200, 2010, doi:10.1017/S0954422410000119

Animal and human nutrition

From the gut to the peripheral tissues: the multiple effects of butyrate

23, 366, 2010, doi:10.1017/S0954422410000247

Animal fat intake

Summary and meta-analysis of prospective studies of animal fat intake and breast cancer

23, 169, 2010, doi:10.1017/S095442241000003X

Animal models

Nutritional programming of gastrointestinal tract development. Is the pig a good model for man?

23, 4, 2010, doi:10.1017/S0954422410000077

Anti-carcinogens

Medicinal and biological potential of pumpkin: an updated review

23, 184, 2010, doi:10.1017/S0954422410000107

Anti-diabetic properties

Medicinal and biological potential of pumpkin: an updated review

23, 184, 2010, doi:10.1017/S0954422410000107

Antioxidants

Medicinal and biological potential of pumpkin: an updated review

23, 184, 2010, doi:10.1017/S0954422410000107

Antisecretory factor

Antisecretory factor as a potential health-promoting molecule in man and animals

23, 300, 2010, doi:10.1017/S0954422410000193

BMI

A systematic review of waist-to-height ratio as a screening tool for the prediction of cardiovascular disease and diabetes: 0.5 could be a suitable global boundary value

23, 247, 2010, doi:10.1017/S0954422410000144

BMI

Ready-to-eat cereals and the burden of obesity in the context of their nutritional contribution: are all ready-to-eat cereals equally healthy? A systematic review

23, 314, 2010, doi:10.1017/S095442241000020X

Baby food

Toxicity of acrylamide and evaluation of its exposure in baby foods

23, 323, 2010, doi:10.1017/S0954422410000211

Barrett's oesophagus

Dietary factors and the risks of oesophageal adenocarcinoma and Barrett's oesophagus

23, 230, 2010, doi:10.1017/S0954422410000132

Bioactive compounds

New hypotheses for the health-protective mechanisms of whole-grain cereals: what is beyond fibre?

23, 65, 2010, doi:10.1017/S0954422410000041

Biological clock

Obesity and shift work: chronobiological aspects

23, 155, 2010, doi:10.1017/S0954422410000016

Biological role of butyrate

From the gut to the peripheral tissues: the multiple effects of butyrate

23, 366, 2010, doi:10.1017/S0954422410000247

Breast cancer

Summary and meta-analysis of prospective studies of animal fat intake and breast cancer

23, 169, 2010, doi:10.1017/S095442241000003X

Breast cancer

A review and meta-analysis of red and processed meat consumption and breast cancer

23, 349, 2010, doi:10.1017/S0954422410000235

Cardiovascular effects

Cardiovascular effects of edible oils: a comparison between four popular edible oils

23, 334, 2010, doi:10.1017/S0954422410000223

Central obesity

A systematic review of waist-to-height ratio as a screening tool for the prediction of cardiovascular disease and diabetes: 0.5 could be a suitable global boundary value

23, 247, 2010, doi:10.1017/S0954422410000144

Cognitive tests

Cognitive tests used in chronic adult human randomised controlled trial micronutrient and phytochemical intervention studies

23, 200, 2010, doi:10.1017/S0954422410000119

Colipase

Physiological parameters governing the action of pancreatic lipase

23, 146, 2010, doi:10.1017/S0954422410000028

Dead probiotics

The probiotic paradox: live and dead cells are biological response modifiers

23, 37, 2010, doi:10.1017/S0954422410000090

Diarrhoea

Antisecretory factor as a potential health-promoting molecule in man and animals

23, 300, 2010, doi:10.1017/S0954422410000193

Diet

A review and meta-analysis of red and processed meat consumption and breast cancer

23, 349, 2010, doi:10.1017/S0954422410000235

Dietary factors

Dietary factors and the risks of oesophageal adenocarcinoma and Barrett's oesophagus

23, 230, 2010, doi:10.1017/S0954422410000132

Dietary obesity

High-fat diet-induced obesity in animal models

23, 270, 2010, doi:10.1017/S0954422410000168

Early nutrition

Breast- v. formula-feeding: impacts on the digestive tract and immediate and long-term health effects

23, 23, 2010, doi:10.1017/S0954422410000065

Endocrine pancreas

Breast- v. formula-feeding: impacts on the digestive tract and immediate and long-term health effects

23, 23, 2010, doi:10.1017/S0954422410000065

Epidemiology

A review and meta-analysis of red and processed meat consumption and breast cancer

23, 349, 2010, doi:10.1017/S0954422410000235

Feed additives

From the gut to the peripheral tissues: the multiple effects of butyrate

23, 366, 2010, doi:10.1017/S0954422410000247

Fibre

Free fatty acid receptor 2 and nutrient sensing: a proposed role for fibre, fermentable carbohydrates and short-chain fatty acids in appetite regulation

23, 135, 2010, doi:10.1017/S0954422410000089

Fish oil

Cardiovascular effects of edible oils: a comparison between four popular edible oils

23, 334, 2010, doi:10.1017/S0954422410000223

Formula

Breast- v. formula-feeding: impacts on the digestive tract and immediate and long-term health effects

23, 23, 2010, doi:10.1017/S0954422410000065

Free fatty acid receptors

Free fatty acid receptor 2 and nutrient sensing: a proposed role for fibre, fermentable carbohydrates and short-chain fatty acids in appetite regulation

23, 135, 2010, doi:10.1017/S0954422410000089

Gastrointestinal enzymes

Physiological parameters governing the action of pancreatic lipase

23, 146, 2010, doi:10.1017/S0954422410000028

Gastrointestinal microbial ecosystem

From the gut to the peripheral tissues: the multiple effects of butyrate

23, 366, 2010, doi:10.1017/S0954422410000247

Gastrointestinal tract development

Breast- v. formula-feeding: impacts on the digestive tract and immediate and long-term health effects

23, 23, 2010, doi:10.1017/S0954422410000065

Gastrointestinal tract

The probiotic paradox: live and dead cells are biological response modifiers

23, 37, 2010, doi:10.1017/S0954422410000090

Health

New hypotheses for the health-protective mechanisms of wholegrain cereals: what is beyond fibre?

23, 65, 2010, doi:10.1017/S0954422410000041

Heart

Cardiovascular effects of edible oils: a comparison between four popular edible oils

23, 334, 2010, doi:10.1017/S0954422410000223

Herbal medicine

Medicinal and biological potential of pumpkin: an updated review

23, 184, 2010, doi:10.1017/S0954422410000107

High-fat diet

High-fat diet-induced obesity in animal models

23, 270, 2010, doi:10.1017/S0954422410000168

Hormono-neuro-immuno system

From the gut to the peripheral tissues: the multiple effects of butyrate

23, 366, 2010, doi:10.1017/S0954422410000247

Human milk

Breast- v. formula-feeding: impacts on the digestive tract and immediate and long-term health effects

23, 23, 2010, doi:10.1017/S0954422410000065

Human nutrition

Nutritional programming of gastrointestinal tract development. Is the pig a good model for man?

23, 4, 2010, doi:10.1017/S0954422410000077

Immunomodulation

The probiotic paradox: live and dead cells are biological response modifiers

23, 37, 2010, doi:10.1017/S0954422410000090

Infant formulas

Toxicity of acrylamide and evaluation of its exposure in baby foods

23, 323, 2010, doi:10.1017/S0954422410000211

Inflammatory bowel disease

Antisecretory factor as a potential health-promoting molecule in man and animals

23, 300, 2010, doi:10.1017/S0954422410000193

Intestinal transport

Effect of polyphenols on the intestinal and placental transport of some bioactive compounds

23, 47, 2010, doi:10.1017/S0954422410000053

Intestine

Breast- v. formula-feeding: impacts on the digestive tract and immediate and long-term health effects

23, 23, 2010, doi:10.1017/S0954422410000065

Intra-uterine growth retardation

Nutritional programming of gastrointestinal tract development. Is the pig a good model for man?

23, 4, 2010, doi:10.1017/S0954422410000077

Lipolysis

Physiological parameters governing the action of pancreatic lipase 23, 146, 2010, doi:10.1017/S0954422410000028

Live probiotics

The probiotic paradox: live and dead cells are biological response modifiers

23, 37, 2010, doi:10.1017/S0954422410000090

Meta-analyses

Summary and meta-analysis of prospective studies of animal fat intake and breast cancer

23, 169, 2010, doi:10.1017/S095442241000003X

Meta-analyses

A review and meta-analysis of red and processed meat consumption and breast cancer

23, 349, 2010, doi:10.1017/S0954422410000235

Mice

High-fat diet-induced obesity in animal models

23, 270, 2010, doi:10.1017/S0954422410000168

Micronutrients

Cognitive tests used in chronic adult human randomised controlled trial micronutrient and phytochemical intervention studies

23, 200, 2010, doi:10.1017/S0954422410000119

Nutrition

A review and meta-analysis of red and processed meat consumption and breast cancer

23, 349, 2010, doi:10.1017/S0954422410000235

Nutritional status

Ready-to-eat cereals and the burden of obesity in the context of their nutritional contribution: are all ready-to-eat cereals equally healthy? A systematic review

23, 314, 2010, doi:10.1017/S095442241000020X

Obesity

Free fatty acid receptor 2 and nutrient sensing: a proposed role for fibre, fermentable carbohydrates and short-chain fatty acids in appetite regulation

23, 135, 2010, doi:10.1017/S0954422410000089

Obesity

Obesity and shift work: chronobiological aspects

23, 155, 2010, doi:10.1017/S0954422410000016

Obesity

A systematic review of waist-to-height ratio as a screening tool for the prediction of cardiovascular disease and diabetes: 0.5 could be a suitable global boundary value

23, 247, 2010, doi:10.1017/S0954422410000144

Obesity

Ready-to-eat cereals and the burden of obesity in the context of their nutritional contribution: are all ready-to-eat cereals equally healthy? A systematic review

23, 314, 2010, doi:10.1017/S095442241000020X

Oesophageal adenocarcinoma

Dietary factors and the risks of oesophageal adenocarcinoma and Barrett's oesophagus

23, 230, 2010, doi:10.1017/S0954422410000132

Olive oil

Cardiovascular effects of edible oils: a comparison between four popular edible oils

23, 334, 2010, doi:10.1017/S0954422410000223

Optimal cut-off points

Optimal cut-off values and population means of waist circumference in different populations

23, 191, 2010, doi:10.1017/S0954422410000120

Palm oil

Cardiovascular effects of edible oils: a comparison between four popular edible oils

23, 334, 2010, doi:10.1017/S0954422410000223

Pancreatic lipase

Physiological parameters governing the action of pancreatic lipase 23, 146, 2010, doi:10.1017/S0954422410000028

Index of Subjects 393

Physiological mechanisms

New hypotheses for the health-protective mechanisms of wholegrain cereals: what is beyond fibre?

23, 65, 2010, doi:10.1017/S0954422410000041

Phytochemicals

Medicinal and biological potential of pumpkin: an updated review

23, 184, 2010, doi:10.1017/S0954422410000107

Phytochemicals

Cognitive tests used in chronic adult human randomised controlled trial micronutrient and phytochemical intervention studies

23, 200, 2010, doi:10.1017/S0954422410000119

Placental transport

Effect of polyphenols on the intestinal and placental transport of some bioactive compounds

23, 47, 2010, doi:10.1017/S0954422410000053

Polyphenols

Effect of polyphenols on the intestinal and placental transport of some bioactive compounds

23, 47, 2010, doi:10.1017/S0954422410000053

Probiotics

The probiotic paradox: live and dead cells are biological response modifiers

23, 37, 2010, doi:10.1017/S0954422410000090

Pumpkin

Medicinal and biological potential of pumpkin: an updated review

23, 184, 2010, doi:10.1017/S0954422410000107

Rats

High-fat diet-induced obesity in animal models

23, 270, 2010, doi:10.1017/S0954422410000168

Ready-to-eat cereals

Ready-to-eat cereals and the burden of obesity in the context of their nutritional contribution: are all ready-to-eat cereals equally healthy? A systematic review

23, 314, 2010, doi:10.1017/S095442241000020X

Red palm oil

Cardiovascular effects of edible oils: a comparison between four popular edible oils

23, 334, 2010, doi:10.1017/S0954422410000223

SCFA

Free fatty acid receptor 2 and nutrient sensing: a proposed role for fibre, fermentable carbohydrates and short-chain fatty acids in appetite regulation

23, 135, 2010, doi:10.1017/S0954422410000089

Sensitivity

Optimal cut-off values and population means of waist circumference in different populations

23, 191, 2010, doi:10.1017/S0954422410000120

Shift work

Obesity and shift work: chronobiological aspects

23, 155, 2010, doi:10.1017/S0954422410000016

Small intestine

Physiological parameters governing the action of pancreatic lipase

23, 146, 2010, doi:10.1017/S0954422410000028

Specially processed cereals

Antisecretory factor as a potential health-promoting molecule in man and animals

23, 300, 2010, doi:10.1017/S0954422410000193

Specificity

Optimal cut-off values and population means of waist circumference in different populations

23, 191, 2010, doi:10.1017/S0954422410000120

Sunflower-seed oil

Cardiovascular effects of edible oils: a comparison between four popular edible oils

23, 334, 2010, doi:10.1017/S0954422410000223

Swine

Nutritional programming of gastrointestinal tract development. Is the pig a good model for man?

23, 4, 2010, doi:10.1017/S0954422410000077

Toxicity

Toxicity of acrylamide and evaluation of its exposure in baby foods

23, 323, 2010, doi:10.1017/S0954422410000211

Trophic effects

From the gut to the peripheral tissues: the multiple effects of butyrate

23, 366, 2010, doi:10.1017/S0954422410000247

Waist circumference

Optimal cut-off values and population means of waist circumference in different populations

23, 191, 2010, doi:10.1017/S0954422410000120

Waist circumference

A systematic review of waist-to-height ratio as a screening tool for the prediction of cardiovascular disease and diabetes: 0.5 could be a suitable global boundary value

23, 247, 2010, doi:10.1017/S0954422410000144

Waist-to-height ratio

A systematic review of waist-to-height ratio as a screening tool for the prediction of cardiovascular disease and diabetes: 0.5 could be a suitable global boundary value

23, 247, 2010, doi:10.1017/S0954422410000144

Whole-grain wheat

New hypotheses for the health-protective mechanisms of wholegrain cereals: what is beyond fibre?

23, 65, 2010, doi:10.1017/S0954422410000041

CAMBRIDGE

JOURNALS



Proceedings of the Nutrition Society

Published on behalf of The Nutrition Society

Proceedings of the Nutrition Society

is available online at: http://journals.cambridge.org/pns

To subscribe contact Customer Services

in Cambridge:

Phone +44 (0)1223 326070 Fax +44 (0)1223 325150 Email journals@cambridge.org

in New York:

Phone +1 845) 353 7500 Fax +1 (845) 353 4141 Email subscriptions_newyork@cambridge.org

Editor-in-Chief

K.R. Westerterp, Maastricht University, The Netherlands

Proceedings of the Nutrition Society publishes papers and abstracts presented by members and invited speakers at the scientific meetings of The Nutrition Society. The journal provides an invaluable record of the scientific research currently being undertaken, contributing to 'the scientific study of nutrition and its application to the maintenance of human and animal health.'

Price information is available at: http://journals.cambridge.org/pns

Free email alerts


Keep up-to-date with new material – sign up at http://journals.cambridge.org/alerts

For free online content visit: http://journals.cambridge.org/pns



CAMBRIDGE

JOURNALS



Public Health Nutrition

Published on behalf of The Nutrition Society

Public Health Nutrition

is available online at: http://journals.cambridge.org/phn

To subscribe contact Customer Services

in Cambridge:

Phone +44 (0)1223 326070 Fax +44 (0)1223 325150 Email journals@cambridge.org

in New York:

Phone +1 (845) 353 7500 Fax +1 (845) 353 4141 Email subscriptions_newyork@cambridge.org

Editor-in-Chief

Agneta Yngve, Karolinska Institutet, Sweden

Public Health Nutrition provides an international peer-reviewed forum for the publication and dissemination of research and scholarship aimed at understanding the causes of, and approaches and solutions to nutrition-related public health achievements, situations and problems around the world. The journal publishes original and commissioned articles, commentaries and discussion papers for debate.

Price information is available at: http://journals.cambridge.org/phn

Free email alerts

Keep up-to-date with new material – sign up at http://journals.cambridge.org/alerts

For free online content visit: http://journals.cambridge.org/phn



CAMBRIDGE

JOURNALS



British Journal of Nutrition

Published on behalf of The Nutrition Society

British Journal of Nutrition

is available online at: http://journals.cambridge.org/bjn

To subscribe contact Customer Services

in Cambridge:

Phone +44 (0)1223 326070 Fax +44 (0)1223 325150 Email journals@cambridge.org

in New York:

Phone +1 (845) 353 7500 Fax +1 (845) 353 4141 Email subscriptions_newyork@cambridge.org

Editor-in-chief

P.C. Calder, University of Southampton, UK

British Journal of Nutrition is a leading international peerreviewed journal covering research on human and clinical nutrition, animal nutrition and basic science as applied to nutrition. The journal recognises the multidisciplinary nature of nutritional science and includes material from all of the specialities involved in nutrition research, including molecular and cell biology and the emerging area of nutritional genomics.

Price information is available at: http://journals.cambridge.org/bjn

Free email alerts

Keep up-to-date with new material – sign up at http://journals.cambridge.org/alerts

For free online content visit: http://journals.cambridge.org/bjn



Nutrition Research Reviews

Nutrition Research Reviews publishes comprehensive and challenging review articles on selected key topics in nutritional science. Authors are encouraged to take a critical approach in appraising the literature while also aiming to advance new concepts and hypotheses. The journal publishes both solicited and unsolicited articles. Authors wishing to submit a review article to the journal should, in the first instance, send a short summary of their paper to the Editor-in-Chief at the address given below.

It is essential that any relevant interests and sources of funding are declared at submission stage and published as part of the manuscript.

Page format. *Nutrition Research Reviews* is printed in double-column format (column width of 77 mm) with a text area of 77 x 212 mm.

Text. Papers should be submitted with 1.5 line spacing and margins of at least 2 cm on each side. The use of automated line numbering is strongly encouraged. At the ends of lines, words should not be hyphenated unless hyphens are to be printed. Standard abbreviations (e.g. Fig. and Figs.) and SI units must be used. A hierarchy of headings used to subdivide the paper should be made clear. It is possible to use four levels, although three or less will generally suffice.

The paper should be written in English, the spelling being generally that of the *Concise Oxford Dictionary* (1995), 9th ed. Oxford: Clarendon Press. If occasionally other spellings are preferred this will be indicated during technical editing.

Electronic submission as an attachment to email is strongly encouraged. Text files must be compatible with Microsoft Word (either in Word format or saved as rich text (.rtf) files.

Abstract. Each paper must commence with a carefully prepared, accurate, informative abstract, in one paragraph, that is complete in itself and intelligible without reference to text or figures. It should not exceed 250 words. A short title of up to 45 characters should be provided as a running head, and there should be a list of up to 6 key words.

Introduction. An introduction should follow the abstract setting out the background and, if necessary, the history of the chosen topic; this should be sufficient to set the scene for the general reader and be relatively brief.

Main body. Invited review papers will normally be expected to be between 6 000 and 12 000 words in length (including references and equivalent spaces for figures and tables). The main body of the review should present, discuss and interpret recent research findings in a comprehensive but concise manner. It should also consider what is known about work in progress and should close with a section attempting to assess where present investigations are likely to lead. The review will, of course, represent the views of the author, but should deal throughout with the world picture and give recognition to any work thought to be relevant.

Tables. Tables should be reduced to the simplest form, and should not be used where text or illustrations give the same information. They should be submitted on separate sheets at the end of the main text file and must carry headings describing their content that are comprehensible without reference to the text. Tables may be single or double column width; very wide tables will be printed in landscape format.

Illustrations. Text figures, line drawings, computer-generated figures and graphs should be of sufficient size and quality to allow for reduction by half or two-thirds; they may be in single or double column format. Half-tone photographs are acceptable

where they are a real contribution to the text. Figure legends should be typed on a separate sheet in the main text file and numbered corresponding to the relevant figures. For illustrations, preferred software packages are Adobe Illustrator, Adobe Photoshop, Aldus Freehand, Chemdraw or CorelDraw. Preferred formats are TIFF or JPEG, if a TIFF file is not possible save as an EPS or a Windows metafile. Microsoft PowerPoint files are also acceptable. If you are sending several files containing figures, please compress them into a single zip file for transmission.

References. References must be based on the numbered (Vancouver) system. When an article has more than ten authors, only the names of the first three should be given followed by *et al.*; give abbreviated journal titles and conform to the following styles:

- 1. Goel V, Cheema SK, Agellon LB, Ooraikul B & Basu TK (1999) Dietary rhubarb (*Rheum rhaponticum*) stalk fibre stimulates cholesterol 7a-hydroxylase gene expression and bile acid excretion in cholesterol-fed C57BL/6J mice. *Br J Nutr* **81**, 65–71.
- 2. Jenkins DJ, Kendall CW, Marchie A *et al.* (2003) The effect of combining plant sterols, soy protein, viscous fibres, and almonds in treating hypercholesterolemia. *Metabolism* **52**, 1478–1483.
- 3. Brandtzaeg P (2003) Role of local immunity and breast-feeding in mucosal homoeostasis and defence against infections. In *Nutrition and Immune Function*, pp. 273–320 [PC Calder, CJ Field and HS Gill, editors]. Wallingford, Oxon: CAB International.
- 4. Stock M & Rothwell NJ (1982) *Obesity and Leanness: Basic Aspects*. London: John Libbey.

Citations should be numbered consecutively in the order in which they first appear in the text using superscript Arabic numerals in parentheses, e.g. 'The conceptual difficulty of this approach has recently been highlighted^(1,2-4)'. If a reference is cited more than once the same number should be used each time.

Other rules of presentation etc. Please consult our full Directions to Authors available on the Nutrition Society website for further details: http://www.nutritionsociety.org/documents/20070712NRRFullDirections.pdf

Proofs. An electronic set of page proofs in Adobe Acrobat (PDF) format will be provided to authors for checking and should be returned within 3 days (by fax or Express mail) to the NRR Production Editor, Cambridge University Press, The Edinburgh Building, Shaftesbury Road, Cambridge CB2 8RU, UK; fax +44 1223 325802, email gedwards@cambridge.org

Offprints. A copy of the issue and a PDF file of the paper will be supplied free of charge to the corresponding author of each review, and additional offprints may be ordered on the order form sent with the proofs.

Papers will be sent to referees, will be edited before publication and modifications may be required.

Typescripts. Material for publication and other communications should be sent to:

Dr Kate M Younger School of Biological Sciences Dublin Institute of Technology, Kevin Street, Dublin 8, Republic of Ireland

Tel: +353 1 4024662 Fax: +353 1 4024995

Email: katherine.younger@dit.ie



Vol. 23 No. 2 December 2010

Contents

Editorial K. M. Younger	181–183
Medicinal and biological potential of pumpkin: an updated review <i>M. Yadav, S. Jain, R. Tomar, G. B. K. S. Prasad & H. Yadav</i>	184-190
Optimal cut-off values and population means of waist circumference in different populations Z. Wang, J. Ma & D. Si	191–199
Cognitive tests used in chronic adult human randomised controlled trial micronutrient and phytochemical intervention studies A. L. Macready, L. T. Butler, O. B. Kennedy, J. A. Ellis, C. M. Williams & J. P. E. Spencer	200–229
Dietary factors and the risks of oesophageal adenocarcinoma and Barrett's oesophagus A. Kubo, D. A. Corley, C. D. Jensen & R. Kaur	230–246
A systematic review of waist-to-height ratio as a screening tool for the prediction of cardiovascular disease and diabetes: 0.5 could be a suitable global boundary value L. M. Browning, S. D. Hsieh & M. Ashwell	247–269
High-fat diet-induced obesity in animal models N. Hariri & L. Thibault	270–299
Antisecretory factor as a potential health-promoting molecule in man and animals <i>C. Ulgheri, B. Paganini & F. Rossi</i>	300–313
Ready-to-eat cereals and the burden of obesity in the context of their nutritional contribution: are all ready-to-eat cereals equally healthy? A systematic review <i>R. I. Kosti, D. B. Panagiotakos & A. Zampelas</i>	314–322
Toxicity of acrylamide and evaluation of its exposure in baby foods P. Erkekoğlu & T. Baydar	323–333
Cardiovascular effects of edible oils: a comparison between four popular edible oils D. Bester, A. J. Esterhuyse, E. J. Truter & J. van Rooyen	334–348
A review and meta-analysis of red and processed meat consumption and breast cancer D. D. Alexander, L. M. Morimoto, P. J. Mink & C. A. Cushing	349–365
From the gut to the peripheral tissues: the multiple effects of butyrate <i>P. Guilloteau, L. Martin, V. Eeckhaut, R. Ducatelle, R. Zabielski & F. Van Immerseel</i>	366–384

