INSTRUCTIONS TO AUTHORS

Parasitology publishes original papers on most aspects of pure and applied parasitology including biochemistry, molecular biology, immunology, genetics, physiology, epidemiology, ecology, chemotherapy and the control of parasitic infections, the application of new techniques, advances in the understanding of host-parasite relationships, theoretical studies and **major** systematic revisions. There is no minimum or maximum length for a paper but all manuscripts, including short ones, must be prepared in the standard format for this journal and any manuscript that is excessively long will be returned for shortening.

Manuscripts may be sent to either of the editors but, in order to facilitate processing, those that are protozoological and/or immunological should be sent to Professor F. E. G. Cox, Division of Life Sciences, King's College London, Campden Hill Road, London W8 7AH, UK and all others to Professor C. Arme, Parasitology Research Laboratory, Keele University, Keele, Staffs ST5 5BG, UK.

Authors are requested to follow these *Instructions* to Authors and should refer to a recent number of Parasitology for the correct style. It is editorial policy to give preference to manuscripts that have been prepared in the correct form for this journal and any that have not will have to be returned to the authors even if otherwise acceptable. This will inevitably lead to a delay in processing.

The original and two copies of both the text and figures should be submitted in a stout envelope. The original will be retained in the editorial office and two copies will be sent to referees. Copies of figures should be sufficiently clear to enable the referees to assess the manuscript as a whole; photocopies of photographs are not acceptable. Unless specifically requested, only the original manuscript and figures will normally be returned to the author(s) when a manuscript cannot be accepted. When a manuscript has been provisionally accepted subject to revision, authors will be asked to return one original and one copy of the revised manuscript, tables and figures and, wherever possible, a 3.5" disk clearly labelled with the accession number, author's name, short title, word processing package used and file name. The preferred word processing packages are Word or WordPerfect in either PC or Macintosh format and the preferred graphics package is Freehand 5 but files from many others can be accepted. Please indicate clearly the file format (e.g. TIFF, EPS, DCS, Freehand etc), computer operating system and graphics software used for originating the artwork files. The typefaces used in electronic artwork supplied should be restricted to the Monotype, Adobe and Bitstream font libraries. Illustrations should be supplied as EPS files and never as PostScript files, or as the native format files from the graphics package used. They should be accompanied by laser proofs with the name and version number of the graphics package used, and also the names of the fonts used.

Manuscripts must be accompanied by a letter giving the name and address of a single named author, with whom all correspondence will be conducted. Submission of a manuscript implies that it has been approved in its final form by all the named authors, that it reports on unpublished work and that it has not been published or submitted for publication, in whole or in part, elsewhere. It is the responsibility of the named author to ensure that these conditions are fulfilled.

Manuscripts must be in English and printed or typewritten with a left-hand margin of not less than 40 mm and double spacing throughout including the references, tables and captions to figures. All headings should be flush left in accordance with the journal style and all pages numbered.

The manuscript should be organized as follows:

- 1. **TITLE PAGE.** The title page should contain (i) a concise but informative full title, (ii) the initials and name(s) of the authors, (iii) the full postal address(es) of the institution(s) where the work was carried out, (iv) a short informative running title and (v) the name and address, telephone, Fax and e-mail numbers of the corresponding author. Footnotes containing other addresses may be included. **Nothing else should appear on the title page**.
- 2. SUMMARY. This should not be more than about 150–200 words and its purpose should be to summarize the main aims, results and conclusions in such a way that they could be understood by any interested reader and not only experts in the subject and could be used by an abstracting journal. References to published or unpublished work and unnecessary abbreviations should be avoided. Appended to the SUMMARY should be 3–6 relevant key words suitable for indexing. Nothing else should appear on the SUMMARY page.
- 3. **INTRODUCTION.** This should be as short as possible, normally not more than 2–3 paragraphs, and should simply serve to introduce the reader to the purpose and significance of the work described. The **INTRODUCTION** should not be a mini-review nor should it be so bald as to be uninformative.

Instructions to Authors

When making general statements, reference should be made to recent reviews and specific references should be cited only if they are particularly relevant.

4. MATERIALS AND METHODS. Sufficient information for the reader to be able to repeat the work must be given but techniques described in detail in other publications need not be repeated, provided that an adequate reference is cited. Major modifications to methods should be clearly described. The numbers of experiments, replicates etc. and any statistical tests used should be stated.

The full binomial name should be given for all organisms except those such as mice, rats and rabbits commonly used in laboratories and domesticated animals such as cows, dogs and cats. Generic names should be given in full when first mentioned and subsequently if any confusion is likely to arise. If reference is made to an uncommon taxon the authority for the taxon and date should be stated. Abbreviations such as An. (for Anopheles) should be avoided unless absolutely essential, for example when referring to two or more generic names beginning with the same letter. Authors should follow International Rules for Nomenclature and, if new names are introduced, the International Code for Zoological Nomenclature. All strains and sources of hosts and parasites should be stated.

Abbreviations should be used sparingly and unambiguously. When using abbreviations, authors should bear in mind the fact that the reader may be a general parasitologist and not necessarily an expert on the subject matter of the paper. The following abbreviations are commonly used and need not be spelled out: ADP, AMP, ATP, bp, kDa, cpm, D.F., DNA, ED₅₀, Fig., \mathbf{g} , h (hour), i.m., i.p., mAb, M_r , min, NAD, NADH, no., pH, p.i. (post-infection), %, RNA, sec, sp., spp., s.c., s.d., s.e., WHO. SI units should be used wherever appropriate and other standard statistical, chemical, biochemical and molecular abbreviations may also be used. In case of any doubt, authors are advised to spell out the term in full, followed by the abbreviation in parentheses, when it is first used. Numbers should be cited in numerical form. Large numbers should be set out without commas, i.e. 10000 not 10,000. Very large numbers should be avoided, e.g. 250 million or 2.5×10^8 and not 250000000.

- 5. **RESULTS.** These should be confined to a factual account of the actual results obtained. The text should not duplicate information given in the Tables or Figures. Where necessary results should be analysed using an appropriate statistical test. Discussion and reference to other work should be left to the **DISCUSSION**.
- (i) Tables. Each table, headed by a self-explanatory title, must be double spaced on a separate page and numbered consecutively. Rules, particularly

vertical ones, should be avoided. The position of each table should be indicated in the margin of the text.

(ii) Figures. These may be line drawings or photographs and all should be referred to consecutively in the text as Fig. 1 etc. Each figure must be on a separate page and clearly identified with the author's name, short title of the manuscript and figure number. The position of each should be indicated in the margin of the text. Component parts of figures should be labelled A, B, C etc. Captions for figures, which should be self-explanatory, must be typed, double spaced, on a separate page and must not contain details of results. Regardless of the final size of the figure, the copies submitted should either be printed on, or attached to, sheets or thin cards the same size as the rest of the manuscript as small figures can be lost and large ones damaged.

Line drawings should not be larger than twice the final size and in no circumstances should exceed 170 × 250 mm. The axes of graphs should be carefully chosen so as to occupy the space available to the best advantage. When reduced, the drawing should fit into either one (80 mm) or two (166 mm) columns, preferably the former. Lines should be bold enough to stand reduction to about 0.25-0.35 mm. Line drawings should be as simple as possible and many computer-generated figures, for example 3-dimensional graphs, with fine lines, gradations of stippling and unusual symbols, cannot be reproduced satisfactorily when reduced. Unsatisfactory line drawings will have to be redrawn at the author's expense. Every line drawing must be accompanied by a photocopy or photograph reduced to approximately the size of the final version, normally one column width (80 mm), so that the final appearance can be assessed. Preferred symbols are $\bigcirc lacktriangle$ $\blacksquare \triangle \triangle$ and these should be used consistently. Lettering should be kept to a minimum and should be self-explanatory and unambiguous and of sufficiently high quality and size to be clearly visible after reduction to final size. The following are examples of acceptable appearance of labelling after reduction: A B C d e f, 10, 20, 30 (2 mm for numbers and upper case and 1 mm for lower case).

Photographs should be the same size as they will appear in the journal and should be selected to fit neatly into one column (80 mm) or two columns (166 mm). Photographs should be labelled and numbered as for line drawings. For microscopical preparations, scale bars with appropriate units (e.g. $50 \mu m$) must be provided; statements of magnification are not acceptable.

Colour figures may be accepted provided that they are of a very high quality but they are expensive to reproduce and the cost, currently £650 for first page of colour and £250 for each subsequent page per article, must be met by the author(s) and a binding

Instructions to Authors

agreement to meet the costs will be required before the manuscript can be accepted for publication. For colour figures, the instructions for the preparation of photographs should be followed.

- 6. **DISCUSSION.** The results should not be repeated in detail nor should new information be introduced. Speculation is encouraged but should not go beyond reasonable and testable hypotheses. As for the **INTRODUCTION**, the **DISCUSSION** should not attempt to be a mini-review and should not be too parochial.
- 7. REFERENCES. References, which must be double spaced, should begin on a separate page immediately following the DISCUSSION section and numbered consecutively with it. The accuracy and appropriateness of the references are solely the responsibility of the author and are not checked in the editorial office. References should be kept to an essential minimum particularly in the case of citations of the authors' own work. Only references to published work or work actually in press are permitted and under no circumstances should references to unpublished work, work in preparation or unrefereed abstracts be included (such data should be cited as personal communications or unpublished observations in the text). Formats for citing references differ from journal to journal but it is essential that the appropriate format for Parasitology should be adhered to precisely. Copy-editing references in an incorrect form is very time consuming and inevitably delays publication. For papers in Parasitology the Harvard system is used for the citation of references in the text, e.g. (Brown & Green, 1995) or Brown & Green (1995). The names of all authors up to three should be included when first cited in the text, e.g. Brown, Green & White (1995), but thereafter the form Brown et al. (1995) should be used and this form should also be used for four or more authors for the first and subsequent citations. Different papers published in the same year should be distinguished by a letter after the date, e.g. Brown et al. (1995a). Great care should be taken to avoid confusion of multi-author papers with the same senior author. References should be ordered alphabetically and chronologically, e.g.

BROWN, A. (1995). BROWN, A. & GREEN, B. (1991). BROWN, A., GREEN, B. & WHITE, C. (1994). BROWN, A., WHITE, C. & GREEN, B. (1992*a*). BROWN, A., WHITE, C. & GREEN, B. (1992*b*). BROWN, A., WHITE, C. & GREEN, B. (1995).

The format required by this journal is given below and, if in any doubt, authors should refer to a recent issue of *Parasitology*. Please note that the names of authors should be in upper case characters and that the journal should be given in full and not abbreviated. Part numbers of volumes are not required i.e. Parasitology 112 but not Parasitology 112 (1). Journal references

BUNDY, D. A. P., CHAN, M. S. & SAVIOLA, L. (1995). Hookworm infection in pregnancy. Transactions of the Royal Society of Tropical Medicine and Hygiene 89, 521-522.

Parasitology supplements

BUXTON, D. & INNES, E. A. A. (1995). A commercial vaccine for ovine toxoplasmosis. *Parasitology* **110** (Suppl.) S11–S16.

Books

SMYTH, J. D. (1994). Introduction to Animal Parasitology, 3rd edn. Cambridge University Press, Cambridge.

Chapters in books

GRENFELL, B. T., DIETZ, K. & ROBERTS, M. G. (1995).

Modelling the immuno-epidemiology of macroparasites in naturally-fluctuating host populations. In *Ecology of Infectious Diseases in Natural Populations* (ed. Grenfell, B. T. & Dobson, A. P.), pp. 362–383. Cambridge University Press, Cambridge.

Advances series

conder, G. A. & Campbell, W. c. (1995). Chemotherapy of nematode infections of veterinary importance, with special reference to drug resistance. *Advances in Parasitology* 35, 1-84.

WHO publications

world Health Organization (1995). Onchocerciasis and its Control. WHO Technical Report Series No. 852. WHO, Geneva.

- 8. **TABLES.** (See Section 5(i)). Each table should occupy a separate page and should be inserted following the **REFERENCES** section and numbered consecutively with it.
- 9. **CAPTIONS TO FIGURES.** (See Section 5(ii)). Figure captions should begin on a new page and should be inserted following the **TABLES** section and numbered consecutively with it.

Proofs. Page proofs will be sent to the named author by the Press. These will already have been read for printer's errors but it is the responsibility of the author to ensure that no errors remain. Only essential corrections should be made and authors will be charged for excessive alterations at the proof stage.

Offprints. Authors will receive 50 offprints free of charge and additional offprints can be ordered at the proof stage.

Parasitology

Back volumes. Vols. 1–71: Inquiries should be addressed to Wm. Dawson & Sons Ltd, Cannon House, Folkestone, Kent. Vols. 72 onwards: quotations for parts still in print may be obtained from Cambridge or the American Branch of Cambridge University Press.

Copying. This journal is registered with the Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923. Organizations in the USA who are also registered with C.C.C. may therefore copy material (beyond the limits permitted by sections 107 and 108 of US copyright law) subject to payment to C.C.C. of the per-copy fee of \$11.00. This consent does not extend to multiple copying for promotional or commercial purposes. Code 0031–1820/96 \$11.00 + .10.

Organizations authorized by the Copyright Licensing Agency may also copy material subject to the usual conditions.

ISI Tear Sheet Service. 3051 Market Street, Philadelphia, Pennsylvania 19104, USA, is authorized to supply single copies of separate articles for private use only.

For all other use, permission should be sought from Cambridge or the American Branch of Cambridge University Press.

Claims for missing issues can only be considered if made immediately after receipt of the subsequent issue.

Advertising. Details of advertising in Parasitology may be obtained from the publisher.

© Cambridge University Press 1996

The Pitt Building, Trumpington Street, Cambridge CB2 1RP 40 West 20th Street, New York, NY 10011–4211, USA 10 Stamford Road, Oakleigh, Melbourne 3166, Australia

Printed in Great Britain by the University Press, Cambridge

Parasitology

CONTENTS

	PAGE
Larsen, M., Nansen, P., Grøndahl, C., Thamsborg, S. M., Grønvold, J., Wolstrup, J., Henriksen, S. A. and Monrad, J. The capacity of the fungus <i>Duddingtonia flagrans</i> to prevent strongyle infections in foals on pasture	1
Ginsburg, H., Atamna, H., Shalmiev, G., Kanaani, J. and Krugliak, M. Resistance of glucose-6-phosphate dehydrogenase deficiency to malaria: effects of fava bean hydroxypyrimidine glucosides on <i>Plasmodium falciparum</i> growth in culture and on the phagocytosis of infected cells	
Asahi, H., Kanazawa, T., Kajihara, Y., Takahashi, K. and Takahashi, T. Hypoxanthine: a low molecular weight factor essential for growth of erythrocytic <i>Plasmodium falciparum</i> in a serum-free medium	
Hetzel, C. and Anderson, R. M. The within-host cellular dynamics of	
bloodstage malaria: theoretical and experimental studies Franco, A. M. R., Momen, H., Naiff, R. D., Moreira, C. F. S., Deane, M. P. and Grimaldi, G. Jr. Enzyme polymorphism in	
Endotrypanum and numerical analysis of isoenzyme data Flegr, J., Zitková, S., Kodym, P. and Frynta, D. Induction of changes	39
in human behaviour by the parasitic protozoan <i>Toxoplasma gondii</i> Day, T. A., Chen, G-Z., Miller, C., Tian, M., Bennett, J. L. and Pax, R. A. Cholinergic inhibition of muscle fibres isolated from	49
Schistosoma mansoni (Trematoda: Digenea)	55
Graaf, D. C. De, Berghen, P., Moens, L., Marez, T. M. De, Raes, S., Blaxter, M. L. & Vercruysse, J. Isolation, characterization and	
immunolocalization of a globin-like antigen from Ostertagia ostertagi adults	63
Strote, G., Bonow, I. and Attah, S. The ultrastructure of the anterior end of male <i>Onchocerca volvulus</i> : papillae, amphids, nerve ring and first indication of an excretory system in the adult filarial	
Worm Holland, C. V., Asaolu, S. O., Crompton, D. W. T., Whitehead, R. R.	71
and Coombs, I. Targeted anthelminthic treatment of school children: effect of frequency of application on the intensity of Ascaris lumbricoides infection in children from rural Nigerian	07
villages	87



0031-1820(199607)113:1;1-7