

September 1922

Vol. XXXVII., No. 9

# The Journal of Laryngology and Otology

EDITED BY  
A. LOGAN TURNER AND J. S. FRASER

## Contents

DENTAL (PERIODONTAL) CYSTS FROM A RHINOLOGICAL  
STANDPOINT . . . . . A. BROWN KELLY

ANALYSIS OF SOUND BY RESONANCE . . . . . GEORGE WILKINSON

SOCIETIES' PROCEEDINGS:—

ROYAL SOCIETY OF MEDICINE—SECTIONS OF LARYNGOLOGY AND OTOTOLOGY.

ABSTRACTS:—

EAR.                      LARYNX.

LETTER TO THE EDITORS.

GENERAL NOTES.

Edinburgh: Oliver and Boyd  
London: 33 Paternoster Row

*Monthly, 4/- net*

*Annual Subscription, 40/- net*

"We have experimentally proved that Listerine is a powerful antiseptic, preventing the development of bacteria and decomposition of vegetable infusions."—*British Medical Journal*, May 3, 1890.

# LISTERINE

*A safe, non-poisonous, unirritating  
antiseptic solution*

**LISTERINE** is particularly useful in the treatment of abnormal conditions of the mucosa, and admirably suited for a wash, gargle, or douche, in catarrhal conditions of the nose and throat.

**LISTERINE** in proper dilution may be freely and continuously used without prejudicial effect, either by injection or spray, in all the natural cavities of the body.

**LISTERINE** embodies a two-fold antiseptic effect, in that after the evaporation of its volatile constituents—thyme, eucalyptus, mentha, gaultheria, and ethyl alcohol—a film of boracic and benzoic acids remains upon the surface to which Listerine has been applied, affording more prolonged antiseptic protection.

**LISTERINE** is a trustworthy surgical dressing; it has no injurious effect upon the tissues in which the healing process is going on.

**LISTERINE** in teaspoonful doses will often afford relief in fermentative dyspepsia, and is largely prescribed, with excellent results, in the various forms of diarrhoea, occurring in infants and adults.

**LISTERINE** literature, including special pamphlets upon *Respiratory Diseases*, may be had, by physicians, upon application to

## LAMBERT PHARMACAL COMPANY

2101 Locust Street

St Louis, Mo., U.S.A.

British Agents:

S. Maw, Son & Sons, 7 Aldersgate St., London, E.C.

# The Journal of Laryngology and Otology

(Founded in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY

A. LOGAN TURNER AND J. S. FRASER

ASSISTED BY

DOUGLAS GUTHRIE AND IRWIN MOORE

---

1. Original Articles are accepted on the condition that they have not been published elsewhere.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked and no additional matter should be added.

4. The order for reprints should be sent when returning galley proofs, and for this purpose special forms are supplied, on which the price of the reprints is stated.

5. Authors of Original Communications on Oto-Laryngology in other Journals are invited to send a copy, or two reprints, to the *Journal of Laryngology*. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.

6. Editorial Communications should be addressed to "EDITORS, *Journal of Laryngology*, c/o Messrs OLIVER AND BOYD, Tweeddale Court, Edinburgh."

7. The Annual Subscription is Forty Shillings or Ten Dollars, and is payable in advance.

8. Single copies of back numbers, both of the present and the previous series, are on sale at Four Shillings (One Dollar) each.

9. An Annual Subscription can be commenced with any number of the Journal, and the preceding numbers of the current year can be purchased at Four Shillings (One Dollar) each.

# HOSPITAL FOR DISEASES OF THE THROAT

GOLDEN SQUARE, LONDON, W. 1

## HONORARY MEDICAL STAFF

SURGEONS.	OUT-PATIENTS.	OPERATIONS.
Mr JEFFERSON FAULDER ... ..	Wednesday, 2 P.M.	Thursday, 10 A.M.
Dr W. H. KELSON ... ..	Friday, 2 P.M.	Friday, 9.30 A.M.
Mr GEORGE W. BADGEROW ... ..	{ Monday, 2 P.M. Tuesday, 6 P.M. }	{ Wednesday, 9 A.M.
Dr IRWIN MOORE ... ..	Friday, 6.30 P.M.	Tuesday, 2 P.M.
Mr LIONEL COLLEDGE ... ..	Tuesday, 2 P.M.	Thursday, 2 P.M.
Mr G. W. DAWSON ... ..	Thursday, 2 P.M.	Tuesday, 10 A.M.
Mr GILBERT CHUBB ... ..	Saturday, 10 A.M.	Friday, 2 P.M.
ASSISTANT SURGEONS.		
Mr F. J. CLEMINSON ... ..	{ Tuesday, 6 P.M. Saturday, 10 A.M. }	{ Monday, 10 A.M.
Mr T. H. JUST ... ..	{ Tuesday, 2 P.M. Thursday, 2 P.M. }	{ Wednesday, 10 A.M.

### CLINICAL INSTRUCTION

Clinical Instruction in the Diagnosis and Treatment of Disease is given daily in the Out-Patient Department from 2 to 5 p.m.; on Tuesdays and Fridays from 6.30 to 9 p.m. Major operations are performed at the times specified above, and minor operations by the Assistant Surgeons.

The Hospital contains 60 beds for In-Patients. There is also an Out-Patient attendance of over 60,000 yearly.

Practitioners and Medical Students are admitted to the Practice of the Hospital and from among them Clinical Assistants are chosen, whose duty it is to assist the member of the staff to whom they are appointed. For further information apply to the Dean—LIONEL COLLEDGE.

**4TH EDITION.      REVISED AND ENLARGED.      LEWIS'S PRACTICAL SERIES.**

## DISEASES OF THE NOSE AND THROAT

By HERBERT TILLEY, B.S.(Lond.), F.R.C.S.(Eng.), Surgeon, Ear and Throat Department, University College Hospital; Teacher of Laryngology and Otology, University of London.

With numerous Illustrations, including 74 Plates. Demy 8vo.

28s. net. Postage 1s., abroad 1s. 3d.

*Extracts from Press Notices.*

"The work is so comprehensive that it should be a valuable book of reference, whilst it is not too large to serve as an ordinary text-book."—*British Medical Journal*.

"We have no hesitation in recommending his book to the practitioner as well as to the prospective specialist."—*Lancet*.

"The author is to be congratulated upon his work; as a text-book it is one of the best upon the subject; . . . displays the master mind of an accomplished teacher."—*Medical Press*.

LONDON: H. K. LEWIS & CO. LTD., 136 Gower Street, and 24 Gower Place, W.C. 1.

Telegrams: "Publicavit, Eusroad, London."

Telephone: Museum 1072.

### INSTRUMENTS AND EQUIPMENT FOR

## Examination of Ear, Nose and Throat, Operation on Tonsils, Adenoids, Mastoid, Nasal Septum

*As supplied to and used in*

EAR, NOSE AND THROAT DEPARTMENT, ROYAL INFIRMARY, EDINBURGH  
THE EDINBURGH EYE, EAR AND THROAT INFIRMARY, ETC., ETC.

ARCHD. YOUNG & SON, 57-61 FORREST ROAD, EDINBURGH

Surgical Instrument Makers to Royal Infirmary, Edinburgh


'Phone: Central 669.

Telegrams: "Bandage, Edinburgh," A.B.C. Code, 5th Ed.

**GRANDS PRIX:**  
Paris, 1900. Brussels, 1910. Buenos Aires, 1910.



Gold Medal, Allahabad, 1910.




**A NEW TRACHEOTOMY TUBE**

(Pilot permits breathing during introduction)

By Dr A. CUBLEY

*Vide Journal of Laryngology and Otology, March 1922.*



**Needle for Suturing the Pillars of the Fauces,  
and Forceps for Carrying the Suture.**

By Mr THOS. GUTHRIE, F.R.C.S.

*Vide Journal of Laryngology and Otology, April 1920.*

*Manufactured only by*

**DOWN BROS., LTD.**

**Surgical Instrument Makers**

**21 and 23 ST THOMAS'S STREET, LONDON, S.E. 1**

Telegrams  
"DOWN, LONDON."

(OPPOSITE GUY'S HOSPITAL)

Telephone  
HOP 4400 (4 lines).

## CONTENTS

	PAGE
DENTAL (PERIODONTAL) CYSTS FROM A RHINOLOGICAL STANDPOINT.	
A. Brown Kelly, M.D., D.Sc. . . . .	433
ANALYSIS OF SOUND BY RESONANCE. George Wilkinson . . . . .	447
<b>SOCIETIES' PROCEEDINGS :—</b>	
Royal Society of Medicine—Sections of Laryngology and Otology . . . . .	470
<b>ABSTRACTS :—</b>	
Ear . . . . .	483
Larynx . . . . .	488
LETTER TO THE EDITORS . . . . .	491
GENERAL NOTES . . . . .	492

### **ANTI-CATARRH VACCINE (Prophylactic).**

Prepared in the Inoculation Department of St Mary's Hospital, London—(Director: Sir A. E. Wright, M.D., etc.), and supplied to the Medical Profession through the agency of PARKE, DAVIS & Co.

THIS vaccine is adapted for the preventive inoculation of individuals who suffer from recurring "colds," in cases in which there is some general diminution in resistance, indicated by the patient becoming infected by any one of the several microbes which may cause these catarrhs.

Each c.c. of the vaccine contains :—

Micrococcus catarrhalis . . . . . 100 millions	Staphylococcus . . . . . 500 millions
B. pneumoniae (Friedlander) 100 millions	Bacillus septus (diphtheroid) 50 millions
Pneumococcus (mixed types) 250 millions	Bacillus influenzae . . . . . 300 millions
Streptococcus (mixed types) . . . . . 12 millions	

**DOSAGE.**—Three doses—0.25 c.c., 0.5 c.c., and 1 c.c.—should be given at ten-day intervals. In persons who are very susceptible to winter "colds," these injections should be given in the autumn, and a dose of 1 c.c. may be given at monthly intervals during the winter. This vaccine may produce a marked local reaction if injected into muscular tissue; it should be administered subcutaneously.

*The vaccine is supplied in bulbs of 1 c.c. and in bottles of 25 c.c., also in sets of three graduated doses.*

Particulars of other vaccines (including a MIXED VACCINE FOR TREATMENT OF COLDS) issued by the St Mary's Hospital Inoculation Department will be sent to any Medical Man, on request, by the Sole Agents—

**PARKE, DAVIS & Co.,** 50 Beak St., **LONDON, W.1.**  
Regent St.