

Astrometric Observations of Wide Southern Double Stars – II

Christina Bauer^A, Graeme L. White^A, David L. Blank^{A,C}, Alex Hons^A,
and Paul A. Jones^B

^A Centre for Astronomy, James Cook University, Townsville QLD 4811, Australia

^B School of Physics, University of New South Wales, Sydney NSW 2052, Australia

^C Corresponding author. Email: david.blank@jcu.edu.au

Received 2007 July 20, accepted 2007 September 5

Abstract: Astrometric CCD observations have been made of wide (~ 3 to 60 arcsec) southern double stars selected from the Washington Double Star catalogue (WDS). Southern double stars have not been well studied in the past; typically they had not been measured since about 1930, and $\sim 50\%$ of them have been observed only once before our observations. Of the pairs measured $\sim 80\%$ show no evidence of motion since the last observation. This is Paper II in which we present the observations of 290 WDS stars in the approximate RA range $17^{\text{h}} 13^{\text{m}}$ to $07^{\text{h}} 30^{\text{m}}$ and in the declination range -70° to -60° . We suggest 412 companions for these 290 stars and list 29 (10%) pairs that have shown significant motion.

Keywords: Stars: double, multiple, binary

1 Introduction

Double star observations have historically been important in astronomy as the mass of stars is best determined through the astrometry of dynamic binary star systems and the accurate determinations of stellar masses have been used in calibrating the mass–luminosity relationship. The work presented here, however, grew out of our interest in spacecraft astrometry, where double stars had the potential to confuse guidance sensors that work on interferometric principals (see Blackmore et al. 1990; White et al. 1991; Argue et al. 1992; Dommangé 1992). The study of binary stars has a host of other uses, such as probing the conditions of star formation, probing stellar evolution and chemical composition (by identifying pairs of similar age and make up) and others (Chanamé & Gould 2004). Since accurate observations of double stars give important constraints in stellar modelling, additional data can only help improve the models.

Recent compilations of double star observations in Lampens and Strigachev (2001) and Oblak et al. (1999) have focused on double stars with intermediate (1–10 arcsec) separations. This paper concentrates on far southern stars with separations greater than ~ 3 arcsec.

This paper contains observations of 290 stellar systems lying chiefly between Declination -60° to -70° and between Right Ascension $17^{\text{h}} 13^{\text{m}}$ to $07^{\text{h}} 30^{\text{m}}$ (J2000). This is $\sim 60\%$ of the neglected zone between -70° and -60° . Pairs were selected from the WDS (Washington Double Star Catalog; <http://ad.usno.navy.mil/wds/>) with catalogued separations of ~ 3 arcsec or more to ensure that they could be resolved and accurately measured. There are a small number just outside of this zone as selection was made based

on B1950 coordinates. In addition, the region of the Large Magellanic Cloud ($04^{\text{h}} 40^{\text{m}}$ to $06^{\text{h}} 00^{\text{m}}$ and south of Declination -65°) was excluded to avoid the considerable confusion due to background stars. The limiting magnitude of the primary component was 13.0, this being the limiting magnitude of the 0.15 m finder telescope. We summarise below the details concerning the observations and data precision since a fuller account is available in Bauer, White & Hons (1994; hereafter referred to as Paper I). We also discuss our methodology for determining which double stars are likely to be physically associated.

2 Observations and Data Precision

Observations were made during three periods, 6–10 October 1992, 4–25 November 1992 and 8–12 December 1993, with the last session being primarily concerned with calibration. The mean epoch of the observations is 1992.9. We used an SBIG ST6 CCD camera mounted on the $f/18$ focus of the 24 inch (0.6 m) telescope of Mount Stromlo and Siding Spring Observatory (MSSSO) at Siding Spring Observatory (SSO), Australia. Images were obtained of each star through uncalibrated Cousins R and I filters. The stars were sufficiently bright that exposure times could be kept short, typically 180 s or less.

Raw relative positions and differential magnitudes were determined using the software supplied with the camera (CCDOPS) which does a least-squares fit to the images after subtraction of the sky background. Observations were not made with precise photometry as the principal objective, and indeed were often made on nights that were not photometric. The quoted precision of the magnitude differences represents well the precision of the data.

Post calibration was undertaken relative to five reference astrometric pairs (Geffert, Sinachopoulos & Guilbert 1992) to obtain both the image scale and the camera orientation. In addition, the well studied pair α Cen and ‘fixed’ pairs, β PAus and h3670 Ret (Norton’s 2000), were also observed to check the consistency of the observations from night-to-night.

The plate scale determined from these observations was found to be 18.13 ± 0.02 arcsec per mm, 0.9641 ± 0.0009 relative to the nominal value for the $f/18$ focus of the 0.6 m telescope. The orientation of the camera was determined with an accuracy of $0^\circ.04$. There is little evidence for changes in these calibration parameters either throughout the individual nights or from night to night, however, any change in the image scale between observing runs was calibrated out. All measured position angles (PAs) were corrected for the position of the pole at equinox J2000; corrections are typically less than $0^\circ.08$. The rms uncertainties in the separation (ρ) and PA are respectively $\Delta\rho = 0'.16$ and $\Delta\text{PA} = 7^\circ.8/\rho$ (ρ in arcsec).

3 Probability of Physical Association/ Chance Alignment

In Paper I we concluded that ~ 18 percent of the stars listed in this region of the WDS show significant movement since their last measurement which, for the most part, was around 1920 (they ranged from 1850 to 1980 with a median at 1920; the majority (44%) were made in the period 1910–19; see figure 1a of Paper I).

For the remainder the measured ρ and PA are in good agreement with the corresponding values in the WDS indicating that there has been no significant relative motion between the presented observations and the last prior recorded observation. The comparison between the catalogued WDS figures and our measurements can be found in figures 4 and 5 of Paper I.

We report here an additional 122 stars seen in proximity to WDS primaries. These are fainter stars that appeared in the image, and it remains to be determined whether they are previously undetected faint companions of a multiple system or merely background stars (these are called optical doubles). All of these additional companion stars are (a) closer than 60 arcsec, (b) less than 7.0 magnitudes fainter than the primary in the R and I bands, and are (c) no fainter than ($V + \Delta R =$ or $V + \Delta I =$) magnitude 17.0.

In the absence of observable orbital motion or proper motion measurements, the question of whether any two stars are physically related becomes a matter of the probability determined from the magnitudes of the stars, the separation between them and the density of background stars.

It is easily shown that the probability of a secondary star of magnitude m being a chance positional alignment with a previously known star is:

$$\text{Probability} = 2.4 \times 10^{-7} N\rho^2 \quad (1)$$

where N is the number of stars (per square degree) brighter than magnitude m , and ρ is the separation in arcsec.

Note that N depends on the magnitude of the secondary star and the galactic latitude. These values are interpolated from the data in Cox (2000).

In the Notes column of Table 1 we indicate the probability of chance alignment of all stars in Table 1 as a percentage; the column is blank for 274 stars (66%) as the probability is less than 1%.

Table 1 is the observation of 290 southern wide double stars selected from the WDS. Multiple line entries are for multiple companions of the same WDS pair. We propose 412 stars as companions for these, hoping to define new multiple systems. The table consists of 12 columns. Columns 1, 2 and 3 list the WDS Nomenclature, J2000 Right Ascension and Declination. Columns 4 and 5 give the separation ρ measured from the images taken respectively through the R and I filters with the average given in column 6. For the 290 WDS primaries and their WDS designated secondaries, the median separation is 11 arcsec (average 16.3 arcsec). Similarly, columns 7, 8 and 9 are the PA for equinox and epoch J2000 measured in R, I and their average.

The V magnitude of the primary star listed in column 10 is taken from the WDS. Columns 11 and 12 contain the difference in magnitude between the primary and the secondary star measured respectively in R and I. The median value for the 290 WDS primaries and their WDS catalogued secondaries (the pair as listed in the WDS) is 1.6 magnitude in both wavebands (the secondary is typically 1.6 magnitude fainter than the primary). The precision of these data is represented by the significant figures in this column. Negative values apply to stars of very close magnitudes where the original discoverer designated the dimmer star as the primary, or where one of the stars has varied in brightness.

The notes are in column 13. The numerical value is the percentage probability of chance alignment of a background star. No numerical value indicated that the percentage probability is less than 1% (see above). M (‘moved’) designates the 29 secondary stars have moved more than 10 arcsec relative to the primary of the period between the first available observation and ours (Table 2).

4 Stars that Have Moved

In Paper I we concentrated on comparison of separation and position angle with the last recorded observations recorded in an earlier version of the WDS Catalogue. This was done to establish the reliability of our dataset. Most of the measurements there were made around 1920 and we reported that $\sim 18\%$ of the stars had moved.

For this paper we have compared our positions with the earliest recorded position in the new format WDS Catalog. These observations were made earlier still, starting in the 1820s. This gives a longer time-line of up to 180 years (typically 120 years), but at the cost of possibly poorer data at the earlier epoch. The majority (45%) of the early observations were made in a rush of activity in the 1830s or between 1890 and 1930 (47%).

Table 1. Wide double stars in the declination range -70° to -60° and RA range $17^{\text{h}}13^{\text{m}}$ to $07^{\text{h}}30^{\text{m}}$

WDS nomenclature	Position			J2000			Separation			Position angle			mag V	Δmag	ΔI			
	h	m	s	α	δ	'''	R [$''$]	I [$''$]	Ave. [$''$]	R [$^\circ$]	I [$^\circ$]	Ave. [$^\circ$]						
000006-6641GLI	289	00	00	38.13	-66	40	59.5	3.77	4.16	3.96	274.27	273.52	273.90	7.69	1.55	1.56		
000115-6203B	628	00	01	29.2	-62	02	45	2.71	2.71	204.48	204.48	204.48	9.5	2.11	2.11			
000113-7012GLI	290	00	01	17.42	-70	11	11.5	28.28	28.28	118.29	118.27	118.28	10.35	0.53	0.53			
000211-6817I	699	00	02	08.72	-68	16	50.6	32.30	32.36	353.40	354.04	353.72	3.12	2.96	2			
000613-6414I	433	00	06	16.841	-64	14	25.7	4.16	3.93	4.04	123.79	119.65	121.72	9.71	1.17	1.05		
000716-6038I	434	00	07	34.74	-60	38	30.7	46.99	47.31	47.15	58.39	58.70	58.55	6.03	6.56	34		
001022-6719HJ	3349	00	10	13.4	-67	19	17	14.35	14.36	102.74	102.69	102.72	9.6	0.3	0.6			
001613-6128HJ	3358	00	16	13.25	-61	27	50.3	15.82	15.84	12.30	12.28	12.29	10.90	0.4	0.5			
001610-6754HJ	3357	00	16	01.95	-67	53	57.9	10.12	9.98	10.05	335.67	337.08	336.38	8.49	3.2	2.68		
001744-6635DON	2	00	17	24.5	-66	34	02	5.72	5.51	5.61	20.32	17.60	18.96	8.2	3.1	2.7		
002019-6507RST	2241	00	20	55.3	-65	06	49	4.01	4.26	4.14	318.90	324.86	321.88	8.5	3.9	3.8		
002337-6742VOU	16	00	23	41	-67	42	50	5.01	5.16	5.09	111.33	114.42	112.88	9.3	0.0	0.0		
002618-6743HJ	3366	00	26	48.9	-67	43	17	20.37	20.73	20.55	357.97	358.11	358.04	8.1	5.55	5.46		
002822-6447HJ	3369	00	28	14.1	-64	47	17	15.16	15.16	15.16	342.39	342.54	342.47	10.5	2.08	1.91		
002822-6555HJ	3370	00	28	14.4	-65	54	43	AC	49.20	49.22	54.93	282.58	282.52	282.55	5.59	5.02	64	
003000-6023JSP	855	00	30	06	-60	22	AC	3.28	3.29	3.28	49.21	68.31	68.26	8.43	1.41	1.23		
003122-6418MLQ	11	00	31	10.51	-64	17	30	28.35	28.62	28.49	240.42	240.35	240.39	11.7	0.24	0.23		
003191-6057JSP	856	00	31	51.5	-60	56	42	AC	41.74	41.42	41.58	316.52	316.11	316.32	3.05	7	7	
00315-6257LCL	119	00	31	32.5	-62	57	29	AC	27.21	27.27	27.23	342.39	342.54	342.47	10.5	2.08	1.91	
00327-6302B	8	00	32	43.7	-63	01	53	27.05	27.34	27.20	348.53	348.53	348.50	5.8	0.1	0.11		
003335-6109HJ	3378	00	33	32.50	-61	08	50.1	7.41	7.43	7.42	352.53	352.93	352.73	7.76	3.70	3.49		
00391-6242HJ	3382	00	39	06.4	-62	48	55	25.83	25.80	25.81	227.99	228.11	228.05	9.66	3.06	3.34		
00394-6844GLI	2	00	39	25.88	-68	44	17.6	4.81	4.82	4.82	249.09	248.95	248.95	9.3	3.1	2.8		
00485-6506HJ	3400	00	48	30.85	-65	05	47.4	5.53	5.32	5.43	139.86	143.18	141.52	9.92	0.9	1.0		
00520-6520HJ	3406	00	51	59.5	-65	20	07	33.94	33.96	33.95	231.32	230.91	231.12	9.4	4.75	4.93		
00517-6520HJ	3405	00	51	39.1	-65	20	26	12.88	12.69	12.78	337.82	336.14	336.98	10.1	0.90	2.58		
00530-6105GLI	4	00	53	00.71	-61	04	37.2	5.66	6.01	5.83	71.53	72.50	72.02	8.41	0.5	1.0		
00523-6523DAW	183	00	52	27.0	-65	22	58	5.84	5.83	5.84	91.75	91.97	91.86	11.2	0.6	0.6		
00524-6930DUN	2	00	52	24.52	-69	30	13.6	20.16	20.54	20.35	79.92	81.00	80.46	6.70	0.68	0.60		
00523-7037B	1415	00	52	20.5	-70	37	21	4.66	4.66	4.66	254.80	255.09	254.95	9.7	2.0	2.2		
00547-6528HJ	3408	00	54	40.19	-65	27	36.4	16.58	16.06	16.32	214.37	212.56	213.47	8.01	1.67	1.63		
00548-6727GLI	7	00	54	46.36	-67	26	41.2	19.35	19.21	19.28	92.93	95.79	94.36	9.49	0.38	0.28		
00584-6605DON	1058	00	57	56.8	-66	05	51.7	6.13	6.07	6.10	138.90	133.97	136.44	10.8	1.14	1.28		
01033-6006HJ	3416	01	03	18.0	-60	05	AB	38.96	37.73	38.35	99.99	97.50	98.74	5.48	4.39	37		
01058-5959R	5	01	05	46.00	-59	59	25.7	AB	3.23	3.52	3.37	129.14	124.05	126.60	7.58	0.03	0.11	
														9.91	0.7			

01158-6853HJ	3423	01	15	45.50	-68	52	34.5	AB	5.16	4.97	5.06	329.25	326.86	5.00	2.82	2.19
01171-6624HJ	3426	01	17	03.76	-66	23	52.3		2.65	2.33	2.49	329.95	325.97	327.96	1.52	1.30
01282-6100LDS	49	01	28	02.3	-61	00	14		71.67	72.17	71.92	113.35	113.49	113.42	12.8	1.2
01341-6114JSP	22	01	34	04.6	-61	14	04		4.47	5.38	4.93	308.55	306.57	307.56	8.3	4.19
01355-6045JSP	858	01	35	32.4	-60	45	07		6.72	7.13	6.92	338.83	339.82	339.33	9.8	2.1
01349-6909GLI	12	01	34	51.18	-69	09	17.4		24.00	24.02	24.01	125.16	125.16	9.83	0.9	0.8
01351-6932VOU	17	01	36	47.3	-69	32	28		13.73	13.39	13.56	281.54	282.07	281.81	10.5	1.4
01404-6714COO	9	01	40	24.00	-67	13	56.0		4.78	4.48	4.63	49.79	47.87	48.83	8.80	1.5
01412-6741LDS	56	01	41	01.7	-67	40	37		45.79	45.77	45.78	47.90	47.94	47.92	3.8	2
01455-6035JSP	9001	01	45	30.4	-60	35	01	54.6	6.09	6.41	6.25	232.70	234.51	233.61	9.5	3.1
01583-6513LDS	64	01	58	18.7	-65	13	05		52.77	51.94	52.35	92.86	92.43	92.65	5.5	2.5
01599-6131ALD	21	01	59	52.70	-61	30			25.07	25.09	25.08	268.28	269.10	268.69	11.7	1.3
02005-6246HJ	3479	02	00	29.96	-62	45	44.8		3.23	3.60	3.41	316.71	321.31	319.01	11.79	0.2
02046-6508HJ	3482	02	04	35.5	-65	08	12		32.30	34.83	33.57	272.27	271.26	271.77	7.73	2.52
02051-6048LPO	3	02	05	04.60	-60	48	15.8		59.17	58.55	58.86	219.36	219.44	219.40	7.5	5.0
02101-6421HJ	3486	02	10	08.2	-64	21	18		6.47	6.41	6.44	187.91	184.50	186.21	10.34	0.2
02113-6302HJ	3487	02	11	16.7	-63	01	40		20.62	20.52	20.57	213.92	207.81	210.87	9.33	2.3
02109-6342B	1432	02	10	51.1	-63	41	41		5.70	5.53	5.62	213.92	207.81	213.92	10.0	3.2
02124-6139HJ	3488	02	12	26.37	-61	39	04.7		5.31	5.13	5.22	146.23	141.31	143.77	8.67	0.6
02119-6249R	13	02	11	55.2	-62	34	36.4		35.29	35.30	35.29	83.14	83.14	83.14	10.69	0.48
02120-6546HJ	3490	02	12	01.9	-65	46	27		23.59	23.53	23.56	206.78	206.89	206.84	8.3	5.2
02119-7057HJ	3489	02	11	55.2	-70	57	03	AB	20.20	20.19	20.19	239.60	239.72	239.66	7.10	5.1
02119-7057DAW	184	02	11	51.2	-70	57	14	BC	9.57	10.01	9.79	267.04	269.75	268.40	11.5	0.36
02124-7023R	15	02	12	24.15	-70	09	18.1		14.01	14.24	14.12	140.35	139.09	139.72	10.60	0.6
02117-6244B	668	02	17	39.2	-62	44	21	AC	9.47	9.12	9.29	193.25	190.07	191.66	8.2	5.0
02171-6812HJ	3496	02	17	06.4	-68	11	34		24.17	24.48	24.32	306.34	311.29	308.82	9.5	2.4
02205-6003R	16	02	20	23.5	-60	02	36		18.40	18.20	18.30	144.34	143.97	144.17	10.7	0.07
02207-6002HJ	3499	02	20	43.38	-60	01	34.9		8.24	7.88	8.07	62.40	61.15	61.78	10.13	0.8
02207-6533BRT	1962	02	20	42.9	-65	32	11		4.26	4.70	4.48	334.31	336.33	335.32	11.4	0.41
02258-6312HJ	3501	02	25	46.3	-63	11	38		23.02	22.97	22.99	337.49	337.50	337.50	9.0	2.2
02280-6903DON	34	02	28	00.7	-69	03	00		5.35	5.69	5.52	334.06	335.61	334.84	9.1	3.2
02304-6351HJ	3507	02	30	23.1	-63	50	51		21.52	21.62	21.57	108.67	109.37	109.02	9.5	4.6
02335-6912HJ	3517	02	33	29.40	-69	11	56.9		16.07	16.28	16.18	239.57	239.93	239.75	9.20	3.6
02363-6329B	1435	02	36	18.32	-63	28	43.6		2.83	2.25	2.54	309.85	308.51	309.18	10.59	0.3
02401-6121LDS	77	02	40	03.2	-61	21	15		27.00	27.17	27.09	299.27	99.72	299.50	10.6	4.02
02455-6342HDO	306	02	45	27.5	-63	42	36		46.31	45.70	46.00	46.09	46.21	46.15	5.3	3.0
02452-6700GLI	18	02	45	12.49	-67	00	08.4		4.70	4.69	4.69	197.77	197.83	197.80	9.95	0.1
02469-6009HJ	3534	02	46	52.0	-60	08	58	AB-C	20.74	20.80	20.77	215.53	215.44	215.49	8.8	2.3
02500-6212HJ	3538	02	49	59.5	-62	12	22		14.83	14.14	14.49	296.70	298.06	297.38	9.5	2.3

(Continued)

Table 1. (Continued)

WDS nomenclature	Position						J2000						Separation						Position angle						mag		Δmag		Notes		
	h			m			°			'			''			R ["]			I ["]			Ave. ["]			R [°]			I [°]			
			s			s																									
02521-6054HJ	3540	02	52	06.3	-60	54	11			7.90	7.75	7.82	9.58	9.82	9.70	10.5	0.88	0.86													
02504-6759BRT	1963	02	50	21.4	-67	59	17			3.45	3.55	3.50	358.20	10.10	4.15	13.0	0.48	0.57													
02536-6420HJ	3542	02	53	35.16	-64	20	21.9			19.04	18.97	19.01	189.60	188.51	188.56	2.93	2.90														
02544-6300I	148	02	54	23.08	-63	00	21.0			56.59	56.63	56.61	276.49	276.48	276.49	3.96	3.81	150													
02555-6908HJ	3547	02	55	28.23	-69	08	19.3			4.43	4.50	4.46	4.46	2.75	7.75	5.25	8.62	1.7	1.9												
02570-6302RST	56	02	57	01.2	-63	02	06			4.70	5.25	4.97	144.32	143.33	143.33	7.5	4.82	4.76													
03034-7029HJ	3552	03	03	21.37	-70	28	37.2			15.70	15.65	15.67	1.54	0.18	0.86	8.53	3.4	3.6													
03084-7033HLN	19	03	08	34.85	-70	34	34.8			8.05	8.05	8.05	65.65	65.76	65.71	12.55	0.3	0.4													
03101-6355HJ	3559	03	10	03.2	-63	54	49	Aa-B		43.28	43.32	43.30	40.88	40.88	40.88	6.67	3.33	3.10													
03121-6420HJ	3562	03	12	05.84	-64	19	57.4			34.62	34.30	34.46	331.34	331.34	331.52	331.43	9.25	0.7	0.6												
03137-6550HJ	3566	03	13	41.85	-65	49	48.3			13.47	13.23	13.35	37.46	38.59	38.59	37.03	8.53	2.8	2.7												
03152-6427DUN	12	03	15	11.0	-64	26	37	A-BC		19.02	19.07	19.05	104.86	104.78	104.82	6.68	2.27	2.25													
03177-6305I	150	03	17	40.93	-63	04	38.1			8.93	8.95	8.94	335.24	335.19	335.22	8.30	1.8														
03154-7015HLN	4	03	15	24	-70	15	15			54.44	54.38	54.41	127.54	126.51	127.03	4.75	5.42	5.53													
03294-6256HJ	3580	03	29	22.68	-62	56	15.1			11.37	11.42	11.39	350.60	348.67	349.64	12.5	0.3	0.2													
03335-6742LDS	101	03	33	34.4	-67	41	47			16.91	16.56	16.74	40.63	41.81	41.23	6.4	6.2														
03351-6750NZO	3	03	35	04.27	-67	49	58.5			4.98	4.98	4.62	4.80	63.75	61.84	62.79	10.16	0.27	0.26												
03393-6721BRT	1964	03	39	12.08	-67	19	50.2			3.60	3.60	3.60	32.00	32.00	32.00	31.83	31.91	12.15	0.04	0.05											
03402-66331LDS	103	03	40	54.94	-66	31	22.7			5.91	6.06	5.99	151.65	148.36	148.36	150.01	12.6	1.2	0.91												
03461-6405HJ	3600	03	46	08.41	-64	04	42.2			22.08	18.90	20.49	24.42	25.15	24.78	24.78	8.59	1.4	1.6												
03480-7048HJ	3606	03	47	58.10	-70	48	03.9			16.78	16.87	16.82	336.43	336.43	336.43	335.96	10.26	1.0	1.2												
03525-6230HJ	3609	03	52	29.7	-62	29	52			9.85	9.85	9.85	311.06	311.06	311.06	10.9	0.4	0.2													
03531-6238HJ	3610	03	53	05.8	-62	38	24			4.11	3.81	3.96	123.29	123.29	126.70	125.00	9.5	1.4	1.5												
04025-6121LDS	109	04	02	27.0	-61	21	25			26.44	25.49	25.96	110.79	110.79	110.74	110.74	4.7	4.6	3												
04066-6019R	40	04	06	34.36	-60	18	52.9			28.34	28.35	28.35	239.16	239.24	239.20	6.73	4.46	3.56													
04078-6903HJ	3631	04	07	45.50	-69	03	08.6			57.01	57.26	57.13	152.86	153.00	152.93	9.68	0.4	0.4													
04096-6023R	41	04	09	38.22	-60	23	18.2			7.02	7.02	7.02	233.12	233.12	233.11	9.93	0.6	0.6													
04148-6212HJ	3641	04	14	48.5	-62	11	31			50.23	50.18	50.21	71.31	71.31	71.46	9.91	1.2	1.3													
04158-6613GLI	28	04	15	48.06	-66	13	05.6			40.74	40.79	40.77	35.63	35.62	35.63	8.86	1.1	0.4													
04177-6315RMK	3	04	17	40.27	-63	15	19.7			3.35	4.37	3.86	3.08	2.55	2.82	6.04	1.51	1.48													
04198-6622LDS	118	04	19	56.9	-66	20	49			31.57	31.70	31.64	152.50	152.7	152.60	11.6	1.5	1.3													
04242-6411HJ	3651	04	24	13.0	-64	11	21	AB-C		42.03	41.74	41.88	110.62	111.4	111.01	4.5	4.5	31													
04239-6644HJ	3654	04	23	55.9	-66	44	14			18.77	18.89	18.83	127.77	128.95	128.36	7.00	5.6	5.5													
04243-6616HJ	3657	04	24	33.42	-66	16	35.9			11.91	11.88	11.89	338.08	338.50	338.29	10.5	0.93	1.16													
04252-6405HJ	3655	04	25	09.15	-64	04	48.3			49.43	49.55	49.49	114.69	114.81	114.75	5.75	0.54	0.64													
04278-62231B	688	04	27	46.0	-62	31	16			9.24	9.56	9.39	122.69	125.20	123.95	5.75	6.04	5.65													
04269-6530HJ	3660	04	26	51.83	-65	29	35.2			74.47	74.47	74.47	164.44	164.44	164.44	10.31	4.31	4.42													

04269-6718HJ	3661	04	26	54.3	-67	17	00	AB	12.46	12.75	12.60	347.53	351.34	349.44	10.4	2.5	2.7
04284-6543HJ	3662	04	28	21.2	-65	42	43	AC	13.47	13.48	13.47	108.51	108.52	108.52	8.31	1.4	1.4
04301-6607HJ	3666	04	30	05.5	-66	06	45	AD	47.68	47.68	47.68	194.31	194.29	194.30	4.9	4.8	4
04336-6249HJ	3670	04	33	33.95	-62	49	25.2		22.42	22.75	22.58	39.20	38.49	38.85	5.2	4.7	1
04336-6734HJ	3676	04	33	34.57	-67	32	48.4		13.35	13.70	13.53	204.75	204.01	204.38	9.8	1.7	1.9
04347-6440B	2575	04	34	39.6	-64	39	58		17.53	17.83	17.68	313.56	312.62	312.59	5.4	5.6	3
04377-6607HJ	3682	04	37	39.3	-66	07	12		33.42	33.43	33.43	23.78	23.78	23.78	4.7	4.8	6
04395-6601DON	76	04	39	30.5	-66	01	05		31.77	31.74	31.75	99.82	100.02	99.92	5.90	3.66	
04417-6113HJ	3686	04	41	45.23	-61	13	03.8		14.36	14.28	14.32	185.29	183.75	184.52	10.1	0.9	0.9
04493-6153HJ	3703	04	49	24.4	-61	53	02		44.36	43.76	44.06	40.40	40.39	40.40	3.6	4.2	5
04589-6106JSP	64	04	58	54.9	-61	06	25		45.62	45.25	45.43	207.28	208.10	207.69	6.38	6.34	30
05024-6454GLI	32	05	02	23.09	-64	54	17.6		10.07	9.90	9.98	304.66	303.16	303.91	10.0	3.09	
05065-6051JSP	67	05	06	27.32	-60	51	13.6		35.24	35.17	35.20	35.05	35.93	35.49	5.27	5.41	29
05081-6212B	2095	05	08	06.7	-62	12	06		28.48	28.46	28.47	93.01	92.02	92.51	5.4	5.2	5
05156-6139JSP	9002	05	15	38.0	-61	39	23		7.33	7.58	7.45	220.10	222.00	221.05	8.37	0.09	0.12
05180-6041I	737	05	18	01.6	-60	41	23		40.94	40.94	40.94	176.79	176.79	176.81	1.53	1.65	
05182-6157HJ	3755	05	18	10.4	-61	57	03		59.07	59.11	59.09	54.49	55.05	54.77	6.59	6.44	55
05256-6005HJ	3764	05	25	38.65	-60	06	32.2		54.33	54.71	54.52	306.33	306.32	306.33	9.29	2.40	
05303-6356HDO	192	05	30	15.9	-63	55	40		33.42	33.43	33.43	287.60	287.61	287.61	2.54	1.84	1
05491-6108HJ	3810	05	49	03.70	-61	08	07.7		34.74	47.68	47.61	239.42	240.16	239.79	5.23	4.59	26
05582-6245HJ	3829	05	58	14.5	-62	45	18		46.05	45.63	45.84	210.63	210.70	210.67	9.4	3.4	
06013-7001B	2597	06	01	19.3	-70	00	47		5.26	5.28	5.27	248.42	248.42	248.48	0.91	0.4	
06064-6304RST	175	06	06	26.2	-63	03	39		21.40	21.49	21.45	273.65	274.62	274.14	10.5	0.53	0.37
06053-6500HJ	3838	06	05	25.2	-64	59	55		11.53	11.78	11.66	276.42	276.20	276.31	8.3	4.81	
06052-6551MLD	20	06	05	09.6	-65	50	52	A-BC	11.01	11.70	11.36	208.90	206.29	257.60	9.1	1.8	1.7
06081-6330LDS	155	06	08	01.3	-63	29	59		12.23	12.23	12.23	177.13	177.10	177.12	0.6	0.6	0.6

(Continued)

Table 1. (Continued)

WDS nomenclature	Position			J2000			Separation			Position angle			mag V	Δ mag	Notes			
	h	m	s	α	δ	γ	R ["]	I ["]	Ave. ["]	R [$^{\circ}$]	I [$^{\circ}$]	Ave. [$^{\circ}$]						
06078-6941HJ	3844	06	07	50.6	-69	41	09	AB	20.59	21.58	21.08	320.98	321.61	321.30	3.6	3.4	10	
								AC	43.47	42.66	43.07	148.45	147.81	148.13	4.0	4.2	62	
06115-6020HJ	3843	06	11	27.42	-60	19	57.1		13.42	13.43	93.40	93.18	93.29	9.0	3.9	4.1		
06122-6532DUN	26	06	12	11.24	-65	31	52.2		34.09	34.30	34.20	136.57	136.07	136.32	3.0	3.3	1	
06173-6139HJ	3851	06	17	19.1	-61	38	31		11.58	11.56	11.57	328.60	328.66	328.63	0.8	0.7		
06174-6550ML0	21	06	17	30	-65	48			15.05	15.03	15.04	84.96	84.95	84.95	11.38	1.38	1.35	
06225-6013JSP	101	06	22	30.9	-60	13	07		4.48	4.47	4.48	166.27	166.24	166.26	11.15	-0.1	-0.1	
06212-6735HJ	3862	06	21	14.52	-67	34	59.2		40.61	40.99	40.80	64.98	64.79	64.89	2.27	2.46	4	
06300-7037HJ	3879	06	29	59.93	-70	37	15.6		51.12	50.85	50.98	325.61	325.77	325.69	2.82	4.00	11	
06327-6617HJ	3880	06	32	41.66	-66	16	15.4		15.91	16.14	16.02	49.08	50.00	49.54	6.52	4.93	4.5	
06346-6130JSP	871	06	34	33.7	-61	29	46		38.03	38.04	38.04	184.00	184.01	184.01	5.69	5.9	1	
06347-6452B	2119	06	34	39.2	-64	52	08		3.88	4.45	4.16	292.60	289.58	291.09	9.40	2.0	2.0	
06357-7006HJ	3885	06	35	44.2	-70	05	49		4.43	4.87	4.65	259.06	263.23	261.15	4.6	4.6		
06393-6248HJ	3886	06	39	15.7	-62	47	35	AB	13.46	13.70	13.58	343.34	43.39	343.13	342.61	342.87	34	
								AC	29.62	29.24	29.43	294.57	294.96	294.77	6.5	6.2		
									14.82	14.76	14.79	236.78	235.52	236.15	10.55	10.10	22	
									25.43	25.22	25.33	296.97	297.46	297.22	5.63	5.73	15	
									5.02	5.02	5.02	81.49	81.52	81.51	10.83	0.2	0.1	
									13.66	13.55	13.60	285.06	284.21	284.64	7.3	6.12	6.16	
									3.88	4.45	4.16	56.42	54.06	55.24	9.6	1.4	1.3	
									0.43	4.87	4.65	171.89	172.42	172.16	9.1	1.6	1.5	
									33.35	33.53	33.44	348.01	347.16	347.59	10.08	1.91	1.88	
									45.04	45.30	45.17	348.99	349.16	349.08	0.97	0.97		
									56.22	56.22	56.22	265.41	265.41	265.41	4.3	4.3	27	
									10.76	10.76	10.76	74.78	74.78	74.78	4.3	1		
									25.24	25.24	25.24	127.26	127.26	127.26	4.3	6		
									54.11	54.11	54.11	25.14	26.58	10.3	3.14	3.20		
									57.75	57.74	57.74	71.29	71.29	71.29	2.30	2.12	3	
									47.55	46.96	47.26	104.78	104.79	104.79	3.58	3.53	10	
									5.79	5.46	5.62	236.46	234.38	235.42	8.10	4.2	4.6	
									59.73	60.11	59.92	83.76	83.77	83.77	2.9	2.6		
									27.28	27.28	27.28	218.13	218.12	218.13	8.6	1.9	1.2	
									30.83	30.85	30.84	204.48	206.08	205.28	6.5	5.6	8	
									5.01	5.03	5.02	261.28	261.35	261.32	10.0	1.6	1.6	
									26.28	25.68	25.98	332.80	333.05	332.93	5.0	4.8	5	
									55.72	56.17	55.95	141.87	141.26	141.57	3.9	3.8	9	
									8.05	8.05	8.05	288.70	288.70	288.70	9.9	0.91	0.82	

06569-62111LDS	174	06	56	51.9	-62	10	02	51.90	51.95	322.35	322.31	4.37	11	
								42.10	41.87	172.64	173.02	12.2	1.34	
								27.23	27.30	191.20	191.03	191.12	3.35	
								19.65	18.93	19.29	81.11	81.26	17	
06556-6557HJ	3915	06	55	33.6	-65	56	57	19.57	19.57	269.69	268.52	269.11	8.8	
								50.11	49.85	49.98	237.78	237.43	6.6	
06564-6829HJ	3918	06	56	21.2	-68	28	52	12.18	12.16	328.59	328.57	237.61	5.44	
								59.52	59.20	59.36	217.40	217.18	28	
07003-6052HJ	3922	07	00	16.7	-60	51	46	17.31	16.76	236.76	238.69	237.73	1.01	
								55.16	55.81	55.48	94.10	94.60	0.98	
07005-6052HJ	3924	07	00	29.3	-60	51	44	16.06	16.05	358.49	358.48	328.58	1.19	
								16.06	16.05	16.06	217.29	217.29	27	
07031-6355RST	231	07	03	03.3	-63	55	29	4.00	4.00	28.11	27.82	27.96	3.98	
								42.31	42.34	42.33	211.88	211.89	4.19	
07029-6801ML0	23	07	02	56.0	-68	00	51	5.43	5.24	5.33	54.72	56.44	1.44	
								35.58	35.52	35.55	228.78	227.85	3.27	
07086-6041HJ	3937	07	08	35.71	-60	40	55.0	57.81	57.76	57.78	166.26	166.25	1.44	
								57.73	55.52	56.62	37.16	33.93	2	
07091-6035I	184	07	09	07.3	-60	34	31	52.05	51.97	52.01	253.17	254.86	5.20	
07102-6301HJ	3944	07	10	09.8	-63	01	04	13.74	13.76	13.75	254.02	254.02	6	
								53.60	53.63	53.62	217.48	218.12	1.44	
07087-7030DUN	42	07	08	44.86	-70	29	56.1	16.61	16.49	342.44	345.33	228.32	2.56	
07156-6311R	72	07	15	38.42	-63	10	47.4	24.99	25.02	25.00	166.25	166.25	2.56	
07157-6612HJ	3955	07	15	44.8	-66	11	49	AC	28.07	28.35	28.21	272.77	272.77	2
								30.89	30.91	30.90	263.40	264.31	10.09	
07245-6232HJ	3972	07	24	28.8	-62	32	01	AB	14.13	13.88	14.01	217.80	217.80	1.44
								AC	17.06	15.93	16.49	211.89	211.89	1.44
07262-6854HJ	3976	07	26	10.9	-68	54	18	AB	20.86	20.41	20.64	267.27	267.27	1.44
								AC	6.75	6.30	6.52	35.54	35.54	1.44
07289-6835ML0	24	07	28	54.9	-68	34	51	9.55	10.51	10.03	344.55	345.63	1.44	
17133-6712DUN	214	17	13	17.88	-67	11	47.7	37.12	36.74	36.93	12.90	12.89	1.44	
								54.33	54.34	54.33	134.15	136.35	1.44	
17145-6750ML0	75	17	14	30.43	-67	50	15.7	7.34	7.61	7.47	168.91	169.07	1.44	
17163-6749DON	827	17	16	19.8	-67	49	39	4.40	4.24	4.32	24.68	24.68	1.44	
								50.00	50.47	50.23	256.64	256.64	4	
17357-6257HJ	4956	17	35	40.76	-62	57	12.9	4.99	5.34	5.17	109.69	108.38	0.1	
								35.01	35.26	35.13	192.02	191.30	2.1	
17404-6553ML0	76	17	40	21.3	-65	52	43	4.86	5.08	4.97	164.01	164.15	1.44	
								57.09	57.09	57.09	137.34	137.34	7	

(Continued)

Table 1. (Continued)

WDS nomenclature	Position			J2000			Separation			Position angle			mag V	Δ mag	Δ I	Notes		
	h	m	s	\circ	'	"	R [$''$]	I [$''$]	Ave. [$''$]	R [$^{\circ}$]	I [$^{\circ}$]	Ave. [$^{\circ}$]						
181111-6624HJ	5008	18	11	07.9	-66	24	00	38.85	39.12	38.99	138.31	137.89	138.10	9.2	3.5	3.48	7	
181333-6513NZO	89	18	13	16.85	-65	12	51.6	14.28	13.87	14.08	240.98	241.31	241.15	161.48	6.0	6.0	1	
181448-6649HJ	5019	18	14	50.2	-66	48	54	5.25	5.59	5.42	162.70	160.25	162.70	102.59	0.1	0.16		
181522-6649I	627	18	15	09.7	-66	48	57	54.67	54.89	54.78	148.10	147.76	147.93	147.93	4.7	4.1	23	
19096-6314RST	5604	19	09	36.5	-63	14	04	45.33	45.37	45.35	165.7	165.69	165.70	333.80	7.6	3.6	2.8	
191422-7037B	2874	19	14	10.7	-70	36	55	5.51	5.48	5.48	9.10	9.10	9.17	201.17	9.9	1.64	1.54	
19177-6559B	966	19	17	40.8	-65	58	58	4.02	4.02	4.02	164.99	165.10	165.05	9.1	2.10	1.90		
19197-6741MLO	84	19	19	31.9	-67	40	50	21.93	22.54	22.24	23.45	23.45	23.45	217.33	9.0	1.8		
19216-6925BRT	2014	19	21	33.6	-69	24	32	5.12	5.23	5.17	102.83	98.01	100.42	122.2	0.0	-0.1		
19223-6117HJ	5102	19	22	20.25	-61	16	32.0	49.40	49.60	49.50	175.26	175.89	175.58	10.2	4.65	4.38	17M	
19254-6718MLO	85	19	25	26.0	-67	18	02.8	14.10	14.09	14.09	341.76	342.65	342.21	10.16	1.27	1.53		
19298-6718HJ	5109	19	29	45.4	-67	18	29	AB	27.68	27.77	27.72	140.97	141.42	141.20	7.81	1.74	1.85	
19302-6652MLO	86	19	30	10.9	-66	51	34	31.40	31.12	31.26	326.67	328.92	327.80	328.92	6.69	6.32		
19355-6906DON	960	19	35	28.04	-69	05	41.7	3.53	3.53	3.59	190.83	196.87	193.85	10.60	0.04	0.02		
19351-7039HJ	5118	19	35	07.2	-70	39	41	37.31	37.19	37.25	13.13	13.26	13.19	13.19	2.10	1.28		
19360-6624HJ	5123	19	36	00.30	-66	24	29.4	7.63	7.34	7.48	51.38	49.74	50.56	10.5	2.38	2.69		
19369-6949FIN	272	19	36	54.65	-69	49	00.6	6.53	6.53	6.53	29.27	29.4	29.27	23.73	9.40	0.69		
19402-6903MLO	87	19	40	10.0	-69	02	11	4.16	2.55	3.36	176.91	177.17	177.04	9.81	0.55	0.93		
19399-6641DAW	224	19	39	52.2	-66	41	08	19.95	19.88	19.91	241.88	239.26	240.57	6.39	5.31	4.66		
19440-6618HJ	5132	19	43	59.97	-66	17	51.1	21.62	21.65	21.63	308.32	308.25	308.29	7.61	2.02	1.90		
19491-6149HJ	5141	19	49	07.2	-61	48	53	13.90	14.06	13.98	341.84	341.30	341.57	7.36	3.05	2.80		
19512-6435MLO	88	19	51	12.8	-64	34	46	5.32	4.43	4.87	227.41	225.71	226.56	11.0	1.38	1.54		
19597-6102HJ	5155	19	59	39.50	-61	01	37.8	4.12	4.48	4.30	194.46	187.80	191.13	9.96	0.57	0.49		
20026-6541I	1409	20	02	36	-65	41	41	44.21	44.39	44.30	163.79	162.75	163.27	3.77	3.71	5	M	
20040-6541I	1411	20	04	04.7	-65	35	57	10.92	10.4	10.66	316.41	319.87	318.14	12.2	0.0	-0.1		
20079-7049HJ	5162	20	07	56.08	-70	48	54.2	17.25	18.34	17.79	281.64	279.18	280.41	11.1	1.5	1.1		
20088-6001I	1120	20	08	50.30	-60	01	15.3	5.95	6.35	6.12	290.97	289.78	290.38	7.96	2.03	3.97		
20118-6337HJ	5167	20	11	50.6	-63	37	01	AB-C	7.10	7.04	7.07	29.95	35.04	32.49	8.20	1.12	1.13	
20138-67228DON	981	20	13	49.02	-67	27	30.3	2.97	3.36	3.16	168.71	169.64	169.18	9.56	1.11	1.16		
20146-6426HJ	5171	20	14	34.9	-64	25	46	AB	18.24	17.78	18.01	301.77	303.08	304.38	6.94	2.76		

20191-7052HJ	5176	20	18	51.4	-70	51	27	AC	33.49	33.62	33.56	33.29	333.89	333.89	2.96	3.04	
									54.54	53.25	53.89	215.14	216.27	215.71	5.91	5	
									6.17	6.63	6.40	121.51	122.31	121.91	0.2	0.3	
									33.60	33.52	33.47	184.62	184.94	184.33	4.26	4.3	
									13.29	13.83	13.56	160.30	159.47	159.89	4.5	4.7	
									44.63	44.81	44.72	280.96	280.06	280.51	0.62	0.56	
									22.17	22.22	22.20	209.75	210.01	209.88	12.9	11.7	
									25.10	25.10	25.10	82.64	82.70	82.67	8.4	8	
									32.62	32.77	32.69	267.25	267.01	267.13	4.3	4.4	
									56.62	56.59	56.61	267.25	267.01	267.13	9.5	9.5	
									4.17	4.21	4.19	258.95	254.92	256.94	3.37	3.4	
									12.35	12.53	12.44	136.40	135.15	135.78	7.53	7.5	
									7.66	7.66	7.66	231.72	231.70	231.71	10.10	10	
									2.94	2.94	2.94	321.44	321.36	321.40	9.54	9.5	
									8.82	8.82	8.85	259.96	256.82	258.39	4.53	4.44	
									29.18	29.20	29.19	308.91	309.27	309.09	11.9	11	
									4.43	4.37	4.40	187.36	182.79	185.08	12.0	11	
									7.70	7.38	7.54	136.36	134.30	135.33	11.0	10	
									50.19	50.18	50.18	304.78	304.73	304.76	4.4	4.4	
									51.29	50.98	51.14	161.31	160.74	161.03	2.5	2.6	
									9.53	10.16	9.84	44.95	44.44	44.69	10.14	10	
									6.32	6.32	6.14	111.16	109.68	110.42	7.91	7.9	
									17.15	17.02	17.08	242.81	242.56	242.69	10.5	10.5	
									4.20	3.71	3.96	153.94	156.63	155.29	10.8	10.7	
									59.97	59.84	59.90	253.66	254.04	253.85	0.24	0.21	
									12.06	12.08	12.07	203.58	203.61	203.60	9.7	9.7	
									31.47	31.24	31.35	139.45	140.01	139.23	5.1	5.1	
									48.85	49.23	49.04	269.16	269.14	269.15	5.7	5.7	
									19.64	19.67	19.65	150.08	150.22	150.15	9.13	9.13	
									49.14	49.39	49.27	269.10	268.74	268.92	5.70	5.7	
									31.37	31.16	31.27	140.94	141.27	141.11	4.69	4.69	
									26.44	26.56	26.50	109.89	109.74	109.82	9.08	9.08	
									4.73	4.76	4.75	132.53	132.29	132.41	8.92	8.92	
									13.40	13.38	13.39	322.87	322.78	322.83	10.5	10.5	
									27.41	27.69	27.55	47.59	47.35	47.47	7.6	7.6	
									3.20	3.48	3.34	331.91	322.33	322.12	9.21	9.21	
									50.83	50.82	50.82	60.02	59.51	59.76	6.26	6.26	
									45.74	46.01	45.87	37.28	37.01	37.15	9.6	9.6	
									7.04	6.76	6.90	35.63	35.63	35.63	12.4	12.4	
									8.55	8.63	8.59	191.42	193.20	192.31	0.07	0.07	
									21.69	13	0.04	161.56	160.99	161.28	-0.1	-0.1	
									5281	21	40	51.2	-67	32	57	3.04	
									5194	20	30	17.44	-69	04	09.2	3.04	
									5197	20	28	54.5	-62	27	34	3.04	
									5197	20	39	48.48	-64	29	35.0	3.04	
									323	20	41	11.31	-62	41	46.2	3.04	
									708	20	21	48.3	-64	19	11	3.04	
									5196	20	28	34.1	-62	26	22	3.04	
									5194	20	30	17.44	-69	04	09.2	3.04	
									5197	20	28	54.5	-62	27	34	3.04	
									20286-6225HJ	5196	20	30	32.33	-68	22	19.4	3.04
									20330-6822HJ	5200	20	32	57.33	-68	22	19.4	3.04
									20398-6430HJ	5217	20	39	48.48	-64	29	35.0	3.04
									20412-6242R	323	20	41	11.31	-62	41	46.2	3.04
									204332-6730LDS	718	20	43	12.6	-67	29	44	3.04
									20449-6904BRT	2017	20	44	53.7	-69	03	28	3.04
									20496-6427DAW	229	20	49	30	-64	27	30	3.04
									20515-6543HJ	5221	20	51	27.88	-65	42	42.6	3.04
									20587-7025HJ	5231	20	58	40.1	-70	25	19	3.04
									20594-6558ML0	91	20	59	22.9	-65	58	30	3.04
									21059-6844DON	998	21	05	57.8	-68	45	05	3.04
									211081-6702HJ	5240	21	08	08.5	-67	02	16	3.04
									5250	21	15	20.18	-63	41	15.9	3.04	
									328	21	18	58.50	-60	12	46.7	3.04	
									211153-6341HJ	5256	21	20	00.95	-60	17	32.8	3.04
									21190-6013R	5256	21	20	00.95	-60	17	32.8	3.04
									2121214-6655HJ	5255	21	21	24.49	-66	54	57.4	3.04
									2121263-6806ML0	93	21	26	15.66	-68	06	0.06	3.04
									2121297-6016R	332	21	29	41.7	-60	15	00	3.04
									2121304-6012HJ	5270	21	30	25.0	-60	12	25	3.04
									2121335-6144B	531	21	33	28.18	-61	43	56.6	3.04
									21408-6733HJ	5281	21	40	51.2	-67	32	57	AB
									21444-6013HJ	5294	21	44	21.69	-67	32	22	BC

(Continued)

Table 1. (Continued)

WDS nomenclature	Position			J2000			Separation			Position angle			mag		Δmag	Notes		
	h	m	s	°	'	"	R ["]	I ["]	Ave. ["]	R [°]	I [°]	Ave. [°]	V	ΔR	ΔI			
21476-6254RST	1107	21	47	38.8	-62	54	40.69	40.86	40.78	123.91	124.30	124.11	9.1	3.62	5.06	6		
21500-6319RST	9009	21	49	59.5	-63	18	5.09	4.86	4.98	122.14	117.95	120.05	9.1	3.2	3.0			
21549-6535ML0	10	21	54	56.0	-65	34	6.00	6.04	6.02	284.16	284.24	284.20	9.1	2.7	2.6			
22040-6955LDS	769	22	04	05.8	-69	55	16.46	16.48	16.47	258.05	258.05	258.05	10.3	2.27	2.27			
22130-6159HU	1636	22	13	00.00	-61	58	52.9	14.20	14.27	14.24	136.17	136.13	136.15	12.0	1.96	1.96	1	
22131-6112CP0	91	22	13	03.29	-61	12	5.39	5.39	5.05	5.22	190.47	191.50	190.99	9.95	0.11	0.11		
22188-6819HDO	297	22	18	49.7	-68	18	28.28	27.88	28.08	280.09	280.25	280.17	5.17	5.00	5.00	7		
22195-6048HJ	5323	22	19	30.28	-60	47	25.78	25.92	25.85	53.61	52.88	53.24	7.1	4.53	4.61			
22231-6509HJ	5327	22	23	04.90	-65	09	22.70	22.83	22.76	203.79	204.40	204.10	8.39	0.61	0.79			
22237-6513LDS	783	22	23	51.0	-65	12	70.17	70.27	70.22	238.46	238.40	238.40	11.8	-0.1	0.09	2		
22243-6508HJ	5328	22	24	15.9	-65	07	32	9.42	9.42	9.42	128.52	128.92	128.72	9.82	0.7	0.5		
22254-6556ML0	95	22	25	26.9	-65	55	41	24.69	25.09	24.89	248.34	248.40	248.40	11.8	-0.1	0.09	2	
22262-6157HJ	5331	22	26	08.91	-61	57	06.8	7.25	7.10	7.17	47.49	48.07	48.07	10.1	2.14	1.97		
22271-6203HJ	5333	22	26	54.14	-62	03	14.1	19.76	19.76	19.76	347.56	348.10	347.83	11.08	0.30	0.39		
22278-6325NZO	103	22	27	50.4	-63	25	28	6.54	6.52	6.53	233.67	233.73	233.70	10.8	0.75	0.77		
22279-6458HJ	5334	22	27	19.8	-64	57	59	Aa-B	7.13	6.82	6.97	280.05	281.21	280.63	4.49	3.90	3.63	
22318-6124HJ	5340	22	31	46.95	-61	24	25.5		6.02	6.02	6.02	127.54	127.73	127.64	11.14	-0.3	-0.3	
22333-6049ML0	7	22	33	20.58	-60	49	01.7		4.43	4.20	4.31	121.32	124.50	122.91	8.78	1.22	1.18	
22340-6009RST	5169	22	34	01.6	-60	08	37		66.14	66.16	66.15	55.66	55.66	55.66	8.1	5.44	5.60	9
22354-6605HJ	5342	22	35	28.6	-66	04	58		7.54	7.59	7.56	262.38	259.88	261.13	10.4	0.75	0.81	
22437-6439R	339	22	43	40.47	-64	38	53.4		10.74	11.04	10.89	246.99	249.18	248.09	8.81	1.09	1.07	
22446-6357HDO	300	22	44	33.9	-63	57	14.		43.42	44.05	43.74	293.73	293.32	293.53	7.1	7.0	6.2	7
22447-6007HJ	5358	22	44	40.32	-60	07	01.0		31.34	31.50	31.42	91.06	91.05	91.06	8.02	2.39	2.56	
22476-6534HJ	5361	22	47	35.66	-65	33	36.9		84.09	84.26	84.18	43.47	43.49	43.48	6.62	4.85	4.88	2
22477-6222HU	1641	22	47	39.1	-62	21	AC		10.76	10.42	10.59	113.98	113.98	114.56	9.4	3.75	3.76	
22583-6111HJ	5370	22	58	19.43	-61	10	31.6		18.34	18.15	18.25	145.38	146.19	145.79	10.12	1.02	1.03	
22593-6022B	580	22	59	19.0	-60	21	56	AC	17.17	17.17	17.17	12.83	12.83	12.99	10.4	3.59	3.58	4
23023-6418DUN	244	23	02	16.03	-64	17	52.7		47.09	47.14	47.12	91.65	91.92	91.79	7.68	2.10	1.69	
23052-6727HJ	5380	23	05	09.40	-67	26	51.7		12.97	12.31	12.64	93.69	95.93	94.81	9.65	1.59	1.55	
23054-6316B	586	23	05	23.69	-63	15	48.2		3.49	3.50	3.50	300.35	300.37	300.36	9.33	2.37	2.24	
23062-6803ML0	96	23	06	10.19	-68	02	34.2		4.88	5.04	4.96	151.24	147.66	149.45	10.59	0.23	0.22	
23138-6009NZO	106	23	13	47.9	-60	09	04		11.60	11.47	11.54	176.54	176.52	176.53	10.2	1.55	1.57	
23150-63334LDS	803	23	15	01.1	-63	34	25		24.71	25.00	24.85	248.33	248.38	248.46	11.2	3.4	2.7	3

Table 2. Movement of double stars

WDS nomenclature	First observation			This work			Movement	
	Date	PA [$^{\circ}$]	$\rho ['']$	PA [$^{\circ}$]	$\rho ['']$	$\Delta PA [^{\circ}]$	$\Delta \rho ['']$	$\Delta [']$
000006-6641GLI	289	1851	270	2.3	273.90	3.96	4	1.7
00015-6203B	628	1927	207	2.8	204.48	2.71	-3	-0.1
00013-7012GLI	290	1851	123	31	118.28	28.28	-5	-3
00021-6817I	699	1907	85	1	121.72	4.04	37	3
00063-6414I	433	1907	135	4	136.24	5.78	1	2
00076-6038I	434	1907	40	4	29.03	5.36	-11	1
00102-6719HJ	3349	1836	115	20	102.72	14.35	-12	-6
00163-6128HJ	3358	1834	13	12	12.29	15.83	-1	4
00160-6754HJ	3357	1836	304	15	336.38	10.05	33	-5
00174-6635DON	2	1928	20	5.3	18.96	5.61	-1	0.3
00209-6507RST	2241	1934	328	3.4	321.88	4.14	-6	0
00237-6742VOU	16	1917	135	2	112.88	5.09	-22	1
00268-6743HJ	3366	1836	395	25	358.00	20.55	-37	3
00282-6447HJ	3369	1835	345	12	342.47	15.16	-3	15
00282-6555HJ	3370	1834	54	38	68.20	49.21	14	3
00300-6023JSP	855	1928	243	3.4	240.39	3.28	-3	0
00312-6418MLO	11	1893	281	3.8	274.51	3.75	-6	0
00319-6057JSP	856	1928	303	7.3	302.19	7.64	-1	0.3
00315-62257LCL	119	1826	354	25	348.73	27.23	5	15
00327-6302B	8	1925	353	0.1	348.80	27.20	4	27.1
00335-6109HJ	3378	1836	353	9.5	352.73	7.42	0	-2.1
00391-6249HJ	3382	1835	223	20	228.05	25.81	5	6
00394-6844GLI	2	1851	227	4.1	249.02	4.82	22	0.7
00485-6506HJ	3400	1835	141	3.5	141.52	5.43	1	2
00520-6520HJ	3406	1835	222	21.5	231.12	33.95	9	13
00517-6520HJ	3405	1835	336	13.5	336.98	12.78	1	-0.7
00530-6105GLI	4	1851	52	6.7	72.02	5.83	2	1
00523-6523DAW	183	1892	95	6.3	91.86	5.84	3	-0.9
00524-6930DUN	2	1834	77	22.5	80.46	20.35	3	2
00523-7037B	1415	1894	262	4.1	254.95	4.66	-7	0.6
00547-6528HJ	3408	1836	212	20	213.47	16.32	1	4
00548-6727GLI	7	1851	75	23	94.36	19.28	19	-4
00584-6605DON	1058	1928	152	4.5	136.44	6.10	-16	8
01033-6006HJ	3416	1836	128	4.7	126.60	3.37	-1	1
01058-5959R	5	1870	192	23.1	194.48	22.62	2	-0.5
01158-6853HJ	3423	1834	372	2	326.86	5.06	45	1
01171-6624HJ	3426	1834	342	2	327.96	2.49	-14	0
01282-6100LDS	49	1920	135	73	113.42	71.92	-22	27
01341-6114JSP	22	1928	307	5.1	307.56	4.93	1	0
01355-6045JSP	858	1928	340	7	339.33	6.92	-1	0
01349-6909GLI	12	1851	129	26.8	125.16	24.01	-4	3
01368-6932VOU	17	1909	285	9	281.81	13.56	-3	5

01404-6714C00	9	48.83	55	3.9	4.63	-6	0.7
01412-6741LDS	56	1894	22	22	218.74	33.82	-6
01455-6035JSP	9001	1920	225	235	233.61	6.25	-1
01583-6513LDS	64	1928	6.5	26	268.69	25.08	-46
01599-6131AID	21	1920	315	315	319.01	3.41	4
02005-6246HJ	3479	1921	3.4	30	271.77	33.57	0
02046-6508HJ	3482	1835	272	30	219.40	58.86	16
02051-6048LPO	3	1918	203	206	186.21	6.44	2
02101-6421HJ	3486	1835	220	30	250.11	84.16	30
02113-6302HJ	3487	1835	345	12	210.87	20.57	-134
02109-6342B	1432	1925	206	5.1	213.92	5.62	8
02124-6139HJ	3488	1834	138	3	143.77	5.22	6
02119-6249R	13	1870	83	37.4	83.14	35.29	0
02120-6546HJ	3490	1834	198	18	206.84	23.56	9
02119-7057HJ	3489	1834	243	20	239.66	20.19	-3
02119-7057DAW	184	1916	271	8	268.40	9.79	-3
02124-7023R	15	1870	137	11.6	139.72	14.12	3
02177-6244B	668	1927	205	11.4	191.66	9.29	-13
02171-6812HJ	3496	1834	322	12.5	308.82	24.32	-13
02205-6003R	16	1873	140	14	144.17	18.30	4
02207-6002HJ	3499	1834	64	4	61.78	8.07	-2
02207-6533BRT	1962	1892	336	5	335.32	4.48	-1
02258-6312HJ	3501	1834	335	20	337.50	22.99	2
02280-6903DON	34	1929	278	3.7	334.84	5.52	57
02304-6351HJ	3507	1835	116	12	109.02	21.57	-7
02335-6912HJ	3517	1834	236	15	239.75	16.18	4
02363-6329B	1435	1929	308	2.8	309.18	2.54	1
02401-6121LDS	77	1920	315	26	299.50	27.09	-15
02455-6342HDO	306	1895	70	20	78.67	19.65	9
02452-6700GLI	18	1852	161	4.4	197.80	4.69	37
02469-6009HJ	3534	1836	213	25	215.49	20.77	2
02500-6212HJ	3538	1837	297	13	297.38	14.49	0
02521-6054HJ	3540	1836	5	7	9.70	7.82	5
02504-6759BRT	1963	1892	11	3.3	4.15	3.50	-7
02536-6420HJ	3542	1837	143	12	141.14	12.75	-2
02544-6300I	148	1896	5	4	5.25	4.46	0
02555-6908HJ	3547	1834	116	10	153.96	19.05	38
02570-6302RST	56	1929	143	5.5	143.83	4.97	1
03034-7029HJ	3552	1834	5	12	0.86	15.67	6
03084-7033HLN	19	1892	63	8.4	65.71	8.05	3
03101-6355HJ	3559	1837	38	40	40.88	43.30	3
03121-6420HJ	3562	1836	329	48.4	331.43	34.46	-4
03137-6550HJ	3566	1834	41	12	37.03	13.35	-4
03152-6427DUN	12	1826	98	14	104.82	19.05	7

(Continued)

Table 2. (Continued)

WDS nomenclature	First observation			This work			Movement	
	Date	PA [$^{\circ}$]	$\rho ['']$	PA [$^{\circ}$]	$\rho ['']$	$\Delta PA [^{\circ}]$	$\Delta \rho ['']$	$\Delta ['']$
03177-6305I	150	896	355	357.25	3.86	2	1	1
03154-7015HILN	4	977	337	335.22	8.94	-2	-0.5	1
03294-6225HJ	3580	1837	122	127.03	54.41	5	-6	7
03335-6742LDS	101	1892	347	349.64	11.39	3	-0.3	1
03351-6750NZO	3	1893	54	62.79	4.80	9	-0.6	1
03393-6721BRT	1964	1892	22	31.91	3.60	10	-0.1	1
03402-6631LDS	103	1920	135	150.01	5.99	15	-1	2
03461-6405HJ	3600	1837	7	24.78	20.49	13	2	5
03480-7048HJ	3606	1834	18	33.96	16.82	3	2	2
03525-62230HJ	3609	1835	15	311.06	9.85	2	6	6
03531-62238HJ	3610	1835	4	125.00	3.96	-60	1.7	3
04025-6121LDS	109	1920	23	239.20	28.35	14	-1	7
04066-6019R	40	1920	153	152.93	57.13	0	-1.5	1
04078-6903HJ	3631	1834	224	233.11	7.02	9	3	3
04096-6023R	41	1920	70	71.46	50.21	1	3.5	4
04148-6212HJ	3641	1835	8	218.13	12.36	-68	4	12
04158-6613GLI	28	1851	26	35.63	40.77	10	-15.3	17
04177-6315RMK	3	1835	6	2.82	3.86	-3	-2.5	3
04198-6622LDS	118	1920	135	152.60	31.64	18	0	10
04242-6411HJ	3651	1836	60	63.15	16.87	3	2	2
04239-6644HJ	3654	1834	95	128.36	18.83	33	4	10
04243-6616HJ	3657	1835	337	338.29	11.89	1	2	2
04252-6405HJ	3655	1837	158	114.75	49.49	-43	34	40
04278-6231B	688	1927	125	123.95	9.39	-1	-0.8	1
04269-6530HJ	3660	1834	252	164.58	74.35	-87	56	76
04269-6718HJ	3661	1835	368	349.44	12.60	-17	5	6
04284-6543HJ	3662	1836	46	108.52	13.47	63	-12	22
04301-6607HJ	3666	1836	206	204.38	13.53	-2	1.0	1
04336-6249HJ	3670	1836	95	32	99.92	31.75	5	3
04336-6734HJ	3676	1837	185	9	184.52	14.32	0	5
04347-6440B	2575	1965	46	229	9.1	228.37	10.02	-1
04377-6607HJ	3682	1837	15	25	14.45	26.17	-1	1
04375-6742HJ	3684	1837	295	13.5	264.99	17.96	-30	4.5
04395-6601DON	76	1928	3	5.3	3.06	5.89	0	0.6
04417-6113HJ	3686	1935	216	7	221.05	7.45	5	1
04493-6153HJ	3703	1834	300	5	303.91	9.98	4	5
04589-6106JSP	64	1930	188	4.4	188.83	4.01	1	-0.4
05024-6454GLI	32	1852	192	39.5	176.81	40.94	-15	1.4
05065-6051JSP	67	1930	306	6.8	306.33	6.97	0	0.2
05081-6212B	2095	1923	42	3.1	37.39	3.15	-5	0.0
05156-6139JSP	9002	1930	210	5.4	210.67	5.27	1	-0.1
05180-6041I	737	1912	24	7.2	26.24	8.07	2	0.9

05182-6157HJ	3755	1836	274.14	1	7
05256-6005HJ	3764	1835	276.31	5	7.2
05303-6356HDO	192	1896	75.61	1	2
05491-6108HJ	3810	1836	175.43	5	7
05582-6245HJ	3829	1834	355.72	22.65	-6
06013-7001B	2597	1932	337	9	8
06064-6304RST	175	1930	55	4.3	-2
06053-6500HJ	3838	1835	306	4	0
06052-6551MLO	20	1893	204	10.9	0
06081-6330LDS	155	1920	180	12	7
06078-6941HJ	3844	1835	91	8	6
06115-6020HJ	3843	1836	323	15	6
06122-6532DUN	26	1834	113	23	-3
06173-6139HJ	3851	1836	81	15	-0.7
06174-6550MLO	21	1892	167	4.3	8
06225-6013JSP	101	1930	51	16	5
06212-6735HJ	3862	1834	277	12	4
06300-7037HJ	3879	1835	278	15	4
06327-6617HJ	3880	1835	82	2	4
06346-6130JSP	871	1930	293	13.3	4
06347-6452B	2119	1893	53	4.6	4
06357-7006HJ	3885	1836	174	4	4
06393-6248HJ	3886	1834	341	12	4
06387-6342RST	211	1930	25	3.7	4
06396-6427B	2607	1892	107	9.7	4
06421-6431I	284	1898	270	4	4
06424-6545HJ	3894	1834	213	20	4
06455-7048B	2608	1893	261	4.7	4
06493-6722MLO	22	1893	289	7.7	4
06569-6211LDS	174	1920	180	43	4
06556-6557HJ	3915	1837	267	20	4
06564-6829HJ	3918	1836	319	6	4
07003-6052HJ	3922	1836	235	15	4
07005-6052HJ	3924	1836	356	19	4
07031-6355RST	231	1930	26	3.8	4
07029-6801MLO	23	1892	54	5.4	4
07086-6041HJ	3937	1836	29	2	4
07091-6035I	184	1900	340	24.5	4
07102-6301HJ	3944	1837	284	20	4
07087-7030DUN	42	1826	302	15.7	4
07156-6311R	72	1881	317	26.9	4
07157-6612HJ	3955	1837	28	25	4
07245-6232HJ	3972	1917	90	18.3	4
07262-6854HJ	3976	1835	131	7	3
					1
					1

(Continued)

Table 2. (Continued)

WDS nomenclature	First observation				This work				Movement	
	Date	PA [$^{\circ}$]	ρ [$''$]	PA [$^{\circ}$]	ρ [$''$]	PA [$^{\circ}$]	ρ [$''$]	ΔPA [$^{\circ}$]	$\Delta \rho$ [$''$]	Δ [$''$]
07289-6835MLO	24	1915	346	10.3	345.09	10.03	-1	-0.3	0	0
17133-6712DUN	214	1826	328	22	12.89	36.93	-315	15	26	1
17145-6750MLO	75	1892	306	7	312.78	7.47	7	0	0	1
17163-6749DON	827	1929	24	3	22.38	4.32	-2	1	1	1
17357-6257HJ	4956	1835	167	2.2	109.04	5.17	-58	2.9	4	4
17404-6553MLO	76	1909	57	4.2	54.68	4.97	-2	0.8	1	1
18111-6624HJ	5008	1836	238	13.5	241.15	14.08	3	0.6	1	1
18133-6513NZO	89	1905	120	2	102.14	5.42	-18	3	4	4
18148-6649HJ	5019	1835	333	45	333.76	37.98	1	-7	7	7
18152-6649I	627	1909	225	3	217.44	3.20	-8	0	0	0
19096-6314RST	5604	1929	8	5.2	7.84	5.48	-0	0.3	0	0
19142-7037B	2874	1892	225	4.8	201.13	9.10	-24	4.3	5	5
19177-6559B	966	1927	167	4.1	165.05	4.02	-2	-0.1	0	0
19197-6741MLO	84	1892	134	4.5	100.42	5.17	-34	0.7	3	3
19216-6925BRT	2014	1895	240	4.3	175.58	49.50	-64	45.2	48	48
19223-6117HJ	5102	1836	335	10	342.21	14.09	7	7	4	4
19254-6718MLO	85	1892	196	3.6	193.85	3.59	2	0.0	0	0
19298-6718HJ	5109	1835	140	20	141.20	27.72	1	8	8	8
19302-6652MLO	86	1918	50	4.8	50.56	7.48	1	2.7	3	3
19355-6906DON	960	1828	27	3.6	23.73	2.98	-3	-0.6	1	1
19351-7039HJ	5118	1835	9	3	6.89	8.46	-2	5	5	5
19360-6624HJ	5123	1835	183	20	177.04	29.27	-6	9	10	10
19369-6949FIN	272	1929	42	5.8	32.74	5.70	-9	-0.1	1	1
19402-6903MLO	87	1895	275	4.2	272.22	3.36	-3	-0.8	1	1
19399-6641DAW	224	1916	242	19.7	240.57	19.91	-1	0.2	1	1
19440-6618HJ	5132	1835	312	21.5	308.29	21.63	-4	0.1	1	1
19491-6149HJ	5141	1836	342	15	341.57	13.98	0	-1	1	1
19512-6435MLO	88	1892	208	5.7	226.56	4.87	19	-0.8	2	2
19597-6102HJ	5155	1835	193	3.5	191.13	4.30	-2	0.8	1	1
20026-6541I	1409	1895	171	7	318.10	10.66	147	4	17	17
20040-6541I	1411	1895	283	16.8	280.41	17.79	-3	1.0	1	1
20079-7049HJ	5162	1835	292	8.3	290.38	6.12	-2	-2.2	2	2
20088-6001I	1120	1916	71	5.4	69.89	5.95	-1	0.6	1	1
20118-6337HJ	5167	1836	34	8	32.49	7.07	-2	-1	1	1
20138-6728DON	981	1928	167	2.9	169.18	3.16	2	0.3	0	0
20146-6426HJ	5171	1836	305	12	303.08	18.01	-2	6	6	6
20191-7052HJ	5176	1835	147	1.3	121.91	6.40	-25	5.1	5	5
20218-6420LDS	708	1920	225	22	209.88	22.20	-16	0	6	6
20286-6225HJ	5196	1836	283	18	267.10	56.61	-16	39	40	40
20303-6904HJ	5194	1835	249	3	256.94	4.19	8	1	1	1
20289-6228HJ	5197	1836	212	30	251.10	82.67	-129	-5	50	50
20309-6648MLO	89	1892	140	5	318.05	5.33	178	10	10	10

20330-6822HJ	138	15.3	12.44	-2.9
20398-6430HJ	1835	7.6	231.71	0
20412-6242R	5217	232	7.66	0.1
20432-6730LDS	323	313	321.40	0.2
20449-6904BRT	718	190	29.19	0
20496-6427DAW	229	135	309.00	3
20515-6543HJ	5221	124	185.08	0.2
20587-7025HJ	5231	112	4.40	0
20594-6558MLO	91	1915	185.08	0.2
21059-6844DON	998	1916	135.33	0.2
21081-6702HJ	5240	135	7.54	-0.1
21153-6341HJ	5250	206	44.69	-79
21190-6013R	328	304	9.84	-2
21200-6018HJ	5256	115	11.5	-2
21214-6655HJ	5255	108	16.4	-4
21263-6806MLO	93	1915	110.42	4
21297-6016R	332	1880	110.42	4
21304-6012HJ	5270	1835	202.69	-13
21335-6144B	531	1927	17.08	13
21408-6733HJ	5281	1835	149.39	39
21444-6013HJ	5294	1880	242.69	3
21476-6254RST	1107	1929	155.29	0
21500-6319RST	9009	1929	203.60	0
21549-6535MLO	10	1892	104.33	1
22040-6955LDS	769	1920	104.33	1
22130-6159HJ	1636	1914	149.33	0
22131-6112CPO	91	1901	149.33	0
22188-6819HDO	297	1897	149.33	0
22243-6508HJ	5328	1835	149.33	0
22254-6556MLO	95	1900	149.33	0
22262-6157HJ	5331	1834	149.33	0
22271-6203HJ	5333	1834	149.33	0
22278-6325NZO	103	1905	149.33	0
22273-6458HJ	5334	1835	149.33	0
22318-6124HJ	5340	1834	149.33	0
22333-6049MLO	7	1891	149.33	0
22340-6009RST	5169	1943	149.33	0
22354-6605HJ	5342	1835	149.33	0
22437-6439R	339	1873	149.33	0
22446-6357HDO	300	1897	149.33	0
22447-6007HJ	5358	1834	149.33	0
				2
				1
				1

(Continued)

Table 2. (Continued)

WDS nomenclature	First observation			This work			Movement	
	Date	PA [$^{\circ}$]	$\rho ['']$	PA [$^{\circ}$]	$\rho ['']$	$\Delta PA [^{\circ}]$	$\Delta \rho ['']$	$\Delta ['']$
22476-6534HJ	5361	1892	41	78.5	43.48	84.18	2	5.7
22477-6221HJ	1641	1927	108	12.5	114.56	10.59	7	-1.9
22583-6111HJ	5370	1836	137	15	145.79	18.25	9	3
22593-6022B	580	1921	47	17.4	14.86	17.17	-32	4
23023-6418DUN	244	1836	100	48.9	91.79	47.12	-8	10
23052-6727HJ	5380	1836	92	9	94.81	12.64	3	7
23054-6316B	586	1927	297	3.2	300.36	3.50	3	4
23062-6803MLO	96	1892	151	4.7	149.45	4.96	-2	0
23138-6009NZO	106	1905	180	3	176.53	11.54	-3	0
23150-6334LDS	803	1920	225	24	248.46	24.85	23	9
23157-6710HJ	5389	1836	250	8.5	249.26	8.32	-1	10
23173-6655LDS	807	1894	197	70.6	196.75	70.23	0	0
23180-6100DUN	247	1926	278	30	292.99	49.91	15	22
23233-6352HJ	1647	1914	51	8.5	50.50	7.80	0	1
23310-6905HJ	5402	1835	200	35	197.75	36.69	-2	-0.7
23339-6141INZO	108	1927	206	3.5	206.60	3.37	-1	2
23352-6441HJ	5403	1836	48	42.5	43.18	35.84	-5	2
23365-6405HJ	5407	1834	25	7	12.53	9.62	-12	0
23366-6219RST	1171	1930	352	3.5	353.54	3.68	2	0
23394-6159RST	3330	1935	139	3	136.78	32.20	-2	0
23397-6912R	348	1870	350	4.2	347.40	4.69	-3	0
23433-7049HJ	5415	1835	117	40	132.12	39.66	15	11
23476-6031COO	261	1900	101	5.9	97.76	5.51	-3	0
23492-6046I	697	1907	130	5	123.29	7.83	-7	0
23503-6107HJ	5425	1836	275	10	276.83	13.58	2	3
23506-6950FIN	293	1935	236	3.9	237.67	4.04	2	4
23537-6557HJ	5428	1836	116	12	112.47	12.23	-4	0
23553-6922HJ	5449	1834	350	4	354.10	8.23	-4	1
23553-7059LDS	827	1920	315	170	11.20	72.62	-304	4
23563-7052HJ	5434	1835	48	12	53.24	20.25	5	8
23582-6956LPO	68	1919	71	3.8	67.90	3.76	-3	0
23589-6105HJ	5436	1836	275	20	252.27	33.97	-23	14

In Table 2 we present the WDS Catalog Nomenclature name of the double star, the date of the first observation as listed in the new format WDS Catalog, and the PA and ρ recorded for that date. We then give the average PA and ρ observed by us (epoch ~ 1992.9). The three ‘Movement’ columns are (Δ PA) the difference in PA (ours – first), ($\Delta\rho$) the difference in ρ (ours – first) and (Δ) the movement in the period since first WDS observation; here measured as the linear distance between the first and our positions.

There are 29 secondaries (10%) listed that have moved more than 10 arcsec over the period. Of the remainder, the distribution of movement shows that 49% percent show movement of less than 1.0 arcsec and $\sim 30\%$ show more than 5 arcsec of motion. Given that the component of measurement uncertainty from our observations alone is ~ 0.8 arcsec for a pair of separation of 10 arcsec (reducing to 0.3 arcsec at $\rho = 30$ arcsec), and that the uncertainty in the earlier observations is not known but presumed to be of the same order, it is reasonable to report that the majority of pairs listed have not moved over the period.

Acknowledgements

The authors thank the Research School of Astronomy and Astrophysics of the Australian National University for the

use of their 0.6 m telescope and the generous donation of the R and I filters, and the University of New South Wales for their accommodation at Siding Spring Observatory. Much of this work was undertaken in the former Centre for Astronomy at the University of Western Sydney, Nepean.

References

- Argue, N., et al., 1992, MNRAS, 259, 563
- Bauer, C., White, G. L. & Hons, A. H., 1994, PASA, 11, 201
- Blackmore, D. R., et al., 1990, SPIE, 1237, 231
- Chanamé, J. & Gould, A., 2004, ApJ, 601, 289
- Cox, A. N., 2000, Allen’s Astrophysical Quantities, 4th edn (Berlin: Springer)
- Dommangé, J., 1985, in The European Astrometry Satellite HIP-PARCOS – Scientific Aspects of the Input Catalogue Preparation, Eds. Guyenne, T. D. & Hunt, J. J., STIN, p. 153
- Geffert, M., Sinachopoulos, D. & Guilbert, J., 1992, in Complementary Approaches to Double and Multiple Star Research, IAU Colloquium 135, ASP Conference Series Vol. 32, Eds. McAlister, H. A. & Hartkopf, W. I. (ASP: San Francisco), 137
- Lampens, P. & Strigachev, A., 2001, A&A, 368, 572. doi:10.1051/0004-6361:20010024
- Norton’s Star Atlas and Reference Handbook 2000, Ed. Ridpath, I. (Benjamin Cummings)
- Oblak, E., et al., 1999, A&A, 346, 523
- White, G. L., et al., 1991, MNRAS, 248, 411