

July/August 1982

Volume 3/Number 4

Editorial

Pneumococcal Immunization: Strategies for Implementation
David S. Fedson, M.D. and Alvin R. Tarlov, M.D.

Original Articles

Pneumococcal Infections and Pneumococcal Vaccine: An Update
Michael W. Rytel, M.D.

Cost Effectiveness and Cost Benefit of Vaccination Against Pneumococcal Pneumonia: Implications for Clinical Practice
Jane Sisk Willems, Ph.D.

Hospital-Based Pneumococcal Immunization: The Epidemiologic Rationale and Its Implementation
David S. Fedson, M.D.

Federal Policy for Pneumococcal Immunization and Its Implementation in the Medicare Program
Michael A. Riddiough, Pharm.D., M.P.H.

Pneumococcal Immunization: Policy Development and Implementation from the ACIP Perspective
H. Bruce Dull, M.D.

Pneumococcal Immunization: Strategies for Implementation, A Discussion


CDC Guidelines

Guideline for Prevention of Nosocomial Pneumonia
Bryan P. Simmons, M.D. and Edward S. Wong, M.D.

ROUNDED UPPER CORNERS ELIMINATE SPACE URINE CAN COLLECT IN.

EASY-TO-READ CALIBRATIONS ON BOTH SIDES OF THE BAG MAKE FOR MORE ACCURATE MEASUREMENTS, EVEN WHEN THE BAG IS TILTED.

ROUNDED BOTTOM CORNERS MEANS THE BAG FILLS MORE EVENLY AND EMPTIES MORE COMPLETELY, EVEN AT AN ANGLE.



Curity® Urological Products.





SQUEEZE TUBE MEANS
LESS MESS.
EASY-OPEN, TWIST-OFF CAP.



ACCORDION-LIKE FOLDS ADVANCE
THE LUBRICANT IN A CONTROLLED
WAY.



They've never been in better shapes.

Introducing three noticeable improvements in CURITY Premium Foley Catheterization Trays.

The first is our new oval drainage bag. Designed so that urine can't collect in the corners.

The second is our new povidone-iodine dispenser. Instead of a conventional foil pouch, we went with a squeeze tube. The result: less

mess, greater ease of application.

The third is our new bellows-like lubricating jelly dispenser. With one hand, you can control the flow of lubricant. Easily and precisely.

We think these three improvements add up to one thing: the *best* shape our Premium Foley Catheterization Trays have ever been in.

See for yourself. Send us this coupon, and we'll arrange for a free trial of our improved Premium Foley Catheterization Tray for your evaluation.

Name _____
 Title _____
 Hospital Affiliation _____
 Address _____
 City _____ State _____ Zip _____
 Tel. _____

The Kendall Company,
 Hospital Products,
 One Federal Street,
 Boston, MA 02101 7/82
 Attn: Marketing Services



HM-2602 D

COMPARE

30
1-MINUTE
SOAKS IN
SPORICIDIN*



5
1-MINUTE
SOAKS IN
CIDEX-7™

™ Surgikos, Inc.

Dip test for illustration purposes only. Aseptic technique is recommended.

Sporicidin® does not yellow your hands.*

Advantages of Sporicidin diluted for disinfection:

No gloves are necessary. . . Doesn't stain or irritate the hands. Also, it will not "smart" the eyes or nostrils.

Most effective. . . The only sterilizing solution which is fully effective against the tubercle bacillus, influenza and enteroviruses when diluted 1 in 16.

Stable. . . A fully effective sterilant and disinfectant for 30 days after activation.

Equipment safe. . . Will not harm rubber or plastics. **Safe for Scopes.**

Saves money 3 ways. . . An 8 oz. unit makes up to 2 gallons of hospital disinfectant. It reduces disinfection costs, shipping charges, and saves up to 97% storage space.

* Diluted 1 in 16 for disinfection. (Other glutaraldehyde products must be used full strength only.)

Proven. . . The most effective cold sterilant and disinfectant ever registered by the E.P.A.

"Sporicidin is (a) the fastest glutaraldehyde sterilant at room temperature, and (b) the only glutaraldehyde product that can be diluted below 2% and still qualify as a hospital disinfectant."

Infection Control, 2(1): 26-30, 1981

"Sporicidin. . . was both more stable and more active against test spores than. . . Cidex and Cidex-7."

Infection Control, 1(2): 90-93, 1980

"This study has determined that although E.P.A. requirements for classifying a sterilizing agent were satisfied by Cidex, they were exceeded by Sporicidin."

Journal of Dental Research, Vol. 60, March 1981, (U.S. Army Institute of Dental Research, Wash., DC)



THE SPORICIDIN COMPANY

Editorial

Pneumococcal Immunization: Strategies for Implementation
David S. Fedson, M.D. and Alvin R. Tarlov, M.D. 293

Original Articles

Pneumococcal Infections and Pneumococcal Vaccine: An Update
Michael W. Rytel, M.D. 295

Cost Effectiveness and Cost Benefit of Vaccination Against Pneumococcal Pneumonia: Implications for Clinical Practice
Jane Sisk Willems, Ph.D. 299

Hospital-Based Pneumococcal Immunization: The Epidemiologic Rationale and Its Implementation
David S. Fedson, M.D. 303

Federal Policy for Pneumococcal Immunization and Its Implementation in the Medicare Program
Michael A. Riddiough, Pharm.D., M.P.H. 309

Pneumococcal Immunization: Policy Development and Implementation from the ACIP Perspective
H. Bruce Dull, M.D. 316

Pneumococcal Immunization: Strategies for Implementation, A Discussion 319

CDC Guidelines

Guideline for Prevention of Nosocomial Pneumonia
Bryan P. Simmons, M.D. and Edward S. Wong, M.D. 327

Departments

Letters to the Editor	281	Legislative News	341
Topics in Clinical Microbiology	287	New Products and Services	342
Information for Authors	290	Calendar of Events	350
New Developments	334	Index to Advertisers	352

The ideas and opinions expressed by contributing authors do not necessarily reflect those of the editors or publisher.




Publisher: Infection Control is published bimonthly by Charles B. Slack, Inc., 6900 Grove Road, Thorofare, New Jersey 08086. Telephones: Thorofare (609) 848-1000; New York (212) 285-9777.

Copyright 1982. All rights reserved. No part of this publication may be reproduced without written permission from the publisher.

Subscriptions: Subscription requests should be addressed to the publisher. Annual subscription price is: Individual: One year—\$26.00; Two years—\$42.00; Three years—\$58.00. Student rates: \$13.00 per year. All subscriptions, without exception, will start with the first issue published after the order is received. Back copies are available, but must be purchased separately. Cost per individual copy is \$5.00. Foreign subscribers add \$10.00 to regular rate; foreign orders, \$6.00.

Change of address: Notice should be sent to the publisher six weeks in advance of effective date. Include old and new addresses with zip codes. The publisher cannot accept responsibility for undelivered copies. Controlled circulation postage is paid at Thorofare, New Jersey 08086. Publisher requests Form 3547 for address correction changes.

As of Volume 1, Number 1, INFECTION CONTROL is listed in *Index Medicus*, *Current Contents—Clinical Practice*, *Hospital Literature Index*, and *Cumulative Index to Nursing and Allied Health Literature*.



NEW CLAIM

**AS A
PREOPERATIVE
SKIN PREP**

**AS A
SURGICAL
SCRUB**

Disposable sponge-brushes with HIBICLENS are available through Deseret authorized distributors.




ANTISEPTIC
ANTIMICROBIAL
SKIN CLEANSER

HIBICLENS®

Wide-range antimicrobial activity
Safe and gentle
As elegant as it is effective

**AS A
HANDWASH
THROUGHOUT
THE HOSPITAL**

**AS A
SKIN WOUND
CLEANSER**



© 1982 ICI Americas Inc.



STUART PHARMACEUTICALS
Division of ICI Americas Inc.
Wilmington, Delaware 19897



EDITORIAL BOARD

INFECTION CONTROL

EDITOR

Richard P. Wenzel, MD
Charlottesville, Virginia

SENIOR ASSOCIATE EDITOR

William Schaffner, MD
Nashville, Tennessee

ASSOCIATE EDITORS

Sue Crow, RN, BS, MSN
Shreveport, Louisiana

John E. McGowan, Jr., MD
Atlanta, Georgia

Dennis G. Maki, MD
Madison, Wisconsin

EDITORIAL ADVISORY BOARD

Robert C. Aber, MD
Hershey, Pennsylvania

Charles S. Bryan, MD
Columbia, South Carolina

John P. Burke, MD
Salt Lake City, Utah

Richard E. Dixon, MD
Trenton, New Jersey

Harvey A. Elder, MD
Loma Linda, California

Peter C. Fuchs, MD, PhD
Portland, Oregon

Richard A. Garibaldi, MD
Farmington, Connecticut

Donald A. Goldmann, MD
Boston, Massachusetts

Dieter H.M. Gröschel, MD
Charlottesville, Virginia

Peter A. Gross, MD
Hackensack, New Jersey

Karen Hadley, RN, MPH
New Orleans, Louisiana

Cyrus C. Hopkins, MD
Boston, Massachusetts

Allen B. Kaiser, MD
Nashville, Tennessee

Harold Laufman, MD, PhD
Bronx, New York

William J. Ledger, MD
New York, New York

Barbara McArthur, RN, BSN, MS, PhD
Detroit, Michigan

Rob Roy MacGregor, MD
Philadelphia, Pennsylvania

C. Glen Mayhall, MD
Richmond, Virginia

Ronald Lee Nichols, MD
New Orleans, Louisiana

Harry C. Nottebart, Jr., JD, MD
Richmond, Virginia

Karen Paul, BS, MS
Tacoma, Washington

Frank S. Rhame, MD
Minneapolis, Minnesota

William E. Scheckler, MD
Madison, Wisconsin

Robert J. Shannon, MSPH
Boston, Massachusetts

Walter E. Stamm, MD
Seattle, Washington

Charles W. Stratton, MD
Nashville, Tennessee

Timothy R. Townsend, MD
Baltimore, Maryland

William M. Valenti, MD
Rochester, New York

James Veazey, MD
Albany, New York

Kathy J. Wydra, RN
Rochester, New York

FOREIGN ADVISORY BOARD

Graham Ayliffe, MD, FRC Path.
Birmingham, England

Professor G. Berencsi
Szeged, Hungary

Professor Jaap Dankert
Groningen, Netherlands

Professor Dr. F. Daschner
Freiburg, West Germany

Lars O. Kallings, MD
Stockholm, Sweden

Professor W.B. Kedzia
Sieroca, Poland

Professor A.P. Krasilnikov
Minsk, USSR

Professor Dr. W. Marget
Munich, West Germany

Bertil Nystrom, MD
Huddinge, Sweden

Ian Phillips, MA, MD, MRC Path, MRCP
London, England

Hans Reber, MD
Basel, Switzerland

Professor Gerald Reybrouck
Leuven, Belgium

Manfred L. Rotter, MD, DipBact
Vienna, Austria

Theodore Sacks, MD
Jerusalem, Israel

Professor Dr. med. H.P. Werner
Mainz, West Germany

Professor Dr. W. Weuffen
Griefswald, German Democratic Republic



Charles B. Slack, Inc.
6900 Grove Road
Thorofare, New Jersey 08086

Managing Editor
Donna Carpenter

Associate Publisher
Richard N. Roash

Assistant Editor
John C. Carter

Editorial Assistant
Jody Ellen Zackon

Promotion Manager
Peter N. Slack


Advertising Sales Representative
Linda Nelson

From understanding your wound care needs...

The IV, CVP or Hyperalimentation Wound Site

Site management objectives:

- Anchor catheter securely to prevent irritation and accidental dislodging.
- Prevent contamination to reduce the risk of infection.
- Monitor site for signs of infection, infiltration or phlebitis.
- Protect wound upon catheter removal.



...comes this clinically specific wound care system

Professional preference or hospital policy may determine which venipuncture dressing system is employed. The method chosen must meet all site management objectives.

Sponge/tape method

Sterile SOF-WICK⁺ IV Sponge, pre-cut and ready to apply, fits snugly around the catheter. The soft, absorbent fabric helps protect the puncture site from mechanical trauma. It effectively holds topical antimicrobial agents applied at the puncture site to help reduce the risk of infection.

DERMICLEAR⁺ Transparent Tape is highly adhesive to hold IV catheters and tubing securely in place even when moisture is present — transparent to avoid obscuring fluid flow. It stretches to accommodate body movement and is porous to let skin breathe. Bi-directional tear allows easy application without scissors.

Transparent film method

BIOCLUSIVE⁺ Transparent Dressing allows constant monitoring of the venipuncture site without removing the dressing. Less frequent dressing changes save nursing time and cut costs.

BIOCLUSIVE film is a barrier against bacteria and fluid, helping reduce the risk of infection. But it is moisture vapor permeable so skin can breathe.

Easy-to-apply BIOCLUSIVE Dressing is highly adhesive to effectively stabilize the catheter, yet flexible to accommodate patient movement.

Care after catheter removal

BAND-AID[®] Brand Flexible Fabric Adhesive Bandages protect the IV wound after catheter removal. The fabric backing stretches for gentle pressure across the venipuncture and to accommodate body movement. The absorbent pad cushions without adhering, and a long-lasting adhesive helps assure the bandage will stay in place.


*Trademarks of Johnson & Johnson.





To request further product information —
in the Continental U.S., call toll free 800-526-2459
(except in New Jersey, call 800-352-4845).

Johnson & Johnson
PRODUCTS INC.

The Leader in Wound Management



1933
 As early as
 1933, it was
 recognized
 that talc on
 surgeons'
 gloves could
 cause serious
 postoperative
 complications.



1981
 In 1981,
 6 out of 8
 brands of
 surgeons' gloves
 still have talc
 on the patient-
 contact surface.

Talc on the patient-contact surface of surgeons' gloves can remain within the operative site, where it may cause severe foreign body reactions, such as talc granuloma, adhesions, failure of surgical wound healing, and scar tissue formation.

DESERET O.R.'s complete line of surgical gloves is manufactured with a U.S.P. absorbable dusting powder—the least amount of powder—to give you gloves of the purest quality available today.


Choose Surgeons' Gloves from

DESERET
MEDICAL, INC.
 O. R. DIVISION
 SANDY, UTAH 84070 U.S.A.

The Complete Line of Gloves...
 Completely

TALC-FREE

*Tests conducted independently at private research institution; test data on file at Deseret Operating Room Products.
 © 1982 Parke, Davis & Company
 Printed in USA



Please send me more information on:

- Clinical studies on talc contamination.
- Talc contamination of suture from surgical gloves—studies from a leading research university.
- Educational in-service slide presentation on potential talc hazard from talc-contaminated surgical gloves.
- I would like to see my DESERET O.R. Sales Representative for more information on talc-free surgical gloves.

Mail to: **DESERET**
MEDICAL, INC.
 O. R. DIVISION
 SANDY, UTAH 84070 U.S.A.
 Attention: Mr. Dana Ryan

Name _____

Title _____

Hospital _____

City _____ State _____ Zip _____

Telephone _____