

Index

- Abramovsky–Gribov–Kancheli (AGK) cutting rules, 269, 270
aligned-jet model, 258, 259
anomalous dimension
 BFKL equation, 95, 96, 174, 179, 180, 237, 239, 245–247
 DGLAP equation, 61, 62, 95, 245–248
asymptotic freedom, 1, 19, 21
atomic number, 130, 136, 141, 199, 235, 238, 270
Ayala–Gay–Ducati–Levin (AGL) equation, 120
- Babinet’s principle, 107, 254
Balitsky hierarchy, 224, 225
Balitsky–Kovchegov (BK) equation, 123, 163, 169–175, 178, 183–185, 187–189, 197, 224, 225, 228–232, 240, 244, 248, 257, 264, 265, 268, 269, 271, 285, 291, 303–306
 numerical solution, 184, 185, 187, 236
 semiclassical solution, 178–180
 solution, 172, 176–178
 inside the saturation region, 176, 177
 outside the saturation region, 172–176
 traveling wave solution, 181–183
Balitsky–Fadin–Kuraev–Lipatov (BFKL) equation, 74, 82, 92, 93, 95, 102, 132, 153–155, 158, 170, 172, 185, 187, 189, 190, 225, 228, 229, 232, 240, 248, 270, 303, 305, 306
 bootstrap property, 103, 105–107, 235, 248
 eigenfunctions, 95–98, 157–160, 162, 194, 195
 eigenvalues, 95–98, 157, 158, 194, 195
 Green function, 93, 97–99, 101, 110, 122, 130, 245, 246, 273
 nonforward, 104–107
 in coordinate space, 153, 156, 157, 192, 194, 287, 303
 solution, 157–160, 162, 195
 infrared problem, 107, 110, 111, 187, 188
 renormalization-group-improved kernel, 245–247
 solution, 95–99, 101, 102
 diffusion approximation, 98
 double logarithmic approximation, 99
 unitarity problem, 74, 107, 109, 110, 112, 113, 115, 185
- Bartels cigar, 111, 187
Bartels–Kwiecinski–Praszalowicz (BKP) equation, 123, 189, 190, 196
BFKL pomeron, 99, 117, 121, 122, 191, 192, 228, 243–245, 248, 249, 270, 304, 305
 intercept, 99, 228, 238, 243, 247–249
Bjorken frame, 27, 40–42, 113, 118
Bjorken scaling, 29, 35, 44, 63
black-disk limit (BDL), 107–109, 141, 172, 176, 185, 187, 253, 254, 258, 303, 304, 318
bootstrap equation, 106, 107
Borel resummation, 241, 249
Breit frame, 41, 42, 113, 118
Brodsky–Lepage–Mackenzie (BLM) prescription, 229, 230
- Callan–Gross relation, 35, 63, 127
Catani–Ciafaloni–Fiorani–Marchesini (CCFM) equation, 245, 306
classical approximation, 203–205, 214, 275, 280, 282, 283, 290
classical equations of motion, 200, 204, 275
classical gluon field, 198, 200, 203–205, 207, 210, 214, 216, 275, 290
coefficient function, 37
color charge density, 199–202, 205, 213, 215–217, 226
color glass condensate (CGC), 189, 215, 216, 224, 226, 249, 256, 270, 271, 284, 291, 293, 301, 304–306
color transparency, 141, 172
confinement, in QCD, 1, 21, 201, 304, 312
confinement scale, 30, 112
correlation function, 116, 292, 296, 301, 303, 305
covariant gauge, *see* Feynman gauge
critical trajectory, 179–181, 237
Cronin effect, 284, 289
crossing symmetry, 56, 313
Cutkosky rules, 267
- daughter dipole, 146, 148, 151, 152, 167, 168, 244
deep inelastic scattering (DIS), 21–24, 26, 27, 29, 30, 35, 37–39, 41, 42, 63, 67, 69, 72, 74, 75, 78,

- 112, 113, 116, 118, 123, 124, 198, 228, 244,
254–258, 260, 263, 270, 274, 275, 281, 287,
290, 292–295
- cross section, 24, 25, 27, 35, 37, 125, 126, 129, 133,
256–258, 274, 294
- diffraction, 254
- central, 255
- central exclusive, 255
- evolution equation for, 263, 267–269
- high-mass, 255, 256, 262–264, 267–269
- in DIS, 255
- inelastic, 255
- low-mass, 255, 256, 258, 259
- diffractive dissociation, 255
- double, 255
- single, 255
- dipole BFKL kernel, 183
- dipole generating functional, 141, 150–154, 167, 168
- dipole–nucleus scattering, 123, 125, 127, 129–138,
140, 141, 163, 167–170, 177, 180, 195, 197,
210–212, 224, 226, 256–258, 263, 264, 267,
274, 280, 285, 288, 303
- multiple nucleon interactions, 139, 172
- resummation parameter, 139, 163
- dispersion relations, 88, 103, 189, 312, 315
- double subtracted, 88, 316
- subtracted, 316
- Dokshitzer–Gribov–Lipatov–Altarelli–Parisi
(DGLAP) equation, 22, 43, 53, 54, 60–63, 67,
70, 72, 74–76, 86, 93, 101–103, 109, 113–115,
118, 121, 142, 143, 145, 154, 180, 181, 185,
189, 244–248, 293, 306
- solution, 60, 62
- double logarithmic approximation (DLA), 63–67,
69–72, 75, 76, 93, 99–101, 109, 113, 114, 118,
154, 172, 173, 175, 176, 181, 185, 197, 259
- eikonal approximation, 79, 125, 126, 135, 136, 165,
192, 201, 210, 211, 276, 277, 279
- exclusive vector meson production, 260, 261
- extended geometric scaling, 172–176, 189, 197
- Faddeev–Popov ghost field, 5
- Faddeev–Popov method, 4
- Feynman gauge, 6, 79, 83, 85, 90, 133, 134, 136, 163,
202, 203, 210–212, 226, 275
- Feynman rules, 3–7, 14, 17, 83
- QCD, 6
- flavor nonsinglet distribution, 53, 63, 64
- flavor singlet distribution, 54, 63, 64
- Fourier transform, 19, 128, 129, 135, 138, 141, 171,
196, 206, 227, 232, 235, 276
- fragmentation function, 265
- Froissart–Martin bound, 107–109, 303, 304, 318
- functional integral, 3, 4, 6
- gauge symmetry, 3–5
- geometric scaling, 172, 175, 177, 181, 183, 185, 189,
235, 239, 294, 298
- Glauber–Gribov–Mueller (GGM) formula, 123, 129,
139, 141, 145, 163, 164, 167, 170, 172–174,
176, 178, 184, 192, 195, 198, 200, 204, 210,
212, 213, 218, 221, 229, 235, 250, 257, 259,
263–265, 274, 275, 277, 280, 282, 285, 292,
294, 303
- gluon (parton) saturation, 114, 118, 141, 171, 172,
175, 189, 195, 214, 256, 272, 274, 289
- gluon distribution, 44, 53, 58, 63, 65–70, 73, 119, 130,
131n, 131, 132, 139, 140, 174, 201, 202,
205–207, 210, 212, 214, 234, 259
- gluon field strength tensor, 2
- gluon multiplicity, 274
- gluon production, 87, 119, 272–276, 278–283, 285,
286, 288–292
- gluon propagator, 6, 56, 84, 91, 103, 135, 211, 229
- gluon regeization, 88, 91, 103–105, 107, 189, 191,
192
- gluon spectrum, 282, 290, 291
- Golec–Biernat–Wusthoff (GBW) model, 295
- Gribov bound, 197
- Gribov–Levin–Ryskin and Mueller–Qiu (GLR–MQ)
equation, 74, 112, 115, 117, 118, 140, 141,
170, 171, 174–176
- hadronic tensor, DIS, 25, 26, 31, 34, 41
- Huygens–Fresnel principle, 252
- impact factor, 83, 87
- infinite momentum frame (IMF), 27, 28, 30, 40–42,
113, 119, 124, 199, 201, 202, 254
- instantaneous (Coulomb) gluon, 79, 84, 165, 258
- instantons, 240, 248
- Ioffe time, 39, 125
- Jalilian-Marian–Iancu–McLerran–Weigert–
Leonidov–Kovner (JIMWLK) equation, 189,
198, 215, 216, 221, 223–226, 228–232, 240,
244, 248, 257, 264, 265, 268, 271, 285, 291,
303–306
- numerical solution, 223, 225, 226
- k_T -factorization, 273, 280, 282, 288, 289
- Kharzeev–Levin–Nardi (KLN) model, 301
- Kirchhoff integral, 252
- Landau gauge, 6, 126
- Landau pole, 242
- Landau principle, 313
- large- N_c approximation, 117, 123, 145, 147, 149, 151,
155, 166, 167, 169, 170, 189, 192, 193, 195,
224, 226, 229, 233, 244, 257, 266, 268, 271,
285–288
- leading-logarithmic approximation (LLA)
in Q^2 , 45, 47, 49, 50, 53, 63, 75
in x , 75, 76, 125, 142, 145, 148, 150, 163, 166, 192,
193, 215, 229, 243, 246, 263, 277, 285–287,
303
- Lepage–Brodsky convention, 79, 83–85

- leptonic tensor, DIS, 25
 Levin–Tuchin formula, 177, 195
 light cone energy, 11, 31, 125, 126, 143, 267, 279
 denominator, 11, 47, 49
 light cone gauge, 6, 8, 47, 57, 136, 142, 163, 202, 203, 205, 211, 212, 216, 227, 263, 275
 light cone Hamiltonian, 9
 light cone perturbation theory (LCPT), 7, 8, 10, 12, 14, 16, 17, 22, 30, 31, 46, 74, 125, 158, 165, 196, 218, 220, 231, 260, 266, 275, 278
 light cone time, 10, 11, 17, 39, 71, 149, 150, 265, 277
 light cone wave function, 13, 14, 17, 19, 30–32, 38, 43, 46, 48, 55, 125–127, 133, 141–143, 145, 148, 150, 151, 156, 260, 262, 275, 278
 Lipatov vertex, 85
 Lorenz gauge, 6, 7, 24
 Low–Nussinov pomeron, 76, 80, 81, 99, 108

 Mandelstam variables, 80, 121, 253, 312, 313, 317
 map of high energy QCD, 188
 McLerran–Venugopalan (MV) model, 198, 200, 204, 205, 213, 215, 216, 250, 257, 275, 280, 282, 290, 292, 294
 Möbius transformations, 159
 moment space, 54, 60, 62, 64, 73, 245
 Mueller’s dipole model, 123, 141, 166, 167, 198, 210, 216, 218, 226, 286, 287, 310
 multi-Regge kinematics, 94, 95

 next-to-leading order (NLO) corrections, 148
 BFKL, 228, 230, 242–245, 247–249
 intercept, 244
 BK, 228–230, 242, 244
 DGLAP, 63, 67, 69, 72
 JIMWLK, 229, 230
 non-Abelian Weizsäcker–Williams field, 204–206
 nuclear modification factor, 283, 284, 289, 290, 292, 295, 296
 nuclear profile function, 132, 207, 209, 276, 277, 280
 nuclear shadowing, 170, 284

 odderon, 123, 192–196
 onium, 78
 operator expectation value, 4, 205, 215, 217, 223, 225
 operator product expansion, 41
 optical theorem, 89, 133, 264–267, 315, 317

 parent dipole, 146, 148, 151, 152, 166–169, 231, 233
 partition function, 3
 parton model, 22, 27, 30, 32, 34, 37–39, 42, 45
 QCD corrections, 45
 partons, 27, 29–32, 35, 37–45, 51, 57, 67, 72, 76, 93, 101–103, 113–117, 181, 200, 216, 238, 246, 247, 282, 290, 304
 photon wave function, DIS, 126, 128, 129, 258
 pomeron, 80, 121, 122, 192, 195, 254, 270
 intercept, 80, 81
 trajectory, 80
 trajectory slope, 80
 pomeron fan diagrams, 116, 117, 304
 pomeron loop diagrams, 116, 117, 304
 powers of energy counting rules, 76–78

 QCD Lagrangian, 1–3, 8
 quark distribution, 34, 35, 37, 43–50, 52, 53, 56, 58, 60, 63, 67–69, 141, 205
 quark propagator, 6, 83, 84, 136, 137, 218
 quark–antiquark dipoles, 123–127, 129, 130, 133, 137–142, 145, 147–149, 151, 154, 155, 157, 163–168, 170–173, 176, 189, 191, 195, 225, 231, 233, 234, 244, 256, 258, 262, 263, 266, 267, 271, 286, 287
 quark–gluon plasma (QGP), 298, 305

 rapidity, 38, 83, 86, 87, 93, 95, 98, 110, 112, 116, 117, 119, 125, 129, 139, 150, 151, 155, 164, 168–175, 177, 184, 185, 187, 188, 192, 195, 206, 215, 216, 220, 225, 235, 236, 238, 245, 246, 262, 268, 279, 285–287, 289, 292, 295, 296, 299, 301, 303, 305
 rapidity gap, 250, 254–256, 260, 263, 265, 266, 268
 reggeized gluon, 91
 exchanges, 189, 243
 renormalons, 240, 241, 248
 running-coupling BK (rcBK) equation, 232–236, 295, 301
 kernel, 233, 234
 numerical solution, 236
 semiclassical solution, 236–239
 running-coupling BFKL (rcBFKL) equation, 231, 232, 234, 235
 kernel, 233
 running-coupling JIMWLK (rcJIMWLK) equation, 229, 234

 saddle point, 65, 99, 122, 173–176, 249, 304
 saddle point approximation, 65–67, 73, 99–101, 173, 174, 195, 243
 saturation region, 120, 121, 172, 174–177, 180, 182, 183, 185, 189, 197, 214, 225, 240, 290
 saturation scale, 74, 112, 114, 119, 120, 123, 140, 141, 169, 173–176, 180, 183–185, 187, 189, 196, 197, 199, 200, 209, 210, 213, 215, 228, 235, 236, 248, 249, 256, 259, 270, 275, 281, 290, 298, 301
 running-coupling, 236, 238
 Schwinger–Keldysh formalism, 265
 semiclassical approximation, 178–180, 237–239
 space–time structure, DIS, 38, 39, 41, 72, 124
 splitting function, 51–60, 62–64, 70, 72, 93, 249
 structure functions, 22, 26, 27, 29, 34, 35, 37, 43, 63, 64, 67, 126, 127, 129, 163, 197, 243, 250, 294
 SU(3) structure constants, 2

- twist, 41, 100, 122, 183, 242, 246, 247, 249, 259
- unintegrated gluon distribution, 101, 102, 117, 130, 171, 206, 207, 212–215, 227, 234, 235, 240, 272, 273, 282, 284, 288, 292
- unitarity constraints, 50, 51, 56, 59, 74, 107, 109, 110, 112–115, 133, 145, 185, 267, 303, 312, 316–318
- vertex
 - cut (Mueller), 34
 - effective (Lipatov), 83, 86, 87, 93, 104, 273, 282
 - four-gluon, 7, 11
 - ghost-gluon, 7
 - quark-gluon, 7, 11
 - three-gluon, 7, 11, 85
 - triple BFKL pomeron, 117, 121, 170
- virtual corrections, 20, 43, 45, 50–52, 55, 56, 59, 88, 91, 93, 104, 114, 145–147, 151–153, 170, 196, 219, 220, 229, 231, 235, 286, 287
- wee partons, 42, 113, 114
- weight functional W , 205, 215, 217, 223
- Wilson line, 202, 203, 204, 207–212, 217, 219–221, 223–225, 267, 277, 279, 285
 - adjoint, 207, 209, 211, 223
 - fundamental, 207, 211, 223, 267
- Yang–Mills equations, 200, 202, 216, 217, 275, 290
 - solution, 202, 203, 290

