

The Journal of Laryngology and Otology

EDITED BY
WALTER HOWARTH

ASSISTANT EDITOR
G. H. BATEMAN

Contents

DELAYED FACIAL PARALYSIS OF LOWER MOTOR NEURONE TYPE FOLLOWING HEAD INJURY	F. C. ROBSON and J. D. K. DAWES
THE "CLOSED" FENESTRATION OPERATION	FRANCIS BAUER ✓
A ONE-STAGE PHARYNGO-ŒSOPHAGO-LARYNGECTOMY IN WHICH THE ANTERIOR PORTIONS OF LARYNX AND TRACHEA WERE USED FOR RECONSTRUCTION	J. F. SIMPSON ✓
CLOSED INJURIES OF THE LARYNX AND PHARYNX	DENIS L. CHADWICK
CYSTADENOMA OF LARYNX	E. F. STEWART ✓
CLINICAL RECORDS—	
THE VAN DER HOEVE TRIAD	JAMES T. LEES ✓
CARDIAC ARREST DURING A NASAL OPERATION	J. FINE ✓
FEEDING PATIENTS AFTER LARYNGECTOMY	J. Miodoński ✓
SOCIETIES' PROCEEDINGS—	
ROYAL SOCIETY OF MEDICINE—SECTION OF LARYNGOLOGY	
GENERAL NOTES	

London

Headley Brothers Ltd

109 Kingsway WC2

Annual Subscription £4/4/0 net, U.S.A. \$13

Monthly, 10/- net post free

The Journal of Laryngology and Otology

(FOUNDED in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY
WALTER HOWARTH

ASSISTANT EDITOR
G. H. BATEMAN

1. Original articles which have not been published elsewhere are invited and should be sent to the Editor. They are considered for publication on the understanding that they are contributed to this *Journal* solely. Reproduction elsewhere, in whole or in part, is not permitted without the previous written consent of the Author and Editor and the customary acknowledgement must be made.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced. Captions to illustrations should be typed on a separate sheet and sent at the same time as original photographs, etc.

The Harvard system of recording references should be used, e.g. GREEN, C., and BROWN, D. (1951) *J. Laryng.*, 65, 33. Abbreviations of Journals should follow the style recommended in *World Medical Periodicals*, published by World Health Organization, 1952.

It is most important that authors should verify *personally* the accuracy of every reference before submitting a paper for publication.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.

4. Illustration blocks are provided free up to the limit of £10 per article; beyond this authors are expected to pay half the cost. Coloured illustrations will be charged in full to authors.

Blocks will normally be held by the Printers for three years after which they will be destroyed. Any author who has borne a part of the cost of his blocks is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to HEADLEY BROTHERS LTD., 109 Kingsway, London, WC2.

5. Orders for reprints must be sent when returning galley proofs, and for this purpose special forms are supplied.

6. Authors of original communications on Oto-Laryngology in other journals are invited to send a copy, or two reprints, to the *Journal of Laryngology*. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.

7. Editorial communications may be addressed to THE EDITOR, *Journal of Laryngology*, c/o HEADLEY BROTHERS LTD., 109 Kingsway, London, WC2.

8. The annual subscription is four guineas sterling (U.S.A. \$13) post free, and is payable in advance.

9. Single copies will be on sale at 10s. od. each; copies of parts up to Vol. LXIII which are available may be purchased at 7s. 6d. each.

10. All subscriptions, advertising and business communications should be sent to the publishers, HEADLEY BROTHERS LTD., 109 KINGSWAY, LONDON, WC2.

United States of America


Orders for this *Journal* may be sent through local bookseller, or to STECHERT-HAFNER, INC., 31-33 East 10th Street, New York, or direct to the publishers, HEADLEY BROTHERS LTD., 109 KINGSWAY, LONDON, WC2, England.

© *Journal of Laryngology and Otology*, 1960

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

In schools for the DEAF— multitone Telesonic INDUCTION LOOP SYSTEM brings new advantages

- 1 Can be installed in adjoining classrooms without risk of 'spill over'.
- 2 Combines good hearing with complete freedom of movement. Unaffected by distance between pupil and teacher.
- 3 Clear speech at high amplification.
- 4 Any number of pupils may use the same installation.
- 5 The child can use the instrument as a normal hearing aid outside school.



The Kindergarten Class at the London Residential School for Jewish Deaf Children where all classrooms have been installed with the Multitone Telesonic Induction Loop System

Write for further details to:

multitone

ELECTRIC COMPANY LTD., 12-20 UNDERWOOD STREET, LONDON, N. 1.

CRC M23

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

PERDILATAL *

**in the treatment of sudden
perceptive deafness
and Ménière's syndrome.**

* Vascular spasm may well be responsible for the majority of these cases.¹

* Vascular changes in the labyrinth are an important factor in the physiopathology of Ménière's disease.²

* In the treatment of Ménière's disease emphasis must be put upon early restoration of blood flow to the inner ear.³

* Perdilatal in doses of at least 6 mg. 4 times a day is the most effective vasodilator for the treatment of these conditions.⁴

1 Fowler, E. P. *Ann. Otorhinolaryng.*, 1950, 59, 980.

2 Atkinson, M. *Proc. roy. Soc. Med.*, 1946, 39, 807

3 Wilmot, T. J. *Brit. med. J.*, 1957, 2, 1047.

4 Wilmot, T. J. Paper read on February 6th, 1959 at a Meeting of the Section of Otology, Roy. Soc. Med.

Perdilatal is available in tablets of 6 mg. as PERDILATAL FORTE in 50's, 250's and 1,000's.

* *PERDILATAL Brand of Buphenine Hydrochloride*



Smith & Nephew Pharmaceuticals Limited

WELWYN GARDEN CITY · HERTFORDSHIRE

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

An open letter to every Otologist...



Dear Sir,

As you will probably agree, even though there may be many causes of deafness, the alleviation of it is an individual problem. This is something to which we at Philips have given our specialised attention.

Our wide, interchangeable range of unobtrusive receiving units and ear-pieces makes it possible to obtain the precise combination to match the exact needs of each patient. And in each combination tone and volume are fully adjustable to provide suitable correction for every kind of defective hearing in every listening situation. Even if a patient's hearing changes with time he can, with most models, tune his Philips Hearing Aid accordingly. This technical excellence of these Aids, which are, of course, on the Approved List of the National Institute for the Deaf, is the result of comprehensive - perhaps unique - research and manufacturing facilities and unrivalled experience in the accurate reproduction of sound.


It is an excellent idea to advise your patients who are hard of hearing to visit a Philips Audiometric Centre. There is a network of them throughout Britain, where patients can discuss their individual needs with a skilled audiometrician entirely free of charge.

Yours faithfully,

PHILIPS ELECTRICAL LTD
Century House · Shaftesbury Avenue
London · W.C.2

HA3250

Please mention *The Journal of Laryngology and Otology* when replying to advertisements



“The point is, of course, that Ingrams supply *all* the best makes—English, American and Continental. This means that regardless of whose it is, they can supply each patient with the aid that will give him most help at the price he can afford to pay.

Let me put it another way. No maker makes every type of aid. Therefore, if I send a patient to a manufacturer, he can only recommend the most suitable aid he has: Ingrams on the other hand can choose from their stock the most suitable aid of *any* make. An individual maker only *may* be able to supply the best aid for a particular patient’s needs, Ingrams *can* supply it, and invariably do.”

Send your patients with confidence to

INGRAMS

The independent hearing aid consultants

E.N.T. Specialists are invited to write for Booklet J.

S. C. INGRAM (Hearing Aids) LTD.

On the Approved List of the National Institute for the Deaf.

2, Shepherd Street, Shepherd Market, London, W.1.

Telephone : HYDe Park 9041

Resident consultants in all parts of the country.

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

J. & A. CHURCHILL LTD.

A New Book

Just Published

DEAFNESS

By J. CHALMERS BALLANTYNE, F.R.C.S., D.L.O.

This small book is intended for all who work in this field of social medicine. It covers the basic sciences of Audiology; Diagnosis of Deafness; Hearing Aids; Conductive, Perceptive and Psychogenic Deafness; and has several valuable Appendices. It will appeal to many educationalists, speech therapists, etc. as well as to medical students and practitioners.

71 illustrations.

25s.

COMMON DISEASES OF THE EAR, NOSE AND THROAT

By PHILIP READING, M.S., F.R.C.S.

Second Edition. 2 coloured plates and 38 text-figures.
22s. 6d.

RECENT ADVANCES IN CEREBRAL PALSY

Edited by R. S. ILLINGWORTH, M.D., F.R.C.P.,
D.P.H., D.C.H.

136 illustrations.

50s.

RECENT ADVANCES IN OTO-LARYNGOLOGY

Third Edition by F. BOYES KORKIS, M.B., Ch.B.(N.Z.), F.R.C.S.(Eng.), D.L.O.

2 coloured plates and 144 text-figures.

60s.

By the same author:

EAR, NOSE AND THROAT NURSING

85 illustrations.

From the U.S.A.

12s. 6d.

THE ESOPHAGUS: Medical and Surgical Management

By EDWARD B. BENEDICT, M.D., F.A.C.S., and GEORGE L. NARDI, M.D., F.A.C.S.

16 Coloured Plates and 108 text-figures.

105s.

104 GLOUCESTER PLACE, LONDON, W.1

POST-TONSILLECTOMY COMFORT

Immediate pain relief—Speedier Convalescence

The pain of traumatized tissues following tonsillectomy, demands its own relief—and points the need for analgesia that quickly reaches the irritated area.

ASPERGUM provides 'salivary analgesia' through the simple act of chewing—it brings pain-relieving acetylsalicylic acid into intimate and prolonged contact with the tonsillar

region, seldom reached even intermittently by gargling. The rhythmic stimulation of muscular action also aids in relieving local spasticity & stiffness: more rapid tissue repair is promoted. Each pleasantly flavoured chewing gum tablet provides 3½ grains acetylsalicylic acid, permitting frequent use. Particularly suitable for children.


Aspergum (Category S)

for more than two decades a dependable and welcome aid to patient-comfort


Ethically promoted in packages of 16 tablets and moisture proof bottles of 36 and 250

WHITE LABORATORIES LTD., 428, SOUTHCROFT ROAD, LONDON, S.W.16


Please mention *The Journal of Laryngology and Otology* when replying to advertisements



all
nasal sprays
have a
DECONGESTANT



most
nasal sprays
have an
ANTIBIOTIC



some
nasal sprays
have an
ANTIHISTAMINIC

but only



Biomydrin

nasal spray

has all these plus a
MUCOLYTIC
as well

Thonzonium Bromide, the new mucolytic agent in Biomydrin, penetrates thick mucus and so ensures that all the active principles reach the affected areas.

that is why Biomydrin is the only COMPLETE nasal spray

In a plastic self-sterilizing pack (½ fluid ounce).

*Supplied on prescription only, so there is no danger of indiscriminate self-medication.


FORMULA: Neomycin Sulphate 0.1%, Gramicidin 0.005%, Thonzylamine Hydrochloride 1.0%, Phenylephrine Hydrochloride 0.25%, Thonzonium Bromide 0.05%, Preserved with Thiomersal 0.002%.



WILLIAM R. WARNER & CO. LTD.
EASTLEIGH · HAMPSHIRE

B10 443

Please mention *The Journal of Laryngology and Otology* when replying to advertisements



F W N

MODEL 81 AUDIOMETER

For the first time it is now possible, with a compact and simple audiometer, to obtain accurate and reliable air and bone conduction measurements—even in cases of severe unilateral deafness.

This exclusive-featured audiometer is Amplivox Model 81, the outcome of many years' research and experience in the field of audiometry. In its development, considerable emphasis has been placed on simplicity of operation and long-term stability.

- * Filtered White Noise masking excludes all unwanted frequencies except the critical band around the pure tone frequency in use. This permits high masking intensities to be used without discomfort and fatigue to the subject under test.

Only Amplivox Model 81 Audiometer has these features:

- * Threshold calibration to British or American Standards.
- * Filtered White Noise masking tone to 5% band width above and below frequency being tested.
- * Insert-type earphone for masking increases inter-aural attenuation to 90dB.
- * Indicator light signals when controls are wrongly set for a particular test—also monitors speech level.

All enquiries to:

AMPLIVOX LIMITED

Medical Acoustic Division,
80 New Bond Street, London, W.1.
Telephone: HYD 9888

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

The Journal of Laryngology and Otology

CONTENTS

	PAGE
DELAYED FACIAL PARALYSIS OF LOWER MOTOR NEURONE TYPE FOLLOWING HEAD INJURY. F. C. Robson and J. D. K. Dawes (Newcastle-upon-Tyne)	275
THE "CLOSED" FENESTRATION OPERATION. Francis Bauer (Liverpool)	290
A ONE-STAGE PHARYNGO-ŒSOPHAGO-LARYNGECTOMY IN WHICH THE ANTERIOR PORTIONS OF LARYNX AND TRACHEA WERE USED FOR RECONSTRUCTION. J. F. Simpson (London)	300
CLOSED INJURIES OF THE LARYNX AND PHARYNX. Denis L. Chadwick (Manchester)	306
CYSTADENOMA OF LARYNX. E. F. Stewart (London)	325
CLINICAL RECORDS—	
The Van der Hoeve Triad. James T. Lees (Glasgow)	331
Cardiac Arrest During a Nasal Operation. J. Fine (Johannesburg)	333
Feeding Patients After Laryngectomy. J. Miodoński (Cracow)	335
SOCIETIES' PROCEEDINGS—	
Royal Society of Medicine—Section of Laryngology	338
GENERAL NOTES	343

THE LARYNGOSCOPE

A Monthly Journal
devoted to the disease of
EAR, NOSE AND THROAT

*Official organ for the American Laryngological
Rhinological and Otological Society*

Price \$14.00 per year

Canada \$13.00 per year

MAX A. GOLDSTEIN, M.D.
FOUNDER

THEODORE E. WALSH, M.D.
EDITOR

640 SOUTH KINGSHIGHWAY
SAINT LOUIS 10, MO.

Please mention *The Journal of Laryngology and Otology* when replying to advertisements.