

# The Journal of Laryngology and Otology

EDITED BY  
WALTER HOWARTH

ASSISTANT EDITOR  
G. H. BATEMAN

## Contents

STAPES SURGERY FOR OTOSCLEROTIC DEAFNESS . . . . .	SAMUEL ROSEN ✓
STAPES MOBILIZATION . . . . .	TERENCE CAWTHORNE ✓
STAPES MOBILIZATION . . . . .	R. S. VENTERS ✓
SUBMUCOSAL DIATHERMY OF THE INFERIOR TURBINATES . . . . .	J. F. SIMPSON and J. GROVES ✓
HÆMOLYMPHANGIOMA OF THE NECK . . . . .	E. A. MALKIN ✓
ACUTE OSTEOMYELITIS OF THE MAXILLA IN INFANTS . . . . .	A. E. W. GREGSON ✓
THE MOVEMENTS OF THE LATERAL WALLS OF THE NASOPHARYNX: A CINE-RADIOGRAPHIC STUDY . . . . .	R. ASTLEY ✓
CLINICAL RECORDS—	
BILATERAL LUXATION OF THE INCUDO-STAPEDIAL JOINT . . . . .	LENNART GISSELSOON ✓
INFECTIOUS MONONUCLEOSIS REQUIRING SPLENECTOMY AND TRACHEOTOMY . . . . .	A. S. DAVIDSON ✓
SOCIETIES' PROCEEDINGS—	
ROYAL SOCIETY OF MEDICINE—SECTION OF OTOLGY . . . . .	✓
THE SCOTTISH OTOLARYNGOLOGICAL SOCIETY . . . . .	✓
GENERAL NOTES	

London  
Headley Brothers Ltd  
109 Kingsway WC2

Annual Subscription £3/3/0 net, U.S.A. \$10

Monthly, 7/6 net post free

# The Journal of Laryngology and Otology

(FOUNDED IN 1887 BY MORELL MACKENZIE AND NORRIS WOLFENDEN)

EDITED BY  
WALTER HOWARTH

ASSISTANT EDITOR  
G. H. BATEMAN

1. Original Articles are accepted on the condition that they have not been published elsewhere.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced. Captions to illustrations should be typed on a separate sheet and sent at the same time as original photographs etc.

The Harvard system of recording references should be used, e.g. GREEN, C., and BROWN, D. (1951) *J. Laryng.*, 65, 33. Abbreviations of Journals should follow the style recommended in *World Medical Periodicals*, published by World Health Organization 1952.

It is most important that authors should verify *personally* the accuracy of every reference before submitting a paper for publication.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.

4. Illustration blocks are provided free up to the limit of £10 per article; beyond this authors are expected to pay half the cost. Coloured illustrations will be charged in full to authors.

Blocks will normally be held by the Printers for three years after which they will be destroyed. Any author who has borne a part of the cost of his blocks is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to HEADLEY BROTHERS LTD., 109 Kingsway London, WC2.

5. Orders for reprints should be sent when returning galley proofs, and for this purpose special forms are supplied.

6. Authors of original communications on Oto-Laryngology in other journals are invited to send a copy, or two reprints, to the *Journal of Laryngology*. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.

7. Editorial communications may be addressed to THE EDITOR, *Journal of Laryngology*, c/o HEADLEY BROTHERS LTD., 109 Kingsway London, WC2.

8. The annual subscription is three guineas sterling (U.S.A. \$10) post free, and is payable in advance.

9. Single copies will be on sale at 7s. 6d. each; copies of parts up to Vol. LXIII may be purchased at 4s. each.

10. All subscriptions, advertising and business communications should be sent to the publishers, HEADLEY BROTHERS LTD., 109 KINGSWAY LONDON, WC2.

#### United States of America

Orders for this *Journal* may be sent through local bookseller, or to STECHERT-HAFNER, INC., 31-33 East 10th Street, New York, or direct to the publishers, HEADLEY BROTHERS LTD., 109 KINGSWAY LONDON, WC2, England.

Please mention *The Journal of Laryngology* when replying to advertisements

---

## In schools for the DEAF— multitone Telesonic INDUCTION LOOP SYSTEM brings new advantages

- 1 Can be installed in adjoining classrooms without risk of 'spill over'.
- 2 Combines good hearing with complete freedom of movement. Unaffected by distance between pupil and teacher.
- 3 Clear speech at high amplification.
- 4 Any number of pupils may use the same installation.
- 5 The child can use the instrument as a normal hearing aid outside school.



The Kindergarten Class at the London Residential School for Jewish Deaf Children where all classrooms have been installed with the Multitone Telesonic Induction Loop System

Write for further details to:

# **multitone**


ELECTRIC COMPANY LTD., 12-20 UNDERWOOD STREET, LONDON, N.1.

CRC M22

---

Please mention *The Journal of Laryngology* when replying to advertisements

# THE HALLPIKE-BLACKMORE MONOCULAR EAR MICROSCOPE\*



## USES

### DIAGNOSIS

The excellent optical performance of the Hallpike Ear Microscope gives the user greatly increased confidence in the diagnosis of abnormal conditions; and many disorders may be recognized at an earlier stage than has hitherto been possible with "headlamp and speculum" techniques. Thus slight pulsation of swellings and vascular tumours—of high diagnostic significance and almost impossible to detect by conventional methods—can readily be detected under this microscope.

Use of the Siegle attachment permits observation of small bubbles present in fluid collections within the tympanum; it is also invaluable for demonstrating minute perforations. Where defects of the tympanic membrane are present, the middle-ear cavity can be scrutinized minutely; the detailed structure of the stapes, stapedius tendon, round window and Eustachian orifice—not normally visible by ordinary methods of examination—are seen with quite remarkable clarity when the Ear Microscope is used.

### TREATMENT

Manipulative procedures may be undertaken with greater confidence and precision if the Ear Microscope and its special instruments are used.

The curettes enable adherent wax and debris to be removed with the greatest precision from the walls of the deep meatus or from the tympanic membrane itself. Cholesteatomatous masses or neoplasms may be examined critically and biopsy specimens obtained by means of the curettes. These may also be used as delicate probes for palpation of the incus and head of the stapes in certain cases of otosclerosis with retraction and atrophy of the tympanic membrane; in this way unmistakable evidence may be obtained of bony fixation of the footplate. Or again, it is sometimes possible to identify by palpation defects of the bony tympanic ring or meatal wall which may underlie granulations.

Myringotomy or removal of foreign bodies can be undertaken with surprisingly high precision because the optics of the Ear Microscope and the specially angled myringotome blade eliminate all shadows so that the surgeon can see clearly where and what he is cutting. The outfit is invaluable also for post-operative examinations and treatment of mastoid cavities. Granulations can be cauterized and exposed areas of dura mater carefully palpated.

\**J. Laryng.* (1953) 67, 108.

39 WIGMORE STREET  
LONDON W.1





5241 WHITBY AVENUE  
PHILADELPHIA 43, Pa.,  
U.S.A.

Please mention *The Journal of Laryngology* when replying to advertisements

MA4906

**I N T R O D U C I N G**



*In the treatment of* **OTITIS**

The persistently discharging ear is a common problem and one which poses many difficulties in effective treatment. In many cases of chronic ear infection, bacteria and fungi can be isolated and treatment should, therefore, be aimed at eliminating both types of infection. 'Otamidyl' contains dibromopropamide isethionate 0.15% w/v and diaminodiphenylamine dihydrochloride 0.5% w/e in propylene glycol and is intended for topical application in the treatment of otitis externa and of chronic suppurative otitis media. The antibacterial and antifungal properties of these compounds are retained in the presence of pus, blood and tissue debris.

*Further information is available on request.*  
An **M&B** brand Medical Product

**PRESENTATIONS:**  
Dropper bottles of 15 c.c.  
Bottles of 100 c.c.



**MANUFACTURED BY**  
**MAY & BAKER LTD**

**DISTRIBUTORS: PHARMACEUTICAL SPECIALITIES (MAY & BAKER) LTD · DAGENHAM**

Please mention *The Journal of Laryngology* when replying to advertisements

## POST-TONSILLECTOMY COMFORT

### Immediate pain relief—Speedier Convalescence

The pain of traumatized tissues following tonsillectomy, demands its own relief—and points the need for analgesia that quickly reaches the irritated area.

ASPERGUM provides 'salivary analgesia' through the simple act of chewing—it brings pain-relieving acetylsalicylic acid into *intimate* and *prolonged* contact with the tonsillar

region, seldom reached even intermittently by gargling. The rhythmic stimulation of muscular action also aids in relieving local spasticity & stiffness: more rapid tissue repair is promoted. Each pleasantly flavoured chewing gum tablet provides  $3\frac{1}{2}$  grains acetylsalicylic acid, permitting frequent use. Particularly suitable for children.

## Aspergum (Category 3)

for more than two decades a dependable  
and welcome aid to patient-comfort

*Ethically promoted in packages of 16 tablets and moisture proof bottles of 36 and 250*

WHITE LABORATORIES LTD., 428, SOUTHCROFT ROAD, LONDON, S.W.16

# THE LARYNGOSCOPE

A Monthly Journal  
devoted to the Diseases of the  
EAR, NOSE AND THROAT

*Official organ for the American Laryngological,  
Rhinological and Otological Society*

Price \$14.00 per year

Canada \$13.00 per year

MAX A. GOLDSTEIN, M.D.  
FOUNDER

THEODORE E. WALSH, M.D.  
EDITOR

640 SOUTH KINGSHIGHWAY  
SAINT LOUIS 10, MO.

PLEASE MENTION *the Journal of Laryngology* when replying to advertisements



## INVALUABLE AIDS TO DIAGNOSIS

THE RANGE of the internationally known Peters audiometers is designed to meet all audiometric requirements, from those of a large Clinic to audiometric tests in schools.

In addition to a large speech audiometer for free-field work the range includes three pure-tone audiometers:

The SPD/2 Clinic Audiometer illustrated above, a most comprehensive instrument providing many facilities for advanced techniques. The SPD/3 Consulting Audiometer designed to meet all normal audiometric needs.

The SPD/1 Portable (Basic Diagnostic) the most recent addition

to the range, which ideally fills basic requirements in a portable form.

All three instruments offer a single zero reference level for all measurements, the Peters patented continuously variable attenuator and provision for simple speed audiometry. All are made to the same high standard, differing only in the facilities which they offer.

For the convenience of specialists all these instruments are available for demonstration at the ACOUSTICON Showrooms or, on request, at the specialist's consulting room or hospital.



**Literature and any information on request:**

122 Wigmore Street, London, W.1. Telephone: Welbeck 0935


St. Ann's Arcade, 12 St. Ann's Square, Manchester.

Telephone: Blackfriars 2109

ALFRED PETERS AND SONS LIMITED, VICTORIA WORKS, GELL STREET, SHEFFIELD, 3

Please mention *The Journal of Laryngology* when replying to advertisements

**When a  
hearing  
aid is  
advised . .**



**. . you may confidently  
recommend your patients  
to S. C. INGRAM**

- ★ They can try the different makes of hearing aids
- ★ They get impartial advice on all makes of hearing aids
- ★ Their personal needs are given individual and continued attention
- ★ A full report on each fitting recommended is sent to the patient's ear specialist
- ★ They can compare at one consultation the different makes one with another

**S. C. INGRAM** Independent Hearing Aid Consultant

*On the approved List of the National Institute for the Deaf*

**2 SHEPHERD STREET, SHEPHERD MARKET, LONDON, W.1**

*Hyde Park 9042*

Please mention *The Journal of Laryngology* when replying to advertisements

## AMPLIVOX MODEL 61 THE CLINICAL AUDIOMETER OF INTERNATIONAL REPUTE

*"Messrs. Amplivox were among the first firms to produce an audiometer in this country, and their larger model is one of the best instruments of the kind now made in the world at a competitive price."*—The LANCET.

- Eleven exact test frequencies 125-12,000 c.p.s.
- Simplified hearing loss dial. The same set of figures is read for both bone and air conduction at all frequencies, and for speech.
- Bone conduction tests can be made from 125-4,000 c.p.s.
- Masking Tone calibrated in decibels, permitting accurate control of masking.
- Double Air receivers enable test tones to be switched instantly from ear to ear.
- Speech test circuit monitors speech level, permitting accurate measurement of hearing loss for speech.
- Loudness Balance Control establishes presence of recruitment in monaural deafness.
- Automatic voltage compensator.

Recruitment Test Set accessory establishes presence of recruitment by amplitude modulation, enabling each ear to be tested independently.

Speech Turntable, English made P.B. and Harvard Spondee Records available.

Full details are available from the manufacturers who will gladly arrange demonstrations if required.



*The Basic Instrument of Modern Otology*

**ACCURATE • COMPLETE • SIMPLE TO OPERATE**

**AMPLIVOX LTD., 2 BENTINCK ST., LONDON, W.1 (Welbeck 2591)**

Please mention *The Journal of Laryngology* when replying to advertisements

## CONTENTS

	PAGE
STAPES SURGERY FOR OTOSCLEROTIC DEAFNESS. Samuel Rosen (New York, N.Y.) . . . . .	263
STAPES MOBILIZATION. Terence Cawthorne (London) . . . . .	281
STAPES MOBILIZATION. R. S. Venters (Carlisle) . . . . .	284
SUBMUCOSAL DIATHERMY OF THE INFERIOR TURBINATES. J. F. Simpson and J. Groves (London) . . . . .	292
HÆMOLYMPHANGIOMA OF THE NECK. E. A. Malkin (London) . . . . .	302
ACUTE OSTEOMYELITIS OF THE MAXILLA IN INFANTS. A. E. W. Gregson (Leeds) . . . . .	312
THE MOVEMENTS OF THE LATERAL WALLS OF THE NASOPHARYNX: A CINE-RADIOGRAPHIC STUDY. R. Astley (Birmingham)	325
CLINICAL RECORDS—	
Bilateral Luxation of the Incudo-Stapedial Joint. Lennart Gisselsson (Orebro, Sweden) . . . . .	329
Infectious Mononucleosis Requiring Splenectomy and Tracheo- tomy. A. S. Davidson (Kettering) . . . . .	332
SOCIETIES' PROCEEDINGS—	
Royal Society of Medicine—Section of Otology . . . . .	338
The Scottish Otolaryngological Society . . . . .	339
GENERAL NOTES . . . . .	340

For Advertisement space in this Journal apply to:  
**HEADLEY BROTHERS Ltd, 109 Kingsway London WC 2**

Please mention *The Journal of Laryngology* when replying to advertisements