## **Index of Subjects**

Acute poliomyelitis, new antigens for complement fixation test in, 321

Adenovirus vaccines, living attenuated preparations, 277

Aerosol filters, measurement of foot-and-mouth disease virus penetration through, 409

Aerosols, measurement, by light scatter method, of physical decay, 373

Anthrax bacilli spore formation and germination, influence of temperature and humidity on, 177

Antigenic activity of poliomyelitis vaccines used in the United Kingdom in 1958, 399

Antigenicity of γ-irradiated vaccinia virus, 391

Antigenic modulation of Bordetella pertussis, 57

Antigens of Trichomonas foetus strains isolated from cows and pigs, 207

Antirabic immunity in guinea-pigs induced by HEP Flury virus vaccine; influence of route of administration on resistance to cerebral and extraneural challenge, 187

Bacillus anthracis, effect of temperature and humidity on spore formation and germination,

Bacteraemia following oral infection of mice with typhoid and paratyphoid bacilli, 307

Bacterial antigens, detection of, by sensitized guinea-pig ileum, 291

Bacterial growth in wounds, effect of sera, exudates and sloughs under varying conditions, 357

Bacterial populations of hospital blankets, method of sampling, 157

Bactericidal action of sera and exudates on wound bacteria, 357

Bantu school children, incidence of salmonella and shigella infections, 109

Bar-soap disinfectants, 159

Blankets, an improved sampling method for estimation of bacterial populations, 157

Bordetella pertussis-antigenic modulation, 57

Brucellosis in dairy herds, detection by application of the milk ring test, 473

Calcutta canal waters, isolation of cholera vibrios throughout the year, 21 Candida albicans, apparent release of growth stimulant for, under conditions of tetracycline therapy, 95

Cholera vibrios in Calcutta waters, persistence throughout the year, 21

Culture medium for general bacteriology: a standard basic medium, 367

Culture medium for salmonella differentiation, 331

Dairy herds, application of milk ring test for detection of brucellosis, 473

Dairy milk produced in central Europe during 1957-60, levels of Strontium 90, 261

DDT insecticide-bait-boxes for control of sylvatic plague vectors, 119, 347

Disinfectants for use in bar-soaps, 159

Ducitol-sucrose-salicin-iron-urea agar: a new differential medium for salmonellae, 331

Eclipse phase of vaccinia virus growing in chick embryo cell monolayers, 133

Electrophoresis, zone, of poliovirus partially inactivated by formaldehyde, 419

Electrophoretic and ultracentrifuge studies on proteinuria of the new-born calf, 247

Ethylene oxide sterilization in hospital practice, 337

Exudates from wounds, effect on bacterial growth, 357

Fluoracetamide as a rodenticide, 125

Fluorescein isothiocyanate conjugated with specific antibody for identification at an early stage, of slow growing bacteria, 147

Flury HEP rabies virus vaccine in guinea-pigs. Influence of route of administration on resistance to cerebral and extra-neural challenge, 187

Foot and mouth disease virus, aerosol sampling methods, 409

Gamma-irradiation of vaccinia virus, effect on antigenicity, 391

Growth stimulant for Candida albicans released during tetracycline therapy for infections by other bacteria, 95

Haemophilus pertussis—antigenic modulation of, 57

Heredity, influence of, on incidence of rheumatic carditis, 263

Hooghly river and canals, isolation of cholera vibrios from, 21

Hospital cross-infection as a cause of a Salmonella typhimurium epidemic, 229

Immunization of guinea-pigs against rabies with HEP Flury virus vaccine by intracerebral route, 187

Ionizing radiation for sterilizing surgical rubber gloves and plastic tubing, 465

Leptospiral antibodies in pig sera, 243

Light scatter method for measurement of physical decay of aerosols, 373

Milk ring test applied to detection of brucellosis in dairy herds, 473

Modulation, antigenic, of Bordetella pertussis, 57

Molluscum contagiosum, an electron microscope study, 45

Mouse infection by oral route with typhoid and paratyphoid bacilli—the invasion of the blood stream from gut infections, 307

Multiple phage-type carriers of Salmonella paratyphi B, 193, 201

Mumps and Sendai viruses, antigenic relationship, 283

Myxomatosis, virulence of viruses recovered from Australian wild rabbits during period 1951-59, 485

Non-food-borne outbreak of Salmonella typhimurium infection in a general hospital, 229

Operating theatres, ventilation of, 427, 449

Paratyphoid carrier of multiple phage types, 193, 201

Phage type 27, Salmonella typhimurium. Hospital outbreak due to cross-infection with,

Pig-meal naturally contaminated with salmonellae and pig salmonellosis, 381

Pig sera, leptospiral antibodies in, 243

Plague vectors on rodents in Californian Sierra Nevada, 119, 347

Poliomyelitis, new virus antigens for CFT for diagnosis of acute disease, 321

Poliomyelitis vaccines, antigenic activity of preparations used in the United Kingdom in 1958, 399

Poliovirus, zone electrophoresis of preparations partially inactivated by formaldehyde, 419 Proteinuria of the new-born calf, ultracentrifuge and electrophoric studies, 247

Rabbits, wild Australian, virulence of myxoma virus, 485

Rabies, immunization of guinea pigs against, by intracerebral inoculation of the HEP Flury strain of the virus, 187

Radio tracer method compared with light scatter method for measurement of aerosol decay, 373

Rheumatic carditis in a communal settlement, an epidemiological study, 263

Rodenticidal properties of fluoracetamide, 125

Salmonella-contaminated pig food, 381

Salmonella differential culture medium, ducitol-sucrose-salicin-iron-urea (DSSIU) agar, 331 Salmonellas paratyphi B, a carrier of multiple phage types, 193, 201

Salmonella-shigella infections of Bantu school children, 109

Salmonella typhimurium, phage type 27. An outbreak due to cross-infection in a general hospital, 229

Sendai and mumps viruses, antigenic relationship, 283

Sensitized guinea pig ileum for the detection of bacterial antigens, 291

Sloughs in wounds, effect on bacterial growth, 357

Spore formation and germination of anthrax bacilli, effect of temperature and humidity on, 177

Staphylococcal infections, epidemiology of, 1

Staphylococcal infections, recurrent, duration of carrier state, 11

Sterilization by ethylene oxide in hospital practice, 337

Sterilization by means of ionizing radiation for surgical rubber gloves and plastic tubing, 465

Strontium 90 in dairy milk produced in central Europe during 1957-60, 261

Sylvatic plague, control of vectors on rodents in California, 119, 347

Tetracycline therapy, possible release of a growth stimulant for Candida albicans, 95

T-phages, the presence of heat labile and heat stable factors and also antibodies in both normal and anti-T-phage sera, 35

Trachoma virus isolated from West African patients, 99

Triochomonas foetus antigens in strains from cow and pig, 207

Tuberculosis, variation in natural resistance in species and animal-strain, 215

Typhoid and paratyphoid bacilli in mice infected experimentally by the oral route. Distribution of the bacteria in the organs, 307

Ultracentrifuge and electrophoretic studies on proteinuria of the new-born calf, 247

Vaccines, anti-rabies. Influence of route of administration in guinea-pigs of Flury HEP virus vaccine on resistance to cerebral and extraneural challenge, 187

Vaccines, living adenovirus preparations attenuated by passage through pig cell tissue culture, 277

Vaccinia virus, antigenicity after γ-irradiation, 391

Vaccinia virus, eclipse phase, 133

Ventilation, evaluation of, 297

Ventilation of operating theatres, 427, 449

Vibrio cholerae, isolation from the Hooghly river and Calcutta canals, 21

Viruses

Adeno, 277

Foot and mouth disease, 409

Molluscum contagiosum, 45

Mumps, 283

Myxomatosis, 485

Poliomyelitis, 321, 399, 419

Rabies, 187

Sendai, 283

Trachoma, 99

Vaccinia, 133, 391

Zone electrophoresis of partially inactivated poliovirus, 419