Directions to Contributors

General. The Journal of Dairy Research publishes reports in English on all aspects of dairy science from any country. Material for publication should be sent to the Editor: Dr B. A. Rolls, Institute of Food Research, Earley Gate, Whiteknights Road, Reading RG6 2EF, UK. Receipt of all material will be acknowledged. Submission of a paper will be taken to imply that it reports original unpublished work, that it is not under consideration elsewhere, and that if accepted by the Journal it will not be published elsewhere in any language without the consent of the editors. Authors should indicate that they accept the conditions in Directions to Contributors. Authors of accepted articles will be asked to assign their copyright, under certain conditions, to the Journal to help protect their material.

Form of papers. Papers should be written in English and should as far as possible be comprehensible to the non-specialist reader. They should be concise, but without omitting necessary material, and contain sufficient detail to allow repetition of the work. Spelling should be that of the *Concise Oxford Dictionary*, Oxford: Clarendon Press. Exceptions will be indicated during technical editing. Do not hyphenate words at the end of a line unless a hyphen is to appear in the printed text.

Papers should be typed with wide margins on one side of A4 or quarto paper of adequate density and uniform size. Text should be double spaced throughout, including References, Figure legends and Table headings and footnotes. Submit a top copy and two good copies (photocopies or carbon), packed flat. A single copy will be accepted from outside Europe. Authors wishing to submit in electronic form should contact the editors first.

Authors should consult a recent issue of the *Journal of Dairy Research* to familiarize themselves with Journal conventions and layout. Attention to these and other details will speed publication.

Layout of papers. The paper should generally be divided as follows. (a) Cover sheet should give the title of the article, names of the authors each with one forename, together with their affiliations in any non-Cyrillic European language, a shortened version of the title of not more than 45 letters and spaces suitable as a heading, and the name and address of the author to whom correspondence and proofs should be sent. (b) A Summary, preferably not more than 300 words, should encapsulate the whole paper, showing clearly the new knowledge acquired. Individual results are rarely necessary. (c) The introduction, which should not have a heading, should not contain a full review of the literature, but should help the non-specialist to understand why the subject of enquiry is interesting or important, and why the authors have chosen the approach described. (d) The Materials and Methods section should contain adequate descriptions of procedures or appropriate references; sources of all materials (including address, with postal code) and sources or strains of animals and microorganisms should be indicated. (e) Results should be as concise as possible, without repetition or inclusion of irrelevant material. Tables and illustrations are expensive, and should be used efficiently. (f) The Discussion should not repeat the results but discuss their significance. Refer to existing or accepted knowledge in the present tense and the authors' work in the past tense; the difference in tense should clearly show the authors' contribution. A separate conclusion is not necessary, but authors should summarize their main conclusions briefly. Acknowledgements of financial support, technical assistance and so on are given in a separate paragraph without heading. It is the responsibility of the authors to ensure that

Directions to contributors

individuals or organizations acknowledged as providing materials or otherwise are willing to be identified. (g) References. Note. For some types of paper, other divisions may be preferable.

Short communications. These should be not more than four printed pages, and should not contain a summary. They are appropriate for brief articles, technical notes or methods. They are refereed in the same way as full papers.

Reviews of dairy science. These are normally invited, but the editors are always interested to receive suggestions for topics, with or without possible authors.

References. References should be given in the text as Brown & Jones (1987) or (Schmidt, 1985; Nakamura et al. 1989); the first author with et al. is used for papers with three or more authors. Where necessary, papers are distinguished as Lenoir (1988a), (Litov et al. 1990a, b). When several references appear together in the text, cite them in chronological order, and alphabetically within years. The Reference list at the end of the paper, which should begin on a fresh page, is given in strict alphabetical order. Each reference should contain authors' names, with initials (in capitals), the year, the title of the paper, the name of the journal in full, the volume and the page range. Titles of articles originally published in another language should be given in English translation, and this indicated by the use of square brackets. References to books should include the town of publication and the publisher, with editor(s) and volume and edition number where appropriate. Authors should refer to a recent issue for the format of references. (Note that the Journal uses the minimum of punctuation.) Unpublished work should be given in the text (use authors' initials and surname) and not in the Reference list. Authors are reminded that they are responsible for checking references.

Units. SI and metric units should be used whenever possible (see Quantities, Units, Conversion Factors and Nomenclature in Nutritional and Food Sciences, 1971 London: The Royal Society and Specification for SI units and recommendations for the use of their multiples and of certain other units, London: British Standards Institution publication BS 5555). Note that cm, 100 g and 100 ml do not form the basis of SI units. However, for the present solutions should be given in terms of molarity (M) rather than mol/l, e.g. $0.5 \text{ M-H}_2\text{SO}_4$. Give compositions based on mass or volume as (e.g.) mg/l or mg/kg and not percentage. Normality should not be used. Buffers should be given clearly, e.g. 30 mM-Tris-50 mM-boric acid buffer, pH 8.0.

Microorganisms. The organism should be described unambiguously, with genus, species and subspecies (if any) in italic and strain number or source in roman. Usage should conform to current international rules. Shortened forms or synonyms may be used after the first mention if desired.

Chemical formulae. These should be unambiguous. It is permissible but not required to use symbols for inorganic formulae.

Enzymes. The recommendations of the International Union of Biochemistry (*Enzyme Nomenclature*, 1984, London: Academic Press) should be followed, and the EC number given where known.

Tables. Tables should be numbered and carry headings enabling them to be understood without reference to the text. Any abbreviations should be defined. Each Table should be typed on a separate sheet and not included in the text, but their approximate position should be indicated by a marginal mark: e.g. Table 1 near here. Symbols for footnotes should be in the order: \dagger , \ddagger , \$, \parallel , \P , \dagger , etc. The use of *, **, etc, should be limited to indicating levels of significance.

Illustrations. Line drawings and photographs, which must be originals, should be numbered as Figures in Arabic numerals. Drawings should each be on a separate sheet, not larger overall than those on which the paper is typed, and packed flat.

Directions to contributors

Mounting on heavy board is not desirable. In the presentation of results, curves or lines should not extend beyond the experimental points, which should be indicated, symbols used being, in order: $\bigcirc, \bigcirc, \triangle, \blacktriangle, \square, \blacksquare, \times, +$. Scale marks should be on the inside of the axes and should extend beyond the last experimental point. Lines and symbols should be drawn with mechanical aids and not freehand. Artwork should be in a form that can be reproduced directly.

Final lettering on Figures is done by the printers, so there should be no letters or numerals on the drawing or photograph itself. The following information should be given either on a translucent flyleaf firmly attached to the Figure or on a copy of the Figure: authors, Figure number, and all numerals and lettering intended to appear on the final illustration, in their correct positions. Each Figure should be provided with a legend such that with the Figure it is comprehensible without reference to the text. Figure legends should be typed on a separate sheet or sheets, beginning Fig. 1.

Photographs should be glossy black and white prints accompanied by a legend as above. Since the size is almost sure to be altered in printing, scale bars on the photograph should be used, not magnifications in the legend. Only one copy of each illustration is required, but authors should ensure that photocopies provided with the other copies of the paper are of adequate quality to allow referees to judge their value.

Other nomenclature, symbols, abbreviations and conventions. Authors should consult a current issue for guidance. Useful information on biochemical nomenclature and permitted acronyms can be found in *Biochemical Journal* 169, 11–14 and on nutrient nomenclature in the *British Journal of Nutrition*. If authors use other abbreviations or acronyms, they should be defined at first mention, and their number restricted to ensure that the text is readable. Always use Arabic numerals with units; otherwise use words for 1–10 and figures for more than 10, (e.g. 3 weeks, three cows, 34 sheep) but avoid mixed lists. Time should be given by the 24 h clock, e.g. 14.15, without h or hours.

Statistical treatment. Authors should, where possible, discuss their work with a statistician at an early stage and give attention to sample size. Individual results should not normally be given. The methods of statistical analysis should be clearly described; a suitable reference is adequate. Authors should make it clear whether they are quoting SED, SEM, SD, SE and so on. Any statement that two groups of values are different should be supported by the level of significance involved, as a single or range of P value: (P = 0.008) or (P < 0.01). Differences should not be claimed or implied if P > 0.05.

Ethics of experiments. Authors are expected to adhere to the relevant codes covering human subjects and the use of animals (*British Medical Journal* (1964) ii, 177–178; *Guidelines on the Use of Living Animals in Scientific Investigations* 1987 London: The Biological Council).

Revision of papers. If a paper is returned to authors for possible amendment or revision, a period of 6 months will normally be allowed. The editors are ready to consider a revised or rewritten paper at any time, but after 6 months it will be considered a new paper and given a new submission date.

Proofs. Authors will be advised when to expect proofs, which should be returned without delay to Mrs B. Gillian Day, Institute of Food Research, Earley Gate, Whiteknights Road, Reading RG6 2EF, UK. Proofs are sent for the correction of any printer's or editorial errors, not for addition of new material or revision of the text. Excessive alteration may have to be disallowed or made at the authors' expense, and may delay publication. Order forms for offprints are sent with proofs and should be returned directly to The University Press, Cambridge.

Continued from back cover

Presence of free N-acetylgalactosamine in raw milk E. TROYANO, A. OLANO and I. MARTÍNEZ-CASTRO	147–150
Review article Microbiological and technological aspects of milks fermented by bifidobacteria A. Y. TAMIME, V. M. E. MARSHALL and R. K. ROBINSON	151–187

JOURNAL OF DAIRY RESEARCH

Volume 62 Number 1 February 1995

CONTENTS

Original articles	Pages	
Field studies show associations between pulsator characteristics and udder health o. østerås, o. rønningen, L. sandvik and S. waage	1–13	
Effect of forage digestibility and type of concentrate on nutrient utilization by lactating dairy cattle		
F. J. GORDON, M. G. PORTER, C. S. MAYNE, E. F. UNSWORTH and D. J. KILPATRICK	15-27	
Effects of abomasal infusions of sodium caseinate, a hydrolysate of casein or a corresponding mixture of free amino acids on milk yield and composition in dairy cows		
JJ. CHOUNG and D. G. CHAMBERLAIN	29-37	
Patterns of intramammary infection and clinical mastitis over a 5 year period in a closely monitored herd applying mastitis control measures	39-50	
J. E. HILLERTON, A. J. BRAMLEY, R. T. STAKER and C. H. MCKINNON	39-30	
Staphylococci in heifer mastitis before and after parturition V. MYLLYS	51-60	
Inhibition of the proteinase activity in mastitic milk		
W. FANG and M. SANDHOLM	61–68	
Dairy cow characteristics related to <i>Staphylococcus aureus</i> isolation from quarter samples		
C. ENEVOLDSEN, Y. T. GRÖHN and I. THYSEN	69–81	
Monospecificity of the antibodies to bovine α_{s1} -casein fragment 140–149: application to the detection of bovine milk in caprine dairy products MP. ROLLAND, L. BITRI AND P. BESANÇON	83-88	
Discrete phosphorylation generates the electrophoretic heterogeneity of ovine β -casein		
L. CHIANESE, G. GARRO, P. FERRANTI, A. MALORNI, F. ADDEO, A. RABASCO and P. M. PONS	89–100	
Isolation and quantification of cholesterol oxides in dairy products by selected ion monitoring mass spectrometry	101–113	
J. H. NIELSEN, C. E. OLSEN, C. DUEDAHL and L. H. SKIBSTED Distribution of plasminogen activator in different fractions of bovine milk	101-115	
J. H. WHITE, B. ZAVIZION, K. O'HARE, J. GILMORE, M. R. GUO, P. KINDSTEDT and I. POLITIS	115–122	
Effect of temperature on diacetyl and acetoin production by <i>Lactococcus lactis</i> subsp. <i>lactis</i> biovar <i>diacetilactis</i> CNRZ 483		
N. BASSIT, CY. BOQUIEN, D. PICQUE and G. CORRIEU	123-129	
Influence of liposome-encapsulated Neutrase and heat-treated lactobacilli on the quality of low-fat Gouda-type cheese		
s. skeie, J. NARVHUS, Y. ARDÖ and R. K. ABRAHAMSEN	131-139	
Short communications		
Effect of stage of lactation and somatic cell count on plasminogen activator activity in bovine milk		
J. A. GILMORE, J. H. WHITE, B. ZAVIZION and I. POLITIS	141-145	
Continued inside back cover		

© Proprietors of Journal of Dairy Research 1995 Printed in Great Britain by the University Press, Cambridge

CAMBRIDGE UNIVERSITY PRESS

