

VOL. VIII.—1894.

THE
JOURNAL OF LARYNGOLOGY,
RHINOLOGY AND OTOTOLOGY ;

AN ANALYTICAL RECORD OF CURRENT LITERATURE

RELATING TO

THE THROAT, NOSE AND EAR.

PUBLISHED MONTHLY.

London :

F. J. REBMAN, 11, ADAM STREET, STRAND.

AMERICAN AGENTS :

THE F. A. DAVIS COMPANY, 1914-16, CHERRY STREET, PHILADELPHIA, PA.

ENTERED AT STATIONERS HALL

THE JOURNAL OF LARYNGOLOGY, RHINOLOGY, AND OTOLOGY.

Founded in 1887 by MORELL MACKENZIE *and* NORRIS WOLFENDEN.

EDITED BY

R. NORRIS WOLFENDEN, M.D. *Cantab.*

JOHN MACINTYRE, M.B. *Glasgow.*

DUNDAS GRANT, M.A., M.D., F.R.C.S. *Eng.*

WITH THE ASSISTANCE OF

DR. SANDFORD (*Cork*), DR. MILLIGAN (*Manchester*),

AND WITH THE CO-OPERATION OF

DRS. BARON (*Bristol*), R. BOTEY (*Barcelona*),

CARTAZ (*Paris*), BRYSON DELAVAN (*New York*),

DRAISPUL (*St. Petersburg*), GRAZZI (*Florence*), GUYE (*Amsterdam*),

HICGUET (*Brussels*), MIDDLEMASS HUNT (*Liverpool*),

VALERIUS IDELSON (*Berne*), JOAL (*Paris*), A. B. KELLY (*Glasgow*),

KARWOWSKI (*Warsaw*), LACARRET (*Toulouse*), LAKE (*London*),

LICHTWITZ (*Bordeaux*), JOHN N. MACKENZIE (*Baltimore*),

G. W. MAJOR (*Montreal*), PROF. MASSEI (*Naples*),

MEYJES (*Amsterdam*), E. MEYER (*Berlin*), MICHAEL (*Hamburg*),

HOLGER MYGIND (*Copenhagen*), W. PORTER (*St. Louis*),

ROBERTSON (*Newcastle*), SAJOUS (*Philadelphia*), SENDZIAK (*Warsaw*),

SOTA (*Seville*), AND ST. CLAIR THOMSON (*London*).

CONTENTS.

Original Article:—

The Treatment of Tuberculosis of the Larynx and Lungs by means of Subcutaneous Injections of Thiosinamin. By Dr. JOHN SENDZIAK (Warsaw).	Page 115.
Instruments, Therapeutics, Diphtheria. —Tongue Depressor, <i>Lautenbach</i> —Endo-Laryngeal Rotatory Curette, <i>Heryng</i> —Phantom for Intubation, <i>Schlossarek</i> —Gout in Relation to Surgery, <i>Savory</i> —Alumol, <i>Stipanic</i> —Argyrosis, <i>Onodi</i> —Celluloid Face Masks for Anaesthetics, <i>Silk</i> —Chloroform in Nasal Growths, <i>Redman, Wilkin, Holloway, Bailey, MacGregor</i> —Fatal After Effects of Chloroform in Children, <i>Guthrie</i> —Cases of Asphyxiation from Illuminating Gas, <i>Bleyer</i> —Treatment of Diseases of the Nose and Throat in Infants and Young Children, <i>Jennings</i> —Loeffler's Bacilli, <i>Kracnel</i> —Cause of Diphtheria, <i>Sutton</i> —Local Treatment, <i>Richard</i> —Sphymomanometric Examinations, <i>Friedmann</i> —Hemiplegia, <i>Donath</i> —Local Treatment (Sub-Membranous), <i>Siebert</i> —Turpentine, <i>Frölich</i> —Concerning Kossel's Abstract, <i>Klebs</i> —Remarks on Köhl's Paper, <i>Hagenbach</i> —Epidemic in Guttanneu, <i>Regli</i> —Quinine in Whooping Cough, <i>Baron</i> .	Pages 121 to 125.
Nose and Naso-Pharynx. —Double Anterior Nose, <i>Baumgarten</i> —Nasal Headaches, <i>Loeb, Scheinmann</i> —Lesions of Nose and Throat, <i>Wright</i> —Rhinoplasty, <i>Sims</i> —Destruction of Nose from Syphilis, <i>Dunn</i> —Nasal Tuberculosis, <i>Farlow</i> —Atrophic Rhinitis, <i>Dunn, Bennett</i> —Congenital Osseous Obliteration, <i>Gouguenheim and Hélay</i> —Nasal Suppurations, <i>Dreyfuss</i> —Sarcoma, <i>Onodi</i> —Myxoma, <i>Luc</i> —Tumours of Nasal Septum, <i>Garel and Collet</i> —Angioma of Septum, <i>Cobb</i> —Idiopathic Perichondritis of Septum, <i>Schröder, Lublinsky</i> —Exostosis Cured by Electrolysis, <i>Mettenheimer</i> —Bony Overgrowths and Exostoses in the West Indian Negro, <i>Strachan</i> —New Hæmo-static Medication for Nasal Septum, <i>Cozzolino</i> —Ergotin in Epistaxis, <i>Cleaver</i> —Transillumination of Accessory Sinuses, <i>Cadwell</i> —Diagnosis of Maxillary Suppuration, <i>Burger</i> —Treatment of Sinusitis, <i>Lerwoylz, Cadwell</i> —New Treatment of Chronic Naso-Pharyngeal Catarrh, <i>Bates</i> —Hypertrophy in the Post-Nasal Space, <i>Farlow</i> —Adenoid Vegetations, <i>Dansac</i> .	Pages 126 to 130.
Mouth, Tongue, Pharynx. —Dribbling in the Child and Adult, <i>Couetoux</i> —Salivary Fistula, <i>Shimwell</i> —Salivary Calculi, <i>Hulke</i> —Curious Impediment in Swallowing, <i>Naegeli</i> —Osteoma of Superior Maxilla; Epithelioma of Tongue, <i>Dreschfeld</i> —Syphilis of Upper Air Passages, <i>Bryan</i> —Defects of Face and Cleft Palate, <i>Allen</i> —Hæmorrhage after Tonsillotomy, <i>Browne, De Santi</i> —Sarcoma of Tonsil, <i>Solis-Cohen</i> —Phlegmonous Angina, <i>Klingel</i> —Membranous Inflammation of Throat, <i>Washburne and Goodall</i> —Traction Diverticula of Oesophagus, <i>Fraenkel</i> —Oesophagotomy, <i>Hamilton</i> —Removal of Foreign Bodies from Oesophagus, <i>Peltkier</i> .	Pages 131 to 134.
Larynx, &c. —Innervation of Larynx, <i>Emerich</i> —Inverse Action of Cords, <i>Scheir</i> —Effects upon the Cords of Improper Methods in Singing, <i>Curtis</i> —Complete Glottic Spasm in an Adult, <i>Porcher</i> —Non-Malignant Tumours, <i>Schiffers</i> —Recurrence of a Growth, <i>Lincoln</i> —Carcinoma, <i>Kranlein</i> —Primary Erysipelas, <i>Herbst</i> —Laryngeal Hæmorrhages, <i>Danet</i> —Diagnosis of Tuberculosis, <i>Woodward</i> —Pathology of Tuberculosis, <i>Pill</i> —Lesions of Nerves in Tuberculosis, <i>Dansac</i> —Syphilitic Web Stenosis, <i>Bleyer</i> —Crico-Arytenoiditis, <i>Rueda</i> —Intubation, <i>O'Dwyer, Löfferts</i> —Foreign Bodies in Air Passages, <i>Thomer</i> —Congenital Diaphragm, <i>Brans</i> —Wound of Neck and Trachea, <i>Crick</i> —Ulcerations of Trachea produced by Aneurisms, <i>Selter</i> —Retention of Secretions in Trachea, <i>Köhl</i> .	Pages 135 to 138.
Thyroid Gland. —Cyst, <i>Tait</i> —Myxœdema, <i>Schotten, Hopmann, Leichtenstern</i> .	Page 139.
Ear. —New Remedy for Local Infections, <i>Cozzolino</i> —Treatment of Adhesions of Meatus, <i>Courtaud</i> —Rodent Ulcer, <i>Bidwell</i> —Artificial Diseases, <i>Henman</i> —Intra-Cranial Complications of Otitis, <i>Hutton</i> —Thrombosis of Lateral Sinus, <i>Ballance</i> —Shot Wound, <i>Ménière</i> —Traumatic Deafness, <i>Starr</i> —Removal of Stapes, <i>Jack</i> —Physiology of Stapes, <i>Gellé</i> —Covering of Facial Nerve, <i>Gellé</i> —Chronic Tympanic Disease, <i>Carv</i> —Trephining Mastoid, <i>Mauré</i> .	Pages 140 to 142.
Review —Wright's Visiting List.	Page 143
Association Meetings —	
London Laryngological Society.	Pages 143 to 158
Paris Society of Otolgy, Laryngology, &c.	" 158 to 166
New York Academy of Medicine.	" 166 to 168
Freie Vereinigung des Chirurgen, Berlins.	Page 169
Allgemeiner Aertzlicher Verein in Köln.	" 169
Aertzlicher Verein zu Elberfeld.	" 170
Deutscher Aertzlicher Verein in St. Petersburg.	" 170
Obituary. —Samuel Guttman.	" 171

GUIDE TO ADVERTISEMENTS.

	PAGE
Allen & Hanburys	iv., v.
Bullock & Co.	xii.
Burroughs, Wellcome & Co.	vi., viii.
Central London Throat Hospital	xvi.
Godfrey & Cooke	x.
Houdé	xv.
Ingram & Royle	ix.
Lambert Pharmacal Co.	ii.
Rebman	x, xi, xii, xiii, xiv.
Watt & Son	xiii.

KEPLER PREPARATIONS.

THE KEPLER EXTRACT OF MALT.

The many and varied conditions of disease in which the Kepler Extract of Malt as a food is indicated, and the benefits which are to be obtained from its use sufficiently explain the wide popularity it has attained. It is manufactured from barley and barley only, and our perfected machinery and long experience have enabled us to obtain a product exhibiting all the nutritive principles of the grain intact. The main advantages of a good Malt Extract are that it is highly nutritious, readily assimilated and rich in that important factor, diastase, which converts starchy food into malto and other saccharine and easily digested substances. It is consequently an effective aid to digestion, and can be tolerated by the stomach when cod liver oil alone would be out of the question.

Supplied to the Medical Profession by all Chemists, in $\frac{3}{4}$ lb. and $1\frac{1}{4}$ lb. bottles, at 1s. 8d. and 3s. per bottle.

THE KEPLER ESSENCE OF MALT.

In dietetics for the invalid, the Kepler Essence of Malt has already won its way to an enviable position, and has distinctly shown its superiority over all so-called nourishing stouts and ales as a food beverage. Its superior diastasic property, its palatable character, and its freedom from intoxicating qualities raise it at once far above the ordinary level of the very best and most carefully-prepared fermented malt liquors. We are assured by competent judges who have tried it in their clinics that two fluid ounces of the Kepler Malt Essence are equal in therapeutic value to a pint of the best stout or ale. We have also introduced a bitter Essence of Malt, which we found to be an agreeable appetising tonic. To those who object to the sweet character of the ordinary Essence, the bitter will prove a very acceptable alternative.

Supplied to the Medical Profession by all Chemists, in champagne pints and quarts at 1s. 2d. and 2s. per bottle.

THE KEPLER SOLUTION OF COD LIVER OIL IN EXTRACT OF MALT.

The Kepler Solution was the first preparation which represented a rational method of administering cod liver oil. When an oil is given alone, a considerable and prolonged digestive effort is required before assimilation is possible, and in not a few instances it is voided unchanged. The two problems which remained unsolved for so many years were: (1) How to cover the unpleasant taste of the oil; (2) how to increase its assimilability. Pharmacists tried every possible means to attain the ends, but since they lost sight of the fact that cod liver oil is a food, and treated as a drug, they met with only partial success. In emulsions the taste was somewhat masked, but it was found that in the stomach the oil globules coalesced, and unpleasant and nauseating eructations resulted. In the Kepler Solution the oil is actually dissolved in Extract of Malt. It is not emulsified, and no oil globules are visible under the microscope. No unpleasant effects are produced when it is taken into the stomach but it passes through the pylorus unaffected, and is readily absorbed by the lacteals.

Supplied to the Medical Profession by all Chemists, in $\frac{3}{4}$ lb. and $1\frac{1}{4}$ lb. bottles, at 1s. 10d. and 3s. 6d. per bottle.

BURROUGHS, WELLCOME & CO., Manufacturing Chemists,

LONDON: Snow Hill Buildings. | NEW YORK: 82 & 84, Fulton St. | MELBOURNE: 456, Collins St. West. | PARIS: Pharmacie Centrale de France. | BRUSSELS: 80, Montagne-de-la-Croix

Cable and Telegraphic Address: "BURCOME, LONDON."