

The Journal of Laryngology and Otology

EDITED BY
G. H. BATEMAN

ASSISTANT EDITOR
LIONEL TAYLOR

Contents

MANAGEMENT OF THE TRACHEOSTOMY IN CASES OF TETANUS NEONATORUM TREATED WITH INTERMITTENT POSITIVE PRESSURE RESPIRATION	BERIC JACKSON ✓
DELAYED DECANNULATION AFTER TRACHEOSTOMY IN INFANTS	G. M. ARDAN and ✓ L. J. CAUST
EXUDATIVE OTITIS MEDIA AND THE BLUE DRUM .	I. S. D. THOMSON ✓
DYSOSTOSIS MANDIBULO-FACIALIS	ALF AXELSSON, INGER BROLIN, HANS ENGSTRÖM, and GUNNAR LIDÉN
FIBROUS DYSPLASIA IN THE BONES OF THE FACE .	ABDEL-SALAM EL BARBARY and HASHEM ALY FOUD
OSTEOMA OF THE PARANASAL SINUSES ALONG WITH A CASE REPORT OF AN ORBITO-ETHMOIDAL OSTEOMA	B. S. MEHTA and G. S. GREWAL
HÆMANGIOMA OF THE MASSETER	M. M. ALTMAN and B. HIRSHOWITZ
CLINICAL RECORDS—	
A CASE OF ANGIOMA OF THE MAXILLARY SINUS UNDERGOING OSSIFICATION	D. K. GOSAVI and W. M. BOND
AN UNUSUAL CASE OF ECHINOCOCCUS CYST OF THE TONGUE	STJEPAN GRACANIN
INTUSSUSCEPTION OF THE ŒSOPHAGUS	H. D. BROWN KELLY
GENERAL NOTES	

London

Headley Brothers

109 Kingsway WC2

The Journal of Laryngology and Otology

(FOUNDED in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY

G. H. BATEMAN

ASSISTANT EDITOR

LIONEL TAYLOR

1. Original articles which have not been published elsewhere are invited and should be sent to the Editor. They are considered for publication on the understanding that they are contributed to this *Journal* solely. Reproduction elsewhere, in whole or in part, is not permitted without the previous written consent of the Author and Editor and the customary acknowledgement must be made.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced. Captions to illustrations should be typed on a separate sheet and sent at the same time as original photographs, etc.

The Harvard system of recording references should be used, e.g. GREEN, C., and BROWN, D. (1951) *J. Laryng.*, 65, 33. Abbreviations of Journals should follow the style recommended in *World Medical Periodicals*, published by World Health Organization, 1952.

It is most important that authors should verify *personally* the accuracy of every reference before submitting a paper for publication.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.

4. Illustration blocks are provided free up to the limit of £10 per article; beyond this authors are expected to pay half the cost. Coloured illustrations will be charged in full to authors.

Blocks will normally be held by the Printers for three years after which they will be destroyed. Any author who has borne a part of the cost of his blocks is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to HEADLEY BROTHERS, 109 Kingsway, London, WC2.

5. Orders for reprints must be sent when returning galley proofs, and for this purpose special forms are supplied.

6. Authors of original communications on Oto-Laryngology in other journals are invited to send a copy, or two reprints, to the *Journal of Laryngology*. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.

7. Editorial communications may be addressed to THE EDITOR, *Journal of Laryngology*, c/o HEADLEY BROTHERS, 109 Kingsway, London, WC2.

8. The annual subscription is four guineas sterling (U.S.A. \$13) post free, and is payable in advance.

9. Single copies will be on sale at 10s. od. each; copies of parts up to Vol. LXIII which are available may be purchased at 7s. 6d. each.

10. All subscriptions, advertising and business communications should be sent to the publishers, HEADLEY BROTHERS, 109 KINGSWAY, LONDON, WC2.

United States of America

Orders for this *Journal* may be sent through local bookseller, or to STECHERT-HAFNER, INC., 31-33 East 10th Street, New York, or direct to the publishers, HEADLEY BROTHERS, 109 KINGSWAY, LONDON, WC2, England.

© *Journal of Laryngology and Otology*, 1963

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

CONTENTS

	PAGE
MANAGEMENT OF THE TRACHEOSTOMY IN CASES OF TETANUS NEONATORUM TREATED WITH INTERMITTENT POSITIVE PRESSURE RESPIRATION. Beric Jackson (Brisbane)	541
DELAYED DECANNULATION AFTER TRACHEOSTOMY IN INFANTS. G. M. Ardran and L. J. Caust	555
EXUDATIVE OTITIS MEDIA AND THE BLUE DRUM. I. S. D. Thomson (Aberdeen)	567
DYSOSTOSIS MANDIBULO-FACIALIS. Alf Axelsson, Inger Brolin, Hans Engström, and Gunnar Lidén (Göteborg, Sweden)	575
FIBROUS DYSPLASIA IN THE BONES OF THE FACE. Abdel-Salam el Barbary, and Hashem Aly Fouad (Cairo, U.A.R.)	593
OSTEOMA OF THE PARANASAL SINUSES ALONG WITH A CASE REPORT OF AN ORBITO-ETHMOIDAL OSTEOMA. B. S. Mehta and G. S. Grewal	601
HÆMANGIOMA OF THE MASSETER. M. M. Altman and B. Hirshowitz (Haifa, Israel)	611
CLINICAL RECORDS—	
A CASE OF ANGIOMA OF THE MAXILLARY SINUS UNDER- GOING OSSIFICATION. D. K. Gosavi and W. M. Bond	621
AN UNUSUAL CASE OF ECHINOCOCCUS CYST OF THE TONGUE. Stjepan Gracanin (Zadar, Yugoslavia)	624
INTUSSUSCEPTION OF THE ŒSOPHAGUS. H. D. Brown Kelly (Glasgow)	627
GENERAL NOTES	632

THE LARYNGOSCOPE

A Monthly Journal
devoted to the disease of
EAR, NOSE AND THROAT

*Official organ for the American Laryngological
Rhinological and Otological Society*

Price \$15.00 per year Canada \$15.50 per year
Foreign \$16.00 per year

MAX A. GOLDSTEIN, M.D.
FOUNDER

THEODORE E. WALSH, M.D.
EDITOR

640 SOUTH KINGSHIGHWAY
SAINT LOUIS 10, MO.



‘Audi partem alteram’

St. Augustine

Fifteen hundred years ago, St. Augustine advised his readers to “hear the other side.” Today, your patients with a hearing problem will welcome the same advice from you. Just mention Ingrams.

Ingrams can help your patients to “hear the other side,” for they do not represent any one manufacturer and are thus able to give completely impartial advice about hearing aids.

Ingrams help your patient to choose from twenty-six different makes. This is the largest selection in the country—and some of the most modern aids are exclusive to Ingrams.

This is why you, like so many E.N.T. Specialists, can confidently advise your patients to hear the full story from Ingrams *before* they buy a hearing aid.

INGRAMS

THE INDEPENDENT HEARING AID CONSULTANTS

2 SHEPHERD STREET, SHEPHERD MARKET, LONDON, W.1

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

ORBENIN

Reed.
SODIUM CLOXACILLIN

ORAL PENICILLIN FOR RESISTANT STAPHYLOCOCCI

Oral dosage 500mg. (2 capsules) 6 hourly
Orbenin may be given by
intra-muscular injection 250mg. 6 hourly
Also available in syrup form
Full information from the Medical Department

Orbenin is a product of British research at
BEECHAM RESEARCH LABORATORIES



Please mention *The Journal of Laryngology and Otology* when replying to advertisements

'PETERS' NEW CLINIC AUDIOMETER

FOR PURE-TONE AND SPEECH



CONSIDER THESE FEATURES:

- A continuous frequency range with continuous automatic threshold compensation.
- Twin continuously variable attenuators accurate to 1 db.
- Narrow band masking of pure tones plus insert receiver.
- Manual or automatic completely silent interruption.
- Loudness Balance and Difference Limen Recruitment Tests.
- High Fidelity Speech Circuit with Accessories for Free Field Speech Audiometry.
- Full Spectrum of White Noise for Masking Speech.
- Completely Transistorised for reliability.

The Westrex Company Limited, who are leading suppliers of Deaf Education Equipment, have a nationwide servicing organisation. In the immediate future their engineers in the field will be co-operating in the speedy servicing of all "Peters" audiometers in Great Britain.

Write for a descriptive brochure giving full details of this magnificent instrument and ask for a demonstration from either:

WESTREX COMPANY Ltd.

152 COLES GREEN ROAD, LONDON, N.W.2

ALFRED PETERS & SONS Ltd.

VICTORIA WORKS, GELL STREET, SHEFFIELD 3

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

IN URINARY
TRACT
INFECTIONS
PENBRITIN
BACTERICIDAL
BROAD SPECTRUM
ANTIBIOTIC

Penbritin meets the most important criteria for the treatment of urinary tract infections.

Penbritin is

- * well absorbed orally, reaching effective tissue levels
- * excreted in high concentrations in the urine
- * active against infecting organisms at concentrations attainable in the body
- * bactericidal

Penbritin dosage in urinary tract infections is 500mg. 8 hourly.

Penbritin (ampicillin) is a product of British research at
BEECHAM RESEARCH LABORATORIES



Please mention *The Journal of Laryngology and Otology* when replying to advertisements

THE MODERN WAY WITH EAR WAX



Only five drops of Cerumol are needed.
In 10—30 minutes the softened or disimpacted wax
can usually be removed with a probe tipped
with cotton wool, or by gentle syringing.

The results that have been obtained in hospitals
and general practices throughout the country
confirm that Cerumol is safe and reliable and is the
modern way of dealing with ear wax. It avoids
discomfort to the patient, inconvenience to the
doctor and saves time for everyone. Indeed, in most
cases patients can easily instil the drops themselves.
The loosened wax then runs out of its own accord
and further visits to the surgery are unnecessary.



CERUMOL

REGD. TRADE MARK

Active constituents per 100 ml: p-dichlorobenzene
B.P.C. 2 G., Benzocaine B.P. 2.7 G., Chlorbutol B.P.
5 G., Ol. Terebinth 10 ml.

Pack for surgery use—dropper vial. Basic
N.H.S. cost 2/8. Hospital Pack—2 oz. bottles.

Literature will be gladly supplied on request.

LABORATORIES FOR APPLIED BIOLOGY LTD.
91 AMHURST PARK, LONDON, N.16. Telephone: STAmford 2252/3



Please mention *The Journal of Laryngology and Otology* when replying to advertisements

ONLY AMPLIVOX
 provides a
complete audiometric service!




Transistor Audiometers


for the school screening service, ward use, etc.

Speech Audiometry Equipment

via records and tape, including new attachment for use with tape recorders.



Industrial Audiometry
 Speech Training Equipment
 Loop Amplifiers, etc., etc.




Clinical Audiometers

with narrow band masking for the highest accuracy and extended resolution.

Audiometer Booths

for ideal testing conditions in Hospitals, Clinics, Factories. Standard and special sizes available.



PLUS An efficient and speedy **calibration service**


Please write for technical literature covering your needs

AMPLIVOX LTD

Medical Acoustic Division

80 New Bond Street London, W1 Tel: HYDe Park 9888

Please mention *The Journal of Laryngology and Otology* when replying to advertisements



'OTOSPORIN' clears infected ears

The modern method of treatment in otitis externa, chronic suppurative otitis media, and infected mastoid cavities, is 'Otosporin' brand Drops.

'Otosporin' is an aqueous suspension containing both neomycin and polymyxin B sulphate which are together effective against practically all the bacteria found in ear infections. They are unlikely to induce bacterial resistance or skin sensitisation, and neither of them gives rise to cross-resistance or cross-sensitisation to penicillin and other antibiotics. Their effectiveness is visibly enhanced by the hydrocortisone in 'Otosporin'; this, by reducing inflammation, not only relieves pain, but provides greater access for the antibiotics.

'OTOSPORIN'^{BRAND} drops
issued in bottles of 5 c.c.



BURROUGHS WELLCOME & CO. (The Wellcome Foundation Ltd.) **LONDON**

Please mention *The Journal of Laryngology and Otology* when replying to advertisements