

Index

- abelian Higgs model, 379
- adiabatic approximation, 316
- adiabatic basis, 105
- adiabatic expansion, 316
- adiabatic frequency corrections, 102
- adiabatic number state, 114
- adiabatic order, 316
- adiabatic regularization, 100
- adiabatic solution, 102
- adiabatic vacuum, 100, 102
- AdS/CFT correspondence, 366
- alkali gases, 391
- anisotropy damping, 380
- anomalous density, 399
- anomalous dimension, 473
- anti-ghost fields, 218
- atom–atom interaction, 397

- back-reaction, 27
- background field method, 343
- bag constant, 430
- baked Alaska, 431
- bare-vertex approximation, 379
- BEC-BCS cross-over, 391
- Becchi–Rouet–Stora–Tyutin (BRST)
 - charge, 220
 - closed, 221
 - exact, 221
 - invariance, 218
 - transformation, 219
- Beliaev damping, 410
- beta function, 366
- Bjorken model, 430
- Bogoliubov approximation, 393, 406
- Bogoliubov coefficients, 99
- Bogoliubov transformation, 98, 421
- Bogoliubov–Born–Green–Kirkwood–Yvon (BBGKY) hierarchy, 29, 51
- Boltzmann entropy, 261
- Boltzmann equation, 54, 56, 313, 323, 356, 385
- Boltzmann theory, 7
- Boltzmann–Langevin equation, 313, 325
- Bose enhancement, 325
- Bose–Einstein condensates, 391
- Bose–Einstein condensation, 391
- Bose–Einstein distribution, 296, 306
- Bose–Einstein statistics, 292
- Bose–Nova, 392
- bottom-up scenario, 438
- Bragg peak, 278
- break-up, 432
- Brownian motion, 42
- bulk stress, 363
- bulk viscosity, 350, 351, 365, 366, 370

- canonical ensemble, 291
- Centauro events, 439
- central region, 431
- chaotic dynamics, 15
- Chapman–Komogorov equation, 35
- chemical equilibration, 385
- chemical freeze-out, 433
- chemical potential, 346, 385, 424
- chiral symmetry restoration, 439
- Christoffel symbols, 338
- classical virial theorem, 42
- closed system, 27
- closed time path, 66
 - boundary condition, 182
- coarse graining, 20
- coherent state, 394, 422
- coherent state representation, 393
- Coleman–Jackiw–Politzer auxiliary field, 441
- collective variable, 409
- collinear events, 438
- collision integral, 322, 360, 361
- collision term, 356
- collision time approximation, 58, 311, 363
- collisionless plasma, 299
- color glass condensate, 438
- condensate band, 415
- condensate occupation number, 423
- condensate wavefunction, 418, 423
- confinement, 430
- conformally invariant theory, 366
- conserving theory, 402
- consistent histories approach to quantum mechanics, 86
- constitutive relations, 360

- correlation entropy, 258
- cosmological constant, 356, 357
- covariant derivative, 335, 338
- critical temperature, 297, 430

- Debye mass, 298
- decoherence, 278
- decoherence functional, 87
- decoherence time, 274, 278
- density of states, 303, 317, 323, 377
- diffusion, 7
 - anomalous, 81
 - normal, 81
- diffusion constant, 370
- Dirac action, 301
- Dirac adjoint spinor, 301
- Dirac matrices, 301
- Dirac spinor, 300, 342
- directed flow, 434
- disoriented chiral condensate, 380, 439
- displacement operator, 134
- dissipation, 7
- dissipative system, 13
- distribution function
 - s* particle, 50
 - one-particle, 50, 317, 318
- divergence type theory, 352, 385
- domain structure, 280
- dynamical Debye screening approximation, 379
- dynamical renormalization group, 315, 382
- dynamo amplification, 483

- early universe, 281
- Eckart prescription, 349
- effective action
 - closed time path, 181
 - coarse grained, 164
 - coarse grained, 148
 - Euclidean, 176
 - in-out, 177
 - loop expansion, 149
 - master, 257
 - one-particle irreducible, 319
 - two-particle irreducible, 195, 297, 316
- effective potential, 175
- effectively open systems, 29
- Einstein relation, 40, 42, 158
- Einstein–Podolsky–Rosen (EPR) paradox, 61
- Einstein–Smolochousky, 31
- elliptic flow, 434
- emission function, 435
- energy, 346
- energy–momentum tensor, 56, 347
- entropy, 346
- entropy current, 56, 348, 350, 357
- entropy function, 253
- entropy of quantum fields, 251, 252, 255
- entropy production, 348, 350, 356
- equal-time canonical commutation relations, 96
- equilibrium, 12
- equipartition theorem, 39, 40
- ergodic hypothesis, 12
- Euclidean action, 176
- exact renormalization group, 471
- extensive parameters, 346
- extensive quantities, 347

- Fadeev–Popov method, 427
- Fermi–Dirac distribution, 303
- Fermi–Dirac statistics, 292
- Feynman–Vernon influence functional, 60, 69, 151
- field tensor, 215
- filamentation instability, 438
- first law, 346, 348
- first-order theory, 385
- first viscosity, 351
- Floquet exponents, 118
- Floquet theory, 118
- fluctuation–dissipation kernel, 158
- fluctuation–dissipation theorem, 28, 40, 43, 44, 78, 145, 193, 243, 296, 312, 367, 393
- Fock representation, 261
- Fock–Schwinger gauge, 331, 334
- Fokker–Planck equation, 38, 46, 47, 160
- fragmentation region, 431
- free energy, 291, 369
- frequency
 - negative, 97
 - positive, 97
- fully developed turbulence, 383

- gain process, 324
- galactic dynamo, 483
- Galilei invariance, 368
- gap equation, 297, 326, 356, 364
- gapless theory, 402
- gauge covariant derivative operator, 214
- gauge fixing fermion, 219
- gauge fixing parameter, 218
- Gaussian approximation, 379
- Gell-Mann–Low boundary condition, 189
- generating functional
 - closed time path, 181, 292
 - Euclidean, 176
 - in-out, 177
 - two-particle irreducible, 195
- ghost charge, 221

- ghost fields, 218
ghost number, 218
Gibbs–Duhem relation, 346, 348, 418
gluon branching, 438
gluon emission, 366
gluon joining, 366
gluon splitting, 366
Goldstone theorem, 440
Gorkov equations, 379
grand canonical ensemble, 291
grand canonical partition function, 346
Gross–Pitaevskii equation, 379, 393, 406
- H-theorem, 56, 356
Hadamard finite part prescription, 79
hadrons, 432
Hamilton equations, 49
Hanbury-Brown/Twiss (HBT) correlations, 436
Hanbury-Brown/Twiss (HBT) puzzle, 437
hard thermal loop resummation, 298
hard thermal loops, 306
Hartree approximation, 378
Hartree–Fock–Bogoliubov approximation, 380, 393, 407
Hawking effect, 125
Hawking radiation, 125, 136
healing length, 398, 409
heat conductivity, 351, 370
heat equation, 370
heat transfer, 349
Heisenberg equation, 61
Hessian, 318
Hilbert transform, 174
homogeneous functions, 346
homogeneous mode, 409
Hugenholtz–Pines theorem, 392, 402
hydrodynamics, 349
- ideal fluid, 349
inflationary cosmology, 448
inflaton field, 281
influence action, 69, 151
influence functional, 60
initial time singularity, 207
instantaneous diagonalization, 105
integrability conditions, 358
intensive parameters, 346
intensive quantities, 347
inverse temperature vector, 348
inverted harmonic oscillator, 266
irreversibility, 3
irrotational fluid, 418
isospin, 439
Israel–Stewart theory, 385
Kadanoff–Baym equations, 315, 323, 353, 378
Keldysh representation, 317, 320
kernel
 dissipation, 71
 noise, 71, 187
Kibble–Zurek mechanism, 274
Killing field, 348
kinetic freeze-out, 433
Klein–Gordon equation, 96
Kolmogorov 1941 theory, 383
Kramers–Kronig relations, 174, 319
Kramers–Moyal equation, 47, 79
 quantum, 81
Kramers–Moyal expansion, 37, 64
Krook–Bhatnager–Gross kinetic equation, 58
Kubo–Martin–Schwinger (KMS) theorem, 222, 294, 313, 369, 377
 Bose–Einstein statistics, 295
 Fermi–Dirac statistics, 303
Kugo–Hata ansatz, 222
- Landau damping, 299, 410
Landau kinetic equation, 385
Landau–Lifshitz prescription, 349, 352
Landau–Pomeranchuk–Migdal effect, 366, 438
Langevin equation, 45, 73, 75, 157, 167, 368
Langevin theory, 7, 29
Laplace–Beltrami operator, 122
Large Hadron Collider (LHC), 429
large N approximation, 378
lattice QCD, 380
leading logs, 328
Lehman representation, 296
Levi-Civita connection, 338
linear entropy, 264
linear response theory, 293, 312, 367, 401
linear sigma model, 440
Liouville equation, 48, 50, 255
Liouville–von Neumann equation, 61
local Lorentz transformation, 342
long-range coherence, 422, 423
loop expansion, 190
Lorentz force, 333
Loschmidt paradox, 18
loss process, 324
Lyapunov exponent, 6
- M theory, 367
magneto-optical traps, 391
Markov processes, 35
mass renormalization, 327
mass shell, 320
mass-shell condition, 309

- mass-shell constraint, 333, 341
 master equation, 73, 282, 284
 quantum functional, 158
 Matsubara contour, 292
 Maxwell action, 300
 Maxwell field tensor, 301
 mean field approximation, 379
 mean free time, 363
 mesons, 429
 microcanonical ensemble, 11
 MINIMAX, 439
 Minkowski modes, 98
 mixing system, 12
 modes
 hard, 305
 soft, 305
 ultrasoft, 305
 molecular chaos, 14, 52, 53
 Mott transition, 391
- N* representation, 261
 Nakanishi–Lautrup field, 218
 natural frequency, 259
 Navier–Stokes equation, 349, 352
 Noether’s theorem, 397
 noise
 colored, 156
 multiplicative, 157
 nonabelian charge, 336
 nonabelian plasmas, 365
 nonadiabaticity parameter, 113
 noncondensate band, 415
 nonequilibrium quantum field theory, 3
 nonequilibrium renormalization group, 385, 470
 nonequilibrium statistical mechanics, 3
 nonlinear sigma model, 440
 nonrelativistic thermodynamics, 346
 normal density, 399
 normal neighborhood, 338
 Novikov identity, 44, 46
 numerical simulations, 374
- ohmic bath, 78
 one-body density matrix, 422
 one-loop approximation, 393, 407
 Onsager’s principle, 368
 optical lattices, 391
 Ornstein–Zernike approximation, 376
- parabolic cylinder functions, 110
 parallel transport, 342
 parametric amplification, 382
 parametric resonance, 118
 particle creation
 in dynamical spacetime, 121
 in external fields, 106
 particle model, 97
 particle number, 346
 particle number conserving formalism, 393, 420
 particle–hole pair, 423
 parton saturation, 437
 Pauli blocking, 378
 Pauli matrices, 398
 persistent structure, 21
 phase transition
 quantum, 270
 second order, 271
 slow-rollover, 283
 Φ -derivable theories, 392, 402
 phonon, 409
 pion bunching, 436
 pions, 429
 Poincaré recurrence, 17
 Poisson bracket, 47, 320
 Popov approximation, 393, 407
 potential
 ϕ^4 , 95
 φ^3 , 177
 contact, 398
 pre-thermalization, 381
 preheating, 381, 475
 pressure, 346
 primordial magnetic fields, 482
 probability theory, 31
 projection operator, 20, 256
 propagator
 advanced, 172
 almost translation invariant, 315
 Dyson, 152, 171
 Feynman, 152, 171
 for Dirac fields, 302
 Hadamard, 172
 Jordan, 172
 negative frequency, 152, 171
 positive frequency, 171
 retarded, 172
 thermal, 294
 translation invariant, 315
 proton, 429
 pseudo-rapidity, 431
 pseudo-scalars, 429
- QCD energy scale, 429
 quantum information processing, 391
 quantum open systems, 26
 quantum-to-classical transition, 281
 quark condensate, 430
 quark–gluon liquid, 374, 430

- quark–gluon plasma, 430
- quarks, 430
- quasi-condensates, 422
- quasi-particle approximation, 320
- quench, 271
 - instantaneous, 274
 - slow, 274
 - transition time, 272, 276
- quench time, 274
- random variables, 32
- rapidity, 431
- rapidity plateau, 431
- Rayleigh–Jeans spectrum, 365, 383, 384
- reduced density matrix, 150
- reheating, 380, 475
- relativistic heavy ion collisions (RHICs), 365, 429
- renormalization group, 470
- response function, 293
- Riemann normal coordinates, 338
- Riemann tensor, 338
- Rindler coordinates, 444
- rotation operator, 132
- rotation parameters, 133
- scattering length, 398, 409
- Schrödinger equation, 60, 63
- Schwinger–Dyson equation, 297, 316
- screening, 298
- screening length, 298
- second law, 346, 349, 351
- second viscosity, 351
- secular terms, 382
- self-energies, 318
- shear stress, 363, 364
- shear viscosity, 351, 365, 370
- Slavnov–Taylor identities, 226
- spectral density, 144
- speed of sound, 349, 359
- spin connection, 343
- spin diffusion, 367
- spinodal decomposition, 278, 380, 446
- squeeze operator
 - single mode, 134
 - two mode, 132
- squeeze parameter, 99, 133
- Stefan–Boltzmann law, 357
- stimulated production, 114
- stochastic Gross–Pitaevskii equation, 393, 415
- stochastic inflation, 281, 450, 452
- stochastic processes, 34
- structure constants, 214, 337
- structure formation, 281, 457
 - effect of colored noise, 457, 458
- subfluctuant variable, 264
- sum rules, 366
- Super Proton Synchrotron (SPS), 429
- superfluctuant variable, 264
- superfluid velocity, 419
- superfluidity, 391
- susceptibility, 369
- symmetry-breaking approach to BEC, 397
- symmetry nonrestoration, 298
- symmetry restoration, 298
 - inverse, 298
- tadpole, 297
- Takahashi–Ward identities, 226
- temperature, 346
- thermal density matrix, 291
- thermal pressure, 357
- thermal state, 291
- thermalization, 374
- thermo field dynamics, 292
- thermodynamic forces, 43
- thermodynamic limit, 420
- thermodynamic potential, 346, 348, 351, 357
- thermodynamics, 346
- time reversal invariance, 328
- time-dependent Ginzburg–Landau equation, 379
- Tonks gas, 391
- topological defects, 374
- trace anomaly, 366, 380
- transition probability, 54
- transport equation, 358
 - covariant, 341
 - on an abelian background, 333
 - on nonabelian backgrounds, 336
- transport functions, 353
- transversal momentum, 431
- transverse mass, 434
- trap potential, 398
- triangle inequality, 254
- Trotter formula, 61
- truncation, 51
- turbulent cascade, 384, 439
- turbulent thermalization, 383
- two-fluid hydrodynamics, 393
- two-loops approximation, 393, 410
- type II superconductor, 379
- uncertainty relation, 265
- Unruh effect, 125
- Van Vleck–Morette determinant, 339
- vierbein, 342

- viscosity bound conjecture, 366
- viscosity coefficients, 370
- Vlasov equation, 10, 326, 379
 - quantum, 117
- volume, 346
- von Neumann entropy, 253, 255, 261

- wave splitting, 438
- weakly nonideal fluid, 349

- Weibel instability, 438
- Wigner function, 63, 330
 - reduced, 75
- Wigner functional, 160
- Wigner transform, 330
- Wong equations, 337, 385, 439
- Wronskian, 97

- Zeroth law, 346
- Zinn-Justin equation, 226

