

GENERAL NOTES

BRITISH ASSOCIATION OF OTOLARYNGOLOGISTS RUEDI TRUST FUND

THE British Association of Otolaryngologists has been entrusted with a sum of money to be devoted to the financial assistance of British postgraduates studying otolaryngology in Switzerland. Information can be obtained from the Secretary of the Association, 45 Lincoln's Inn Fields, London, W.C.2.

*AMERICAN MEDICAL SOCIETY OF VIENNA

THE American Medical Society of Vienna recently opened its beautifully decorated and furnished new club rooms and library. It has taken over what remained of the assets of the former American Medical Association of Vienna, founded nearly 50 years ago, to which many British postgraduates belonged in happier days, but which faded out after Hitler's *anschluss* and disappeared during the last war. The new Society is now, as the Association did before, arranging postgraduate courses in the various branches of otolaryngology, as well as in other medical and surgical subjects, in association with the University of Vienna. It is situated only a stone's throw from the famous Allgemeines-krankenhaus, next door to the Café Beethoven, with which it has in fact a communicating door. Vienna appears to be recovering at last from the effects of the Second World War, the Opera House and St. Stephen's Cathedral have been rebuilt, special visas are no longer necessary nor letters censored, and visitors move freely without hindrance in all quarters of the city. The secretary of the American Medical Society is Dr. M. Arthur Kline, 11 Universitätsstrasse, Vienna, 1.

OTOLARYNGOLOGY LECTURES

ROYAL COLLEGE OF SURGEONS, 1953-54

THE following lectures have been arranged jointly by the Royal College of Surgeons of England and the Institute of Laryngology and Otology to take place at 5.30 *p.m.* at the Royal College of Surgeons, Lincoln's Inn Fields, W.C.2:

- Thursday, February 4th, 1954. Professor G. Hadfield. Co-carcinogenesis.
- Thursday, March 4th, 1954. Mr. F. Williamson-Noble. Diseases of the orbit and its contents secondary to pathological conditions in the nose, sinuses and throat.
- Thursday, April 1st, 1954. Mr. G. A. Mason. The diagnosis, treatment and prognosis of tumours of the lung.
- Thursday, May 6th, 1954. Professor G. A. G. Mitchell. The sympathetic nervous system in relation to the throat, nose and ear.
- Thursday, July 1st, 1954. Mr. J. E. Piercy. Diseases of the Thyroid, parathyroid and thymus glands.

With the New

Ardente-Atlas Audiometer

—which gives **SEMI-AUTOMATIC** recording—

**audiogram plotting of both ears is
reduced to a matter of moments**

NO translation of written figures to graphical representation is required. A knob and a steel guide move in a horizontal direction engaging in 12 frequency positions; while a perspex plate, movable in a vertical direction, regulates the volume of tone. After having ascertained the hearing threshold at any selected frequency, the measured value is marked on the audiogram card through the appropriate hole in the perspex plate. This method of graph plotting saves time and assures the greatest possible accuracy.



The E.M.40 Clinical Model has facilities for Air and Bone Conduction Tests with pure tones . . . Speech Tests both live and recorded . . . Loudness Balance (Fowler-recruitment) Tests . . . and Masking Tests. Masking is effected with a "white" noise, which can also be used for the new tests devised by Prof. Langenbeck. Click-less tone interruption is provided. Discrete frequencies—from 64 to 1024 c/s at octave intervals, and from 1024 to 11584 c/s at half-octave intervals—may be selected.

The smaller E.M.42 Portable Model has many of the features of the E.M.40 including automatic recording.



We shall be pleased to forward further details and/or arrange a demonstration upon request to:

The Secretary,

The Medical Department,


ARDENTE HEARING SERVICE,

21/23 WIGMORE STREET, LONDON, W.1. Telephone: LANgham 8251 (5 lines)

Please mention *The Journal of Laryngology* when replying to advertisements

KING'S COLLEGE HOSPITAL PATTERN
TRACHEOSTOMY TUBE

The cannula is expanded at its outer end, allowing the respiratory valve to be recessed without any diminution of lumen.



As used by
V. E. NEGUS, M.S.

Down Bros.
and
Mayer & Phelps

MANUFACTURERS
of Surgical Instruments
and Aseptic Hospital
Furniture

Established over
Eighty Years

CHIRON HOUSE
32-34 New Cavendish Street
London, W.1