

# **45th Annual Meeting of the European Association for Animal Production**

**Edinburgh 1994**

The 45th Annual Meeting of EAAP will be held at the University of Edinburgh, Scotland, UK from 5-8 September 1994.

Members of the British Society of Animal Production (BSAP) are organising this meeting and are pleased to welcome everyone interested in the science and production of farm livestock to the EAAP Commission sessions, the tours, social and accompanying persons programmes and also the satellite meetings.

Delegates can expect a very warm welcome in 1994 and an excellent programme. Edinburgh is an ideal venue for a family holiday; the International festival immediately precedes the conference; why not combine business with pleasure?

45th EAAP 1994  
Secretariat  
BSAP Office  
PO Box 3  
Penicuik  
Midlothian  
EH26 0RZ  
UK

Tel 44 31 445 4508  
Fax 44 31 445 5636

**EDINBURGH 1994 – SO MUCH TO DO**

*Illustrations.* The same material should not normally be presented in tables and figures. Legends should be typed on a separate sheet.

- a) Diagrams should be drawn in black ink, about twice the size of the finished block, on white paper or card, stout tracing paper or plastic film. Photographed diagrams are also accepted. Lettering inside the framework of the diagram should be avoided as far as possible but if unavoidable it should be included on a fly-leaf.
- b) Photographs intended for half-tone reproduction should be on glossy paper. They will be accepted only if found necessary by the editors.
- c) Colour plates are unlikely to be accepted unless the authors bear the cost.

*Tables* should be as simple and as few as possible. Each table should be typed on a separate sheet.

*Abstract.* Every paper should have a short abstract (not more than 250 words for a paper and 120 words for a note) complete in itself and understandable without reference to the paper. The abstract will be printed at the beginning of the paper and preferably should be in the format of unnumbered short paragraphs.

*Keywords.* Up to a maximum of five keywords selected from the *CAB Thesaurus* (1988) or from an equivalent reference volume should be listed at the end of the Abstract.

*References.* Only papers closely related to the author's work should be referred to; exhaustive lists should be avoided. The arrangement of references should be as in recent papers in *Animal Production*; details are given in the notes for guidance.

*Proofs* are supplied once and must be returned corrected to the editors within 3 days. Only essential corrections should be made.

*Reprints.* Twenty-five reprints of each paper will be supplied free of charge to authors on request. Further copies may be purchased if the order is sent at the proof-stage. Reprints are not supplied for notes.

*Annual subscription* is £120.00 (or \$240.00 in the USA and Canada) and the price for a single part is £20.00 (or \$40.00) net.

*Abstracts of papers presented at British Society of Animal Production winter meeting* are published as a separate section in the June issue of *Animal Production*.

*Correspondence* regarding subscriptions and sales (current and back numbers of the Journal) and any other enquiries, including those concerning copyright, should be addressed to: Durrant Periodicals, Winton Lea, Pencaitland, East Lothian, Scotland EH34 5AY.

#### *Senior editor*

T. L. J. Lawrence, University of Liverpool

#### *Editors*

J. A. M. van Arendonk, University of Wageningen

D. G. Chamberlain, Hannah Institute, Ayr

W. Haresign, University of Nottingham

C. L. Johnson, University of Leeds

I. J. Lean, Wye College, University of London

C. A. Morgan, Scottish Agricultural College, Edinburgh

E. Owen, University of Reading

A. J. F. Webster, University of Bristol

J. D. Wood, University of Bristol

J. A. Woolliams, AFRC Roslin Institute, Edinburgh

#### *Technical editors*

Hilary Davies

Marie C. Pitkethly

---

*Notes to users in the USA.* The appearance of the fee codes in this journal indicates the copyright owner's consent that copies of the article may be made for personal or internal use on the following conditions. The copier must pay the stated per-copy fee through the Copyright Clearance Center, Inc., 21 Congress Street, Salem, Massachusetts 01970, USA, for copying beyond that permitted by sections 107 and 108 of the US Copyright Law. For territories outside north America, permission should be sought direct from the copyright holder. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertizing and promotional purposes, for creating new collective works or for resale.

# Contents

Page

<b>Uimari, P. and Mäntysaari, E. A.</b> Repeatability and bias of estimated breeding values for dairy bulls and bull dams calculated from animal model evaluations	175
<b>Boe, K. and Havrevoll, Ø.</b> Cold housing and computer-controlled milk feeding for dairy calves: behaviour and performance	183
<b>Vera, R. R., Ramírez, C. A. and Ayala, H.</b> Reproduction in continuously underfed Brahman cows	193
<b>Rege, J. E. O., Kaufmann, R. R. von and Mani, R. I.</b> On-farm performance of Bunaji (White Fulani) cattle. 1. Herd structures and cattle disposal	199
<b>Rege, J. E. O., Kaufmann, R. R. von, Mwenya, W. N. M., Otchere, E. O. and Mani, R. I.</b> On-farm performance of Bunaji (White Fulani) cattle. 2. Growth, reproductive performance, milk offtake and mortality	211
<b>Goodall, E. A., Menzies, F. D. and Taylor, S. M.</b> A bivariate autoregressive model for estimation of prevalence of fasciolosis in cattle	221
<b>Oosting, S. J., Boekholt, H. A., Los, M. J. N. and Leffering, C. P.</b> Intake and utilization of energy from ammonia-treated and untreated wheat straw by steers and wether sheep given a basal diet of grass pellets and hay	227
<b>MacRae, J. C., Walker, A., Brown, D. and Lobley, G. E.</b> Accretion of total protein and individual amino acids by organs and tissues of growing lambs and the ability of nitrogen balance techniques to quantitate protein retention	237
<b>Kibon, A. and Ørskov, E. R.</b> The use of degradation characteristics of browse plants to predict intake and digestibility by goats	247
<b>Vipond, J. E., Swift, G., Noble, R. C. and Horgan, G.</b> Effects of clover in the diet of grazed lambs on production and carcass composition	253
<b>Gibb, M. J., Cook, J. E. and Treacher, T. T.</b> Performance of British Saanen, Boer × British Saanen and Anglo-Nubian castrated male kids from 8 weeks of age to slaughter at 28, 33 or 38 kg live weight	263
<b>Zygoiannis, D., Davies, P. H. and Doney, J. M.</b> The effect of melatonin on seasonal reproduction of indigenous and crossbred dairy goats in Greece	273
<b>Davies, M. C. G. and Beck, N. F. G.</b> A comparison of plasma prolactin, LH and progesterone concentrations during oestrus and early pregnancy in ewe lambs and ewes	281
<b>Balcells, J., Fondevila, M., Guada, J. A., Castrillo, C. and Surra, J. C. E.</b> Urinary excretion of purine derivatives and nitrogen in sheep given straw supplemented with different sources of carbohydrates	287
<b>Simmins, P. H.</b> Reproductive performance of sows entering stable and dynamic groups after mating	293
<b>Randall, J. M.</b> Environmental parameters necessary to define comfort for pigs, cattle and sheep in livestock transporters	299
<b>Fernández-Figueras, I., Lachica, M., Pérez, L., Nieto, R., Aguilera, J. F. and Prieto, C.</b> The effect of dietary protein quality on free amino acids in plasma, muscle and liver of growing chickens	309
<b>Polidori, P., Maggi, G. L., Moretti, V. M., Valfrè, F. and Navarotto, P.</b> A note on the effect of use of bovine somatotropin on the fatty acid composition of the milk fat in dairy cows	319
<b>Ramos, A. and Tennessen, T.</b> A note on the effect of dietary variety on food intake of cattle	323
<b>María, G. A., Boldman, K. G. and Vleck, L. D. van</b> A note on heritability estimates for growth traits in male and female Romanov sheep	326
<b>Arieli, A., Sklan, D. and Kissil, G.</b> A note on the nutritive value of <i>Ulva lactuca</i> for ruminants	329
<b>Blasco, A. and Gómez, E.</b> A note on growth curves of rabbit lines selected on growth rate or litter size	332