INSTRUCTIONS TO CONTRIBUTORS

The *Journal of Helminthology* publishes papers on all aspects of animal parasitic helminths, particularly those of medical or veterinary importance, but only in exceptional circumstances will systematic or taxonomic studies be acceptable.

Manuscripts, which must be in English or French (with an English summary) should be accompanied by a letter signed by all the authors and should be addressed to:

The Editors, Journal of Helminthology, 395A Hatfield Road, St Albans, Herts AL4 0XU, England.

Three copies of a typescript, on size A4 paper with double spacing, should be submitted. Papers should be preceded by a short abstract and will normally have the following sections: brief Introduction; Materials and Methods; Results; Discussion; Acknowledgements; References. However, the form of the paper may vary, depending on its subject matter; recent past issues should be consulted for a suitable form. Research Notes should also be preceded by a brief abstract. Illustrations should be drawn in Indian ink, preferably not more than double the final size. Care should be taken that all illustrations fit into the format of the Journal. The maximum size an illustration will be printed is 12.0×20.0 cm. Where many separate drawings are made, some indication of how they may be grouped to make a corporate plate without undue wastage of space, should be indicated. Some indication of scale (preferably a scale bar) should normally be given on the figure. Photocopies of illustrations should be enclosed for refereeing purposes. Lettering and numbering, which must be of a high standard, should be added by the author, with due regard for subsequent reduction.

Photographs should be glossy prints of the same size as they are to appear in the Journal (maximum size $12 \cdot 0 \times 20 \cdot 0$ cm). Composite prints must be mounted and can have the separate photographs abutting; they will then have a separating line inserted by the printers. All figures and letters on photographs must be inserted by the author.

Information should not be repeated in the text and in tables or figures. The legends to tables and to figures should be sufficiently detailed for the information to be understood without reference to the text.

References should be given in alphabetical order with the full title of the journal. The following are examples:

ASHFORD, R. W. & BARNISH, G. (1989) Strongyloides fuelleborni and similar parasites in animals and man. In: Strongyloidiasis: a major roundworm infection of man (editor, D. I. Grove) pp. 271–286. Taylor & Francis: London.

GARSIDE, P. & BEHNKE, J. M. (1989) Primary infection of hamsters with Ancylostoma ceylanicum. Parasitology, 98, 283–289.

Contents

	Pages
Diploid Paragonimus westermani: the experimental completion of its life-cycle. T. SHIBAHARA	253–258
Prevalence of larval helminths in freshwater snails of the Kinmen Islands. D. CHAO, L. C. WANG and T. C. HUANG	259-264
Effect of antibiotics on protein synthesis in filarial parasites. J. H. WANI and V. M. L. SRIVASTAVA	265–270
Partial characterization of proteolytic enzymes in different developmental stages of Ostertagia ostertagi. H. DE COCK, D. P. KNOX, E. CLAEREBOUT and D. C. DE GRAAF	271–278
Use of body fluid of adult female Ascaris suum as an antigen in the enzyme-linked immunosorbent assay (ELISA) for diagnosis of swine ascariosis. S. YOSHIHARA, T. OYA, T. FURUYA and N. GOTO	279–286
Application of small doses of copper salts (basic and neutral) to Ascaridia galli-infected chicks. M. GABRASHANSKA, M. M. GALVEZ-MORROS and O. GARCIA-MARTINEZ	287–290
A seroepidemiological study of human <i>Toxocara</i> infection in the Slovak Republic. K. HAVASIOVÁ, P. DUBINSKÝ and A. ŠTEFANČÍKOVÁ	291–296
A simplified method for the fractionation of <i>Gnathostoma</i> -specific antigens for sero- diagnosis of human gnathostomosis. S. TUNTIPOPIPAT, R. CHAWENGKIRTTIKUL and S. SIRISINHA	297–304
Levels of ecdysteroid-like material in adults of <i>Nippostrongylus brasiliensis</i> during the intestinal phase. B. NEMBO, P. DUIE, M. GARCIA, P. BRETON, P. GAYRAL, P. PORCHERON and F. GOUDEY-PERRIERE	305-315
Development of <i>Proteocephalus torulosus</i> in the intermediate host under experimental conditions. T. SCHOLZ	316–324
The role of dissolved carbon dioxide and whole bile in the <i>in vitro</i> activation of <i>Taenia taeniaeformis</i> oncospheres. K. ISHIWATA, Y. OKU and M. KAMIYA (Research Note)	325–328
Subject Index	329-331
Author Index	333–335
Contents of Volume	i–iv