JOURNAL OF DAIRY RESEARCH

EDITED BY

H. BURTON, D.Sc., C.Eng., M.I.E.E. National Institute for Research in Dairying, Shinfield, Reading, Berkshire

J. A. B. SMITH, C.B.E., Ph.D., D.Sc. Hannah Dairy Research Institute, Ayr, Scotland

ASSISTED BY

DR A. T. ANDREWS (Reading)

DR C. C. BALCH (Reading)

DR T. E. BARMAN (Reading)

DR N. J. BERRIDGE (Reading)

DR J. A. BINES (Reading)

MR B. F. BONE (Reading)

DR W. H. BROSTER (Reading)

DR G. C. CHEESEMAN (Reading)

DR D. T. DAVIES (Ayr)

DR F. H. DODD (Reading)

DR M. G. B. DREW (Reading)

PROFESSOR P. F. FOX (Cork)

DR M. L. GREEN (Reading)

MISS Z. D. HOSKING (Reading)

DR E. A. JONES (Reading)

DR J. L. LINZELL (Reading)

DR R. L. J. LYSTER (Reading)

DR L. A. MABBITT (Reading)

DR W. A. McGILLIVRAY (New Zealand)

DR T. B. MEPHAM (Nottingham)

PROFESSOR G. MOCQUOT (Jouy-en-Josas)

DR L. W. PHIPPS (Reading)

DR J. A. B. ROY (Reading)

DR J. E. STORRY (Reading)

DR R. WAITE (Ayr)

DR V. A. WELCH (Reading)

DR J. C. D. WHITE (Ayr)

VOLUME 40, 1973

CAMBRIDGE UNIVERSITY PRESS

PUBLISHED BY

THE SYNDICS OF THE CAMBRIDGE UNIVERSITY PRESS

Bentley House, 200 Euston Road, London, N.W. 1 American Branch: 32 East 57th Street, New York, N.Y. 10022

Secretary
J. C. F. COLES

Editorial Assistant
MRS DOROTHY SKIDMORE

Printed in Great Britain at the University Printing House, Cambridge

Contents

No. 1 (February 1973)

	PAGE
The differentiation of curd made from heated and raw milk. K. C. Guha and B. R. Roy	1
Metabolite levels and enzyme activities in the bovine mammary gland at different stages of lactation. I. Metabolite levels related to energy production. M. Waldschmidt	7
Examination of the structure of the bovine milk fat-globule membrane and of cheese by X-ray crystallography. E. W. Evans and S. L. PILLINGER .	17
Flavour defects in edible casein and skim-milk powder. II. The role of aliphatic monocarbonyl compounds. N. J. Walker	29
Volatile compounds in butter oil. III. Recovery of added fatty acids and δ -lactones from volatile-free butter oil by cold-finger molecular distillation. W. Stark, G. Urbach, J. S. Hamilton and D. A. Forss	39
An in-line milk sampler for determining the numbers of bacteria derived from teat surfaces and udder infections of cows milked in recorder machines. C. H. McKinnon, C. M. Cousins and R. J. Fulford	47
The removal of fission products from milk. The use of the baby monkey (<i>Macaca irus</i>) for the nutritional evaluation of milk treated by 2 processes. B. Cohen, M. Ashworth, R. F. Glascock and D. T. W. Bryant .	53
The analysis of volatile substances associated with Cheddar-cheese aroma. D. J. Manning and H. M. Robinson	63
Kinetics of rennin action on casein prepared by ultracentrifugation. A. V. CASTLE and J. V. WHEELOCK	77
Analytical variation in metabolic profile testing. R. Manston and G. J. Rowlands	85
The effects of the protein content of the diet on the performance of lactating cows. R. Paquay, J. M. Godeau, R. de Baere and A. Lousse	93
Proteolysis of β -case in in Cheddar cheese. J. A. Phelan, J. Guiney and P. F. Fox	105
An electron-microscope study of the structure of Domiati cheese. M. H. Abdel-Salam and S. el-Shibiny	113
The influence of some physical characteristics of the milking machine on the rate of new mastitis infections. C. C. Thiel, C. L. Cousins, D. R. Westgarth and F. K. Neave	117

iv Contents

No. 2 (June 1973)

	PAG
Obituary: Professor Sir Ronald Baskett, O.B.E., B.Sc. London, M.Sc. Reading, Hon.D.Sc. Belfast, F.R.I.C. B. G. F. Weitz	13
A technique for evaluating reconstitution properties of milk powders. T. C. Wyeth and G. C. Cheeseman	13
An experimental continuous-culture unit for the production of frozen concentrated cheese starters. G. T. Lloyd and E. G. Pont	14
Some properties of frozen concentrated starters produced by continuous culture. G. T. Lloyd and E. G. Pont	15'
The effect of dissolved $\rm O_2$ on the changes occurring in the flavour of ultra-high-temperature milk during storage. J. G. Zadow and R. Birtwistle .	169
Mechanics of the teat and teatcup liner during milking: information from radiographs. G. A. Mein, C. C. Thiel and D. N. Akam	179
Friction between the teat and teatcup liner during milking. G. A. Mein, C. C. Thiel, D. R. Westgarth and R. J. Fulford	191
Seasonal variations in the composition and thermal properties of New Zealand milk fat. I. Fatty-acid composition. I. K. Gray	207
Comparison of milks processed by the direct and indirect methods of ultrahigh-temperature sterilization. VI. Effects on sediment formation and clotting with enzymes. A. G. PERKIN, M. J. HENSCHEL and H. BURTON	218
Residual milk yield as affected by dose and time of injection of oxytocin. P. D. Thompson, M. J. Paape and J. W. Smith	221
Casein micelle structure: susceptibility of various casein systems to proteolysis P. F. Fox and J. Guiney	229
Basal levels of prolactin in goat blood measured throughout a 24-h period by a rapid double antibody-solid phase radioimmunoassay. I. C. HART .	235
Periodic omission of dairy cow milkings. I. Effect on milk yield and composition and on udder health. J. C. RADCLIFFE, L. F. BAILEY and M. L.	
Horne	247
Periodic omission of dairy cow milkings. II. Effect on the composition and processing properties of herd milk. L. F. Bailey, J. C. Radcliffe and A. F. Hehir.	255
Comparison of the specificity and kinetic properties of 3 milk-clotting enzymes. G. Kovács-Proszt and T. Sanner	263
Milk triglycerides: the degree of non-random associations of fatty acids. R. A. Breach, R. Dils and R. Watts	273
Further short-term studies of the influence of the milking machine on the rate of new mastitis infections. C. L. Cousins, C. C. Thiel, D. R. Westgarth and T. M. Higgs	289
The effects of increasing amounts of dietary tallow on milk-fat secretion in the cow. J. E. Storry, A. J. Hall and V. W. Johnson	293

Contents

No. 3 (October 1973)

	PAGE
Editorial note	301
Adsorption, latent period and burst size of phages of some strains of lactic streptococci. B. P. Keogh	303
Seasonal variations in the composition and thermal properties of New Zealand milk fat. II. Thermal properties of milk fat and their relation to composition. G. E. Norris, I. K. Gray and R. M. Dolby	311
Effect of 75% replacement of dietary N by urea and ammonium sulphate on the composition and properties of sheep's milk. G. Tanev	323
Utilization of nutrients by the dairy cow and optimal N: energy ratio in the diet. R. Paquay, J. M. Godeau, R. De Baere and A. Lousse	329
The effects of pregnancy, lactation and involution on the metabolism of glucose and acetate by rat liver tissue. R. W. SMITH	339
The effects of pregnancy, lactation and involution on the metabolism of glucose by rat parametrial adipose tissue. R. W. SMITH	353
Metabolite levels and enzyme activities in the bovine mammary gland in different stages of lactation. M. Waldschmidt and S. Rilling	361
Proteolysis detection in milk. I. Interpretation of tyrosine value data for raw milk supplies in relation to natural variation, bacterial counts and other factors. H. S. Juffs	37 1
Proteolysis detection in milk. II. The effect of preincubation of raw and laboratory pasteurized bulk milk samples on tyrosine value and its relationship with bacterial populations. H. S. Juffs	388
The effect of manufacturing conditions on the setting rate of butter. M. W. Taylor, R. M. Dolby and R. W. Russell	393
The relationship between head-space volume and dissolved O_2 content of water and UHT milk in sealed containers. J. G. Zadow	403
Carbohydrates of bovine κ -casein. J. V. Wheelock and G. Sinkinson	413
The N-acetyl neuraminic-acid content of the milk of various species. P. A. MORRISSEY	421
Purification and properties of an extracellular proteolytic enzyme from Bacillus cereus. M. A. Islam and J. M. V. Blanshard	427
REVIEW OF THE PROGRESS OF DAIRY SCIENCE. Climatic physiology of cattle. G. E. THOMPSON	441

Index of Subjects

Acetate, metabolism, liver, pregnant-, lactatingrats, 339

Adipose tissue, glucose metabolism, pregnant-, lactating-rats, 353

Ammonium sulphate, fed, sheep, milk yield and composition, 323

Bacillus cereus, protease, properties, 427

Bacteria, on teat surfaces, determination, in-line milk sampler, 47

Bacterlophages, adsorption, latent period, burst size, lactic streptococci, 303

Baskett, R. G., obituary, 131

Butter, flavour, added fatty acids, lactones, recovery, cold-finger molecular distillation, 39

Butter oil, see Dry butterfat

Butterfat, see Milk fat

Buttermaking, manufacturing conditions, setting rate, 393

Casein, action of rennin, kinetics, 77

micelles, structure, casein components, proteolysis, susceptibility, 229

stored, flavour defects, aliphatic monocarbonyls,

β-Casein, proteolysis, in Cheddar cheese, 105 κ-Casein, carbohydrates, 413

Cattle, climatic physiology (review), 441

Cheddar cheese, aroma, volatile substances, analysis, 63

 β -casein, proteolysis, 105

fat-globule membrane, study, X-ray crystallography, 17

Cheese, see Cheddar cheese, Domiati cheese

Cheesemaking, frozen concentrated cheese starters, continuous-culture unit, 149 properties, 157

lactic streptococci, bacteriophages, 303

Climate, physiology, cattle (review), 441

Clotting, see Coagulation

Coagulation, milk, heated, after periodic omission, milking, 255

UHT sterilized, 215

Curd(s), from heat-treated-, raw-milks, differentiation, 1

tension, milk, after periodic omission, milking, 255

Diet, crude-protein content, milk yield and composition, 93

optimal N: energy ratio, milk production, 329 tallow supplement, milk fat yield, 293

urea, ammonium sulphate, milk yield and composition, ewes, 323

Disease, see Mastitis

Domiati cheese, structure, electron-microscope study, 113 Donkey, milk, N-acetyl neuraminic acid content, 421

Dried milk, reconstitution properties, 135

Dried skim-milk, stored, flavour defects, aliphatic monocarbonyls, 29

Dry butterfat, added fatty acids, lactones, recovery, cold-finger molecular distillation, 39

Endothia parasitica, rennin, specificity, kinetic properties, 263

Energy: optimal N ratio, diet, milk yield, 329 Enzymes, see Protease, Rennin

Fat metabolism, pregnant-, lactating-rats, 353
Fatty acids, milk fat, feeding concentrates containing tallow, 293

seasonal variation, New Zealand, 207 triglycerides, non-random associations, 273 rumen, volatile, feeding concentrates containing tallow, 293

Flavour, butter, added fatty acids, lactones, recovery, 39

casein, skim-milk powder, defects, stored, 29 Cheddar cheese, volatile substances, analysis, 63 milk, UHT treatment, varying $\rm O_2$ content, storage, 169, 403

Glucose, metabolism, adipose tissue, pregnant-, lactating-rats, 353

liver, pregnant-, lactating-rats, 339

Goats, blood, prolactin content, radioimmuno-assay, 235

milk, N-acetyl neuraminic acid content, 421

Heat stability, see Coagulation, milk, heated Heat treatment, see also Sterilization

milk, varying O_2 content, flavour after storage, 169

head-space volume, relationship, 403

India, curds, from heat-treated-, raw-milks, differentiation, 1

Lactation, stage, metabolite levels, enzyme activities, mammary gland, 7, 361

Liver, glucose, acetate, metabolism, pregnant-, lactating-rats, 339

Mammary gland, see also Udder

metabolite levels, enzyme activities, 7, 361
Mare, milk, N-acetyl neuraminic acid content, 421
Mastitis, milking machine, influence, 117, 289
Metabolic profile test, analytical variation, 85
Milk, coagulation, see Coagulation

nutritional value, after removal of fission products, 53

proteolysis, detection, 371, 383

Milk, UHT sterilization, direct, indirect, sediment formation, clotting, 215

flavour, varying O₂ content, 169, 403

Milk composition, N-acetyl neuraminic acid content, 421

crude-protein content, diet, 93

feeding, urea, ammonium sulphate, ewes, 323 periodic omission, milking, 247, 255

Milk fat, composition, thermal properties, seasonal variation, New Zealand, 207, 311 dry, see Dry butterfat

fatty acids, milk, feeding concentrates containing tallow, 293

globule, membrane, study, X-ray crystallography, 17

triglycerides, structure, 273

Milk fat yield, feeding concentrates containing tallow, 293

Milk powder, see Dried milk

Milk processing, heat stability, curd tension, periodic omission, milking, 255

Milk proteins, breakdown, see Proteolysis

Milk sampler, in-line, bacteria on teat surfaces, udder infections, determination, 47

Milk yield, crude-protein content, diet, 93 feeding, urea, ammonium sulphate, ewes, 323 optimal N: energy ratio, diet, 329 oxytocin injection, time, dose, 221 periodic omission, milking, 247

Milking, periodic omission, milk-yield, -composition, processing properties, udder health, 247, 255

Milking machines, mastitis infections, 117, 289 teat, teatcup liner, friction during milking, 191 mechanics during milking, radiographic studies, 179

Mucor pusillus, rennin, specificity, kinetic properties, 263

New Zealand, milk fat, composition, thermal properties, seasonal variation, 207, 311

Nutritive value, milk, after removal of fission products, 53

Oxygen, dissolved in UHT milk, amount related to head-space volume, 403 flavour after storage, 169

Oxytocin, injection, time, dose, residual milk yield, 221

Physiology, cattle, effect of climate (review), 441 Pigs, milk, N-acetyl neuraminic acid content, 421 Prolactin, content, goat blood, radioimmunoassay, 235 Protease, from Bacillus cereus, 427
Proteins, diet, milk yield and composition, 93
Proteolysis, β-casein, in Cheddar cheese, 105 milk, detection, 371, 383

Radioactive nuclides, removed, nutritional value, milk, 53

Rat, pregnant, lactating, adipose tissue, glucose metabolism, 353

liver, glucose, acetate, metabolism, 339

Rennin, action, casein, kinetics, 77

from calf stomach, Mucor pusillus, Endothia parasitica, specificity, kinetic properties, 263

Rumen, volatile fatty acids, feeding concentrates containing tallow, 293

Sheep, milk, N-acetyl neuraminic acid content, 421

milk yield and composition, feeding, urea, ammonium sulphate, 323

Skim-milk powder, see Dried skim milk

Smith, J. A. B., tribute, 301

Starters, cheese, frozen concentrated, continuous-culture unit, 149
properties, 157

Sterilization, UHT, milk, direct, indirect, sediment formation, clotting, 215

varying O_2 content, flavour after storage, 169

head-space volume, relationship, 403 Storage, casein, skim-milk powder, flavour defects, 29

milk, UHT, sterilized, changes, 215 varying O₂ content, flavour, 169, 403

Streptococci, lactic, bacteriophages, adsorption, latent period, burst size, 303

Streptococcus cremoris, continuous culture, frozen concentrated cheese starter, 149, 157

S. lactis, continuous culture, frozen concentrated cheese starter, 149, 157

Tallow, in concentrates, milk fat yield, 293
Teat, teatcup liner, friction during milking, 191
mechanics during milking, radiographic
studies, 179

Udder, see also Mammary gland

health, periodic omission, milking, 247 infections, bacteria on teat surfaces, determination, in-line milk sampler, 47

Urea, fed, sheep, milk yield and composition, 323

Index of Authors

AKAM, D. N., 179 ASHWORTH, MARGARET, 53

Bailey, L. F., 247, 255 Birtwistle, R., 169 Blanshard, J. M. V., 427 Breach, R. A., 273 Bryant, D. T. W., 53 Burton, H., 215

Castle, A. V., 77 Cheeseman, G. C., 135 Cohen, B., 53 Cousins, Carol L., 117, 289 Cousins, Christina M., 47

DE BAERE, R., 93, 329 DILS, R., 273 DOLBY, R. M., 311, 393

EL-SALAM, M. H. ABD, 113 EL-SHIBINY, S., 113 EVANS, E. W., 17

Forss, D. A., 39 Fox, P. F., 105, 229 FULFORD, ROSEMARY J., 47, 191

GLASCOCK, R. F., 53 GODEAU, J. M., 93, 329 GRAY, I. K., 207, 311 GUHA, K. C., 1 GUINEY, J., 105, 229

HALL, A. J., 293 HAMILTON, JANET S., 39 HART, I. C., 235 HEHIR, A. F., 255 HENSCHEL, M. J., 215 HIGGS, T. M., 289 HORNE, M. L., 247

ISLAM, M. A., 427

JOHNSON, V. W., 293 JUFFS, H. S., 371, 383

Keogh, Barbara P., 303 Kovács-Proszt, Gizella, 263 LLOYD, G. T., 149, 157 LOUSSE, A., 93, 329

McKinnon, C. H., 47 Manning, D. J., 63 Manston, R., 85 Mein, G. A., 179, 191 Morrissey, P. A., 421

NEAVE, F. K., 117 NORRIS, GILLIAN E., 311

Paape, M. J., 221 Paquay, R., 93, 329 Perkin, A. G., 215 Phelan, J. A., 105 Pillinger, Susan L., 17 Pont, E. G., 149, 157

RADCLIFFE, J. C., 247, 255 RILLING, S., 361 ROBINSON, HEATHER M., 63 ROWLANDS, G. J., 85 ROY, B. R., 1 RUSSELL, R. W., 393

Sanner, T., 263 Sinkinson, G. 413 Smith, J. W. 221 Smith, R. W., 339, 353 Stark, W., 39 Storry, J. E., 293

Taney, G., 323 Taylor, M. W., 393 Thiel, C. C., 117, 179, 191, 289 Thompson, G. E., 441 Thompson, P. D., 221

URBACH, GERDA, 39

Waldschmidt, Marianne, 7, 361 Walker, N. J., 29 Watts, R., 273 Weitz, B. G. F., 131 Westgarth, D. R., 117, 191, 289 Wheelock, J. V., 77, 413 Wyeth, T. C., 135

ZADOW, J. G., 169, 403

DIRECTIONS TO CONTRIBUTORS

GENERAL

Papers submitted for publication should be sent to Dr H. Burton (*The Journal of Dairy Research*), National Institute for Research in Dairying, Shinfield, Reading, RG 2 9 AT, England. Submission of a paper will be held to imply that it reports unpublished original work, that it is not under consideration for publication elsewhere, and that if accepted for the *Journal* it will not be published elsewhere in English or in any other language, without the consent of the Editors.

FORM OF PAPERS

The onus of preparing a paper in a form suitable for sending to press lies in the first place with the author who, in his own interests, should follow these directions carefully, and consult a current issue of the *Journal* for guidance on details of typographical and other conventions.

Every paper should be headed with its title, the names and initials of the authors (women supplying one given name) and the name and address of the laboratory where the work was done.

Papers should be in English, the spelling being that of the *Shorter Oxford English Dictionary*. They should be typed with double spacing, on one side only of the sheets, and with ample margins for editorial annotations.

Papers should in general be divided into the following parts in the order indicated: (a) Summary, brief and self-contained; (b) Introductory paragraphs, briefly explaining the object of the work but without giving an extensive account of the literature; (c) Experimental or Methods; (d) Results; (e) Discussion and Conclusions; (f) Acknowledgements without a heading; (g) References. Only with some exceptional types of material will headings different from (c), (d) and (e) be necessary.

The use of footnotes should be avoided if possible. Underlining should be used only to indicate italics. Proper nouns, including trade names, should be given a capital initial letter. Wherever possible numerals should be used unless this leads to ambiguity. The typescript should carry the name and address of the person to whom the proofs are to be sent, and give a shortened version of the paper's title, not exceeding 45 letters and spaces, suitable for a running title in the *Journal*.

TABLES

Tables should be numbered and should carry headings describing their content. They should be comprehensible without reference to the text. They should be typed on separate sheets and their approximate positions in the text indicated. To minimize the cost of printing, the number of tables should be kept to a minimum.

ILLUSTRATIONS

Line drawings, which must be originals, should be numbered as Figures and photographs as Plates, in Arabic numerals. Drawings should be in Indian ink, on Bristol board or cartridge paper. However, a technique which may be more convenient to authors is to use a double-sized piece of tracing paper, or translucent graph paper faintly lined in *blue* or *grey*, folded down the centre with the drawing on one half and the other half acting as a flyleaf.

Attached to every figure and plate there should be a translucent flyleaf cover on the outside of which should

be written legibly: (a) title of paper and name of author; (b) figure or plate number and explanatory legend; (c) the figures and lettering, which are intended to appear on the finished block, in the correct positions relative to the drawing underneath. For each paper there should be also a separate typed sheet listing figure and plate numbers with their legends, and the approximate positions of illustrations should be indicated in the text.

As a rule the photographs and diagrams should be about twice the size of the finished block and not larger over-all than the sheets on which the paper itself is typed. For general guidance in preparing diagrams, it is suggested that for a figure measuring 250 mm \times 150 mm all lines, axes and curves should have a thickness of 0.4 mm, thus _______. Graph symbols in order of preference are \bigcirc \bigcirc , \triangle \triangle , \square \blacksquare , \times +, and for a 250 mm \times 150 mm graph the circles should be 3 mm in diam. The triangles should be equilateral of 3 mm side, and the squares also of 3 mm side. The crosses should have lines 3 mm long at right angles. Scale marks on the axes should be on the inner side of each axis and should be 3 mm long.

To minimize the cost of blockmaking, the number of illustrations should be kept to a minimum.

REFERENCES

In the text, references should be quoted by whichever of the following ways is appropriate: Arnold & Barnard (1900); Arnold & Barnard (1900a); Arnold & Barnard (1900a, b); (Arnold & Barnard, 1900). Give all the surnames of 3 authors at the first mention, but in subsequent citations and in all cases where there are more than 3 authors give only the first surname (e.g. Brown et al.) provided that there is no possible ambiguity. Reference to anonymous sources is not acceptable.

References should be listed alphabetically at the end of the paper. Titles of journals should be given in full, authors' initials should be included, and each reference should be punctuated in the typescript thus: Arnold, T. B., Barnard, R. N. & Compound, P. J. (1900). Journal of Dairy Research 18, 158. References to books should include names of authors, names of editors, year of publication, title, town of publication and name of publisher in that order, thus: Arnold, T. B. (1900). Dairying. London: Brown and Chester.

It is the duty of the author to check all references.

SYMBOLS AND ABBREVIATIONS

The symbols and abbreviations used are those of British Standard 1991: Part 1: 1967. Letter Symbols, Signs and Abbreviations.

DESCRIPTIONS OF SOLUTIONS

Normality and molarity should be indicated thus: N-HCl, $0.1 \text{ M-NaH}_2\text{PO}_4$. The term '%' means g/100 g solution. For ml/100 ml solution the term '% (v/v)' should be used and for g/100 ml solution the correct abbreviation is '% (w/v)'.

REPRINTS

Order forms giving quotations for reprints are sent to authors with their proofs.

Journal of Dairy Research Volume 40, Number 3, October 1973

CONTENTS

Editorial note	page 301
Adsorption, latent period and burst size of phages of some strains of lactic streptococci B. P. KEOGH	303-309
Seasonal variations in the composition and thermal properties of New Zealand milk fat. II. Thermal properties of milk fat and their relation to composition G. E. NORRIS, I. K. GRAY and R. M. DOLBY	311–321
Effect of 75 % replacement of dietary N by urea and ammonium sulphate on the composition and properties of sheep's milk G. TANEV	323-328
Utilization of nutrients by the dairy cow and optimal N: energy ratio in the diet R. PAQUAY, J. M. GODEAU, R. DE BAERE and A. LOUSSE	329-337
The effects of pregnancy, lactation and involution on the metabolism of glucose and acetate by rat liver tissue R. W. SMITH	339-351
The effects of pregnancy, lactation and involution on the metabolism of glucose by rat parametrial adipose tissue R. W. SMITH	353-360
Metabolite levels and enzyme activities in the bovine mammary gland in different stages of lactation M. WALDSCHMIDT and S. RILLING	361-370
Proteolysis detection in milk. I. Interpretation of tyrosine value data for raw milk supplies in relation to natural variation, bacterial counts and other factors H. S. JUFFS	371–381
Proteolysis detection in milk. II. The effect of preincubation of raw and laboratory pasteurized bulk milk samples on tyrosine value and its relationship with bacterial populations H. S. JUFFS	383-392
The effect of manufacturing conditions on the setting rate of butter M. W. TAYLOR, R. M. DOLBY and R. W. RUSSELL	393-402
The relationship between head-space volume and dissolved O_2 content of water and UHT milk in sealed containers J. G. ZADOW	403-412
Carbohydrates of bovine κ-casein J. V. WHEELOCK and G. SINKINSON	413-420
The N -acetyl neuraminic-acid content of the milk of various species P. A. MORRISSEY	421–425
Purification and properties of an extracellular proteolytic enzyme from <i>Bacillus cereus</i> M. A. ISLAM and J. M. V. BLANSHARD	427–440
REVIEW OF THE PROGRESS OF DAIRY SCIENCE. Climatic physiology of cattle G. E. THOMPSON	441-473