

VOL. XII.—1897.

THE
JOURNAL OF LARYNGOLOGY,
RHINOLOGY, AND OTOLOGY;

AN ANALYTICAL RECORD OF CURRENT LITERATURE

RELATING TO

THE THROAT, NOSE, AND EAR.

PUBLISHED MONTHLY.

London:

THE REBMAN PUBLISHING COMPANY, LIMITED,

SUCCESSORS TO F. J. REBMAN, 11, ADAM STREET, STRAND.

AMERICAN AGENTS:

THE F. A. DAVIS COMPANY, 1914-16, CHERRY STREET, PHILADELPHIA, PA.

ENTERED AT STATIONERS' HALL.

THE JOURNAL OF LARYNGOLOGY, RHINOLOGY, AND OTOTOLOGY.

Founded in 1887 by **MORELL MACKENZIE** *and* **NORRIS WOLFENDEN**

EDITORS :

JOHN MACINTYRE, M.B., F.R.S.E.,
DUNDAS GRANT, M.A., M.D., F.R.C.S.Eng.,
ARTHUR SANDFORD, M.D., M.Ch.R.U.I.

W. MILLIGAN, M.D. (Manchester), Sub-Ed.
R. LAKE, F.R.C.S. (London), Managing Sub-Ed.

WITH THE CO-OPERATION OF

DRS. BARON (*Bristol*), BETTMAN (*Rome*), BOTEY (*Barcelona*),
CARTAZ (*Paris*), BRYSON DELAVAN (*New York*), DODD (*Chicago*),
DRAISPUL (*St. Petersburg*), GRAZZI (*Florence*), GUYE (*Amsterdam*),
HICGUET (*Brussels*), MIDDLEMASS HUNT (*Liverpool*), HUTCHISON (*Glasgow*),
JOAL (*Paris*), KARWOWSKI (*Warsaw*), KELLY (*Glasgow*),
LACARRET (*Toulouse*), LICHTWITZ (*Bordeaux*),
LIEVEN (*Aix-la-Chapelle*), PROF. JOHN N. MACKENZIE (*Baltimore*),
PROF. MASSEI (*Naples*), MEYJES (*Amsterdam*), E. MEYER (*Berlin*),
HOLGER MYGIND (*Copenhagen*), PORTER (*St. Louis*),
STGEORGE REID (*London*), RUEDA (*Madrid*), SAJOUS (*Paris*),
SENDZIAK (*Warsaw*), SOTA (*Seville*), STCLAIR THOMSON (*London*),
WAGGETT (*London*), WOODS (*Dublin*), AND ZIEM (*Pantzic*).

CONTENTS.

Original Article—

The Progress made in the Treatment of Laryngeal Tuberculosis since last International Congress. By J. W. GLEITSMANN, M.D. Page 655

Societies' Meetings—

BRITISH LARYNGOLOGICAL, RHINOLOGICAL, AND OTOLOGICAL ASSOCIATION, 665
 INTERNATIONAL MEDICAL CONGRESS, MOSCOW, 676
 AMERICAN LARYNGOLOGICAL, RHINOLOGICAL, AND OTOLOGICAL SOCIETY, 680

Abstracts—

Diphtheria—Contribution to Study of Diphtheritic Paralysis, *Katz*—Operative Treatment of Diphtheritic Stenosis and its Results, *Klein*—Antitoxin, *Theodor*—Nerve Deafness in, *Wilson* Page 691

Mouth—Strepto-Bacillus in Angina, *Carré*—Chancre of Tonsil, *Jullien*—Course of Taste Fibres, *Turner* Page 694

No —Chondroma of Nose, *Brian, Sicard*—Fatal Frontal Sinusitis, *Forestier*—Abscess of Septum, *Gougouenheim*—Fibroma of Maxillary Sinus, *Hammond*—Ozæna and Cupric Electrolysis, *Hugues*—Frontal Sinus, *Killian*—Tubes and Olfaction, *Klippel*—Nasal Obstruction, *Leland*—Adenoids, *Lenzmann, Naegeli, Siebenmann*—Rhinolith, *Malosse*—Frontal Sinus and Brain Abscess, *Rafin*—Tubercle of Nose, *Sachs*—Osteomyelitis of Superior Maxilla, *Schniegelew*—Brain Disease and Sinusitis, *Valude* Page 695

Larynx—Hereditary Syphilis, *Arslan*—Ulceration after Tubage, *Baudrand*—Cancer of Larynx, *Fränkel*—Papillomata, *Frankenberger*—Lupus, *Gougouenheim, Quinard*—Bone in Bronchus, *Kallosrath*—Sulphuricinate of Phenol, *Magenan*—Paralysis, *Mallard, Bernard*—Whooping Cough, *Theodor*—Intubation, *Von Bokay* Page 701

Esophagus—Malignant Disease, *Barling*—Esophagoscope, *Keeling*, 706

Thyroid—Suppurations in Neck, *Oppenheimer*, 707

Ear—Military Service and Fitness, *Claoué*—Cancer, *Du Foucray*—Operative Treatment of Chronic Suppuration, *Lucae* Page 708

Reviews—

On Affections of the Voice. CASTEN, 710
 John Hunter. PAGET, 711

Bibliography, 711

GUIDE TO ADVERTISEMENTS.

| | PAGE |
|---|-----------|
| Anatomie Normale et Pathologique des Fosses Nasales | iii. |
| Bullock & Co. | vii. |
| Burroughs, Wellcome & Co. | vi. |
| Central London Throat Hospital | xii. |
| Globe Manufacturing Company | viii. |
| Ingram & Royle | vii., ix. |
| Lambert Pharmacal Co. | ii. |
| Mayer & Meltzer | xi. |
| Pearl Life Assurance Company | viii. |
| Rebman Publishing Company | vii., x. |
| Slater, Bros. & Crossley | iv. |
| Tibbles' Vi-Cocoa | x. |
| Woodruff | viii. |

NOTES
ON SOME THERAPEUTIC AGENTS.

EUCAINE.—*A New Local Anæsthetic.*

Eucaine is a synthetic compound allied to cocaine and having a similar chemical composition. Its local anæsthetic action is not unlike that of cocaine, and it has not been found to produce untoward after-effects. The anæsthesia of eucaine develops more slowly than that of cocaine, but lasts longer. In nose and throat surgery, where a large quantity of anæsthetic has occasionally to be used, it is found to act efficiently, and to be without the poisonous effect previously produced in the same patients by similar doses of cocaine.

Owing to the sparing solubility of eucaine in cold water, and to the fact that it freely crystallizes from hot water on cooling, it is necessary that solutions for anæsthetic purposes should be made only at the moment they are required. For this purpose 'Soloid' brand Eucaine Hydrochloride is most convenient. By dissolving one or more in definite quantities of warm water, solutions of any desired strength can be instantly prepared, and the operator is assured of obtaining the full anæsthetic effect of the drug. In laryngological practice eucaine hydrochloride may be used either as a spray or as an injection, in the same strength as cocaine. 'Soloid' brand Eucaine Hydrochloride is supplied in bottles of 25, 1 gr. at 1s. 8d., and 5 gr. at 7s. per bottle.

RED GUM.—*Styptic, Antiseptic, and Astringent.*

Red Gum, an exudation from the Australian *Eucalyptus rostrata*, is a mild styptic and antiseptic, and an excellent local and general astringent. The *Practitioner* reports: "When a Red Gum 'Tabloid' is allowed to dissolve in the mouth, the continuous action of the drug on the throat is fully secured. Great care has been exercised so to adjust the relative portions of the ingredients that the full therapeutic effect of the drug may be obtained without offending the palate or affecting the appetite." 'Tabloid' brand Red Gum is supplied in handsomely graven metal boxes of 30 at 5d., and in bottles of 100 at 1s. each.

TAR.—*Antiseptic, Astringent.*

In a paper entitled "A Mode of Administering Tar," which appeared in the *Medical Press and Circular*, a distinguished physician reports as follows: "I have recently had my attention called to 'Tabloid' Tar, one grain, and this, I think, constitutes by far the best mode of administering the drug. Each contains the whole of the constituents of tar and is palatable, and speedily disintegrates. The new mode of administration is three or four every four hours, but a better plan is to suck one frequently—in fact, every time the cough is troublesome." 'Tabloid' brand Tar (1 gr.) supplied in bottles of 50 and 100 at 5d. and 9d. each.

BURROUGHS WELLCOME & CO.,

SNOW HILL BUILDINGS, LONDON.

Australasian Address:

103, PITT STREET, SYDNEY.

London Cable and Telegraphic Address:

"BURCOME, LONDON."