The Lichenologist is an international journal and welcomes papers and short communications from contributors anywhere in the world on any aspect of lichenology.

Manuscripts must be original, clearly and precisely presented in English and electronic versions submitted to *The Lichenologist* ScholarOne website <<u>http://mc.manuscriptcentral.com/lich</u>> following the on-screen instructions. Please note that submission must be done from *The Lichenologist* ScholarOne account belonging to the Corresponding Author. Authors submitting a manuscript do so on the understanding that, if it is accepted, copyright of the paper will be assigned exclusively to the publisher (see Copyright below).

**Key words.** Supply 3–6 key words or phrases in addition to those in the title.

Text. This must be word processed on A4 (210×297 mm) or letter ( $8.5 \times 11$  inch) in double spacing with 2.5 cm margins all round. On all points of style concerning text and tables consult recent copies of the journal. Complete scientific names (genus, species and authority) must be cited at first mention. Thereafter the generic name may be abbreviated to the initial except at the beginning of a sentence or where the abbreviation might result in confusion with other genera. Recent issues should be consulted for layout of new species, new combinations, synonymy and lists of specimens examined. Examples of style are given below. All nomenclatural novelties must be deposited in MycoBank < http://www.mycobank.org> and the MycoBank number included after the taxon name; this is intended to minimize future confusion and make taxonomic data more widely available. A short diagnosis, in either Latin or English, should follow the MycoBank number. This should be a statement of that which in the opinion of the author distinguishes the new taxon from other taxa. The spelling of locality names in the British Isles and abroad must follow the most recent editions of maps published by the Ordnance Survey and The Times Atlas of the World, respectively.

Examples of style employed in

(a) description of new species:

Fissurina immersa B. O. Sharma,

Khadilkar & Makhija sp. nov.

MycoBank No.: MB561855

Similis *F. inabensis* sed differt ascosporis minoribus et acido norstictico continente.

Typus: India, Karnataka, Mudigiri, 26 January 1980, P. G. Patwardhan 80.92 (AMH—holotypus).

(b) citation of described species or new combinations: Pyrenopsis furfurea (Nyl.) Th. Fr.

Bot. Notiser 1866: 58 (1866); type: Scotland, Ben Lawers, 1864, Jones (H-NYL 42916—lectotype; BM isolectotype).

Pyrenopsidium terrigenum (Th. Fr.) Forss., Nova Acta R. Soc. Scient. Upsal. ser. 3, **13**(6): 81 (1985).—Pyrenopsis haematopsis (Sommerf.)  $\beta$ . terrigena Th. Fr. in Hellbom, Öfvers K. Vetens Akad. Forh. **22**(6): 478 (1865); type:

Sweden, Lule Lappmark, Skarfi, 1864, *Hellbom* (UPS-holotype).

(c) citation of specimens examined:

Long lists of citations are discouraged. Data should be reproduced as either maps or lists containing only data essential for locating specimens and collecting sites. Complete lists, with the above format, can be deposited with appropriate Institutions, and their location noted in the text.

Selected specimens examined. British Isles: Scotland: V.C.96, Easterness: Abernethy Forest, near Forest Lodge, 38/01.16, on Pinus lignum, 1975, Coppins [2199] & Rose (BM, E).—Germany: Bayern: Allgauer Alpen, 1957, Schoppel & Poelt [Poelt, Lichenes Alpinum no. 56] (H).—Australia: Tasmania: Weindorfers Forest, 41°38'S, 145°56'E, 920 m, 1988, Kantvilas 68/88 (E); Cox Bight, behind west beach, sea-level, 1985, J. A. Elix 20945 (ANUC). Victoria: Bellel Creek, c. 1800 m, 5 vi 1983, M. E. Hale (HO).

**Tables.** These must be self-explanatory and each presented on separate pages outside the main text. A short title should be provided with any additional information contained in footnotes. Vertical columns should be separated by spacing; vertical lines must be avoided.

**Figures.** Refer to all *drawings, diagrams, graphs* and *photographs* as figures. These should be of the highest quality and suitable for direct reproduction after reduction where appropriate. Each figure should be presented as a separate file. Plan figures to appear within a single column (67 mm) or for reproduction across two columns (139 mm).

*Drawings, diagrams* and *graphs*. Preferred symbols for graphs are  $\bullet$ ,  $\bigcirc$ ,  $\Box$ ,  $\Box$ ,  $\land$ ,  $\land$ ; keys to symbols, etc, should be given in figure legends. Tick marks should be placed inside the axes of graphs and the use of greyscales should be avoided.

*Photographs* (colour or black and white) should be submitted at the size they will appear. Note that there is a charge for colour printing (see **Charges** below). At the Senior Editor's discretion, images can be published in colour online free of charge while the hard copy appears in black and white, provided that colour is not essential for the interpretation of the paper. In such cases the colour and black and white reproductions must be from the same image file. This facility will be largely restricted to morphological and anatomical images since greyscale graphics are discouraged.

Subdivisions of figures should be labelled with capital letters, e.g. A, B, C, etc. All *legends* for figures should be provided on a separate page to be included with the text of the paper after the references.

#### Format for supplying electronic artwork.

To ensure that your figures are reproduced to the highest possible standards and your article is published as quickly and efficiently as possible, we recommend the following formats and resolutions for supplying electronic figures.

Please ensure that your figures are saved at final publication size and are in our recommended file formats.

**Line artwork** (e.g. graphs, drawings histograms, diagrams) Format: tif or eps

Colour mode: black and white (also known as 1-bit) Resolution: 1200 dpi Size: please size to final publication size

#### Combination artwork (line/tone)

Format: tif or eps Colour mode: grayscale (also known as 8-bit) Resolution: 800 dpi Size: please size to final publication size

**Black and white halftone artwork** (e.g. photographs) Format: tif Colour mode: grayscale (also known as 8-bit)

Resolution: 300 dpi Size: please size to final publication size

**Colour halftone artwork** (e.g. photographs) Format: tif Colour mode: CMYK colour Resolution: 300 dpi Size: please size to final publication size

**References.** Citations in the text should take the form: Green & White (2004) or (Brown 1999*a*, *b*, 2001; Smith & Jones 1999). Multiple citations should be ordered chronologically. When papers are by three or more authors, give only the name of the first author followed by *et al.* (e.g. Halonen *et al.* 1998) throughout the text. At the end of the text, list the references alphabetically using the following standard forms:

- Scherrer, S. & Honegger, R. (2003) Inter- and intraspecific variation of homologous hydrophobin (*H1*) gene sequences among *Xanthoria* spp. (lichenforming ascomycetes). *New Phytologist* 158: 375– 389.
- Øvstedal, D. O. & Smith, R. I. L. (2001) Lichens of Antarctica and South Georgia. A Guide to their Identification and Ecology. Cambridge: Cambridge University Press.
- Lumbsch, H. T. (2002) Analysis of phenolic products in lichens for identification and taxonomy. In Protocols in Lichenology: Culturing, Biochemistry, Ecophysiology and Use in Biomonitoring (I. Kranner, R. P. Beckett & A. K. Varma, eds): 281–295. Berlin: Springer.
- Muggia, L., Schmitt, I., Blaha, J., Rankl, J. & Grube, M. (2006) Evolution of polyketide synthases in lichens. In Abstracts of the 8th International Mycological Congress, 21–25 August, 2006, Cairns, Australia, p. 167.
- Murtagh, G. J. (1999) Sex and variation in lichen-forming fungi. Ph.D. thesis, University of Nottingham.

References should be listed in alphabetic sequence with: single authors, by date; two authors, alphabetically, then by date; three or more authors by date only. When papers are by more than ten authors, give the names of only the first ten followed by "*et al.*". **Abbreviations, etc.** For guidance on units, symbols, chemical nomenclature and abbreviations consult author guideline for the *The New Phytologist*.

Copyright. Authors submitting a manuscript do so on the understanding that if it is accepted for publication, copyright in the article, including the right to reproduce the article in all forms and media, shall be assigned exclusively to the British Lichen Society. The Copyright Transfer Agreement, a copy of which is sent with the proofs or can be found on the journal home page listed on the back cover, should be signed by the appropriate person(s) and should accompany the original submission of a manuscript to this journal. The transfer of copyright does not take effect until the manuscript is accepted for publication. Copyright in the paper for the United States of America shall be assigned to the Society. It is the policy of the publisher that authors need not obtain permission in the following cases only: (1) to use their original figures or tables in their future works; (2) to make copies of their papers for use in their classroom teaching; and (3) to include their papers as part of their dissertations.

**Offprints.** In consideration for the assignment of copyright, the Society will supply 25 offprints and a pdf file of each paper or Short Communication but not of Book Reviews. Further reprints can be ordered at extra cost directly from Cambridge University Press when the author returns the proofs of their article.

**Charges.** Page charges are not levied. Authors are responsible for the cost of coloured illustrations. However, the Senior Editor is often able to offer a subsidy from British Lichen Society funds to its members who find that they have insufficient money to meet the full cost of colour printing. Authors should consult the Senior Editor regarding current charges and possible subsidies.

**Book Reviews.** Books dealing with any aspect of lichenology will be reviewed. Publishers wishing to have works reviewed in *The Lichenologist* should send them to Dr A. Fletcher, 117 Sycamore Way, Littlethorpe, Leicester LE19 2HW, UK (a.fletcherfletcher@btinternet. com), in the first instance.

**Notice:** While the Senior Editor and Editors endeavour to check the accuracy of statements in contributions in as far as they are able, it should be emphasized that views expressed in papers in *The Lichenologist* are those of their authors and do not necessarily represent those of the British Lichen Society, Cambridge University Press, the Senior Editor, or the members of the Editorial Board.

### JOURNALS

## Journal of Helminthology

#### Editor

John Lewis, Royal Holloway, University of London, UK

Journal of Helminthology publishes original papers and review articles on all aspects of pure and applied helminthology, particularly those helminth parasites of environmental health, medical or veterinary importance. Research papers on helminths in wildlife hosts, including plant and insect parasites, are also published along with taxonomic papers contributing to the systematics of a group. The journal will be of interest to academics and researchers involved in the fields of human and veterinary parasitology, public health, microbiology, ecology, epidemiology and biochemistry.



Journal of Helminthology is available online at: http://journals.cambridge.org/jhl

#### To subscribe contact Customer Services

in Cambridge: Phone +44 (0)1223 326070 Fax +44 (0)1223 325150 Email journals@cambridge.org

in New York: Phone +1 (845) 353 7500 Fax +1 (845) 353 4141 Email subscriptions\_newyork@cambridge.org

Price information is available at: http://journals.cambridge.org/jhl

#### Free email alerts

Keep up-to-date with new material – sign up at http://journals.cambridge.org/jhl-alerts

> For free online content visit: http://journals.cambridge.org/jhl



CAMBRIDGE

## JOURNALS

## Antarctic Science

Published on behalf of Antarctic Science Ltd, Cambridge

#### Editors

David W. H. Walton, British Antarctic Survey, Cambridge, UK Alan P. M. Vaughan, British Antarctic Survey, Cambridge, UK Christina L. Hulbe, Portland State University, USA

Antarctic Science provides a truly international forum for the broad spread of studies that increasingly characterize scientific research in the Antarctic. The journal attracts papers from all countries currently undertaking Antarctic research. Whilst emphasising interdisciplinary work, the journal publishes papers from environmental management to biodiversity, from volcanoes to icebergs, and from oceanography to the upper atmosphere. No other journal covers such a wide range of Antarctic scientific studies.

Price information is available at: http://journals.cambridge.org/ans

#### Free email alerts

Keep up-to-date with new material – sign up at http://journals.cambridge.org/ans-alerts

For free online content visit: http://journals.cambridge.org/ans



AND 1952
ALEATROSS FEEDING SITES OVER MORAINE RANKS
BANES AND
ANTEREZE GENOMETER MERCELING AN ISB
DRY VALLEY SORE AN ANALOGUES FOR MARS
MARKING CONTROL BACORD FOR MARS
MORENTLY PRES
DREED SNOP IN BREVIALLEY AND ON MARS

Antarctic Science is available online at: http://journals.cambridge.org/ans

#### To subscribe contact Customer Services

in Cambridge: Phone +44 (0)1223 326070 Fax +44 (0)1223 325150 Email journals@cambridge.org

in New York: Phone +1 (845) 353 7500 Fax +1 (845) 353 4141 Email subscriptions\_newyork@cambridge.org



#### BRITISH LICHEN SOCIETY

#### **OFFICERS AND CONTACTS 2012**

President

B. P. Hilton, Ph.D., P.G.C.E., F.R.S.A., Beauregard, 5 Alscott Gardens, Alverdiscott, Barnstaple, Devon EX31 3PT

Vice President

J. M. Simkin, Ph.D., 41 North Road, Ponteland, Newcastle-upon-Tyne, NE20 9UN

Secretary

C. J. Ellis, Ph.D., Royal Botanic Garden Edinburgh, 20A Inverleith Row, Edinburgh, Lothian EH3 5LR (email: c.ellis@rbge.ac.uk)

Treasurer

J. F. Skinner, 28 Parkanaur Avenue, Southend-on-Sea, Essex SS1 3HY

Assistant Treasurer and Membership Secretary H. Döring, Ph.D., Mycology Section, Royal Botanic Gardens, Kew, Richmond, Surrey TW9 3AB, (email: h.doring@kew.org)

Regional Treasurers J. W. Hinds, Ph.D., 254 Forest Avenue, Orono, Maine 04473-3202, USA (Americas)

Senior Editor (Lichenologist) P. D. Crittenden, Ph.D., School of Biology, The University of Nottingham, University Park, Nottingham NG7 2RD

*Editor* (Bulletin) P. F. Cannon, Ph.D., CABI and Royal Botanic Gardens Kew; postal address Royal Botanic Gardens, Kew, Richmond, Surrey TW9 3AB

Conservation Officer B. W. Edwards, Dorset Environmental Record Centre, Library Headquarters, Colliton Park, Dorchester, Dorset DT1 1XJ

Mapping Recorder and Archivist M. R. D. Seaward, D.Sc., F.L.S., F.I.Biol., Department of Environmental Science, The University, Bradford, West Yorkshire BD7 1DP

Librarian

R. G. Woods, B.Sc., Ty Mawr Mill, Llanfihangel Brynpabuan, Builth Wells, Powys LD2 3SH

*Curator* R. K. Brinklow, B.Sc., c/o Dundee Museums and Art Galleries, Albert Square,

Dundee DD1 1DA, www.herbarium@britishlichensociety.org.uk

Field Meetings Secretary

S. G. Price, Woodlands, Combs Road, Combs, High Peak, Derbyshire SK23 9UP

Members of Council

G. Boswell A. J. Britton T. E. Greenaway C. Gueidan D. L. Hawksworth L. Knight A. Pentecost M. Powell A. J. Silverside

Membership of the British Lichen Society is open to all individuals (not institutions) anywhere in the world interested in any part of lichenology. Subscriptions, due on joining and afterwards on 1 January each year, are: ordinary members, £30; electronic members, £25; associate members, £22; senior associate members, £10; junior associate members, £5.00 (US dollar rates are double the sterling rates). Members receive the *Bulletin* of the British Lichen Society and issues of *The Lichenologist* published in the year they join, and afterwards while they remain members of the Society, free of charge. Associate members do not receive *The Lichenologist*. Details of the membership, facilities and activities of the Society and an application form may be found on the British Lichen Society web site at http://www.theBLS.org.uk or obtained from the Membership Secretary (address above).

# The Lichenologist

#### Volume 44 Part 6 November 2012

#### Articles

FRYDAY, A. M. and COPPINS, B. J.	New taxa, reports, and names of lichenized and lichenicolous fungi, mainly from the Scottish Highlands	723
APTROOT, A. and YAZICI, K.	A new Placopyrenium (Verrucariaceae) from Turkey	739
CZARNOTA, P. and GUZOW- KRZEMIŃSKA, B.	ITS rDNA data confirm a delimitation of <i>Bacidina</i> <i>arnoldiana</i> and <i>B. sulphurella</i> and support a description of a new species within the genus <i>Bacidina</i>	743
MARK, K., SAAG, L., SAAG, A., THELL, A. and RANDLANE, T.	Testing morphology-based delimitation of <i>Vulpicida</i> <i>juniperinus</i> and <i>V. tubulosus</i> ( <i>Parmeliaceae</i> ) using three molecular markers	757
SINGH, K. P. and SINGH, P.	A new species of <i>Pyrgillus</i> from India	773
JØRGENSEN, P. M., MYLLYS, L., VELMALA, S. and WANG, LS.	<i>Bryoria rigida</i> , a new Asian lichen species from the Himalayan region	777
WEI, XL. and WEI, JC.	A study of the pruinose species of <i>Hypogymnia</i> ( <i>Parmeliaceae</i> , Ascomycota) from China	783
KANTVILAS, G.	Further new species of <i>Menegazzia (Parmeliaceae, Lecanorales)</i>	795
ZHURBENKO, M. P. and BRAUN, U.	<i>Cecidiomyces</i> , a new subantarctic lichenicolous hyphomycete genus	801
SILVA CÁCERES, M. E. da, SANTOS VIEIRA, T. dos, DE JESUS, L. S. and LÜCKING, R.	New and interesting lichens from the Caxiuanã National Forest in the Brazilian Amazon	807
BENATTI, M. N. and ELIX, J. A.	The true identity of <i>Bulbothrix goebelii</i> (Zenker) Hale and the re-establishment of some of its synonyms as accepted species	813
BECKETT, R. P., MINIBAYEVA, F. V. and LIERS, C.	Occurrence of high tyrosinase activity in the non- Peltigeralean lichen <i>Dermatocarpon miniatum</i> (L.) W. Mann	827
Short Communications		
OROCK, E. A., LEAVITT, S. D., FONGE, B. A., St. CLAIR, L. L. and LUMBSCH, H. T.	DNA-based identification of lichen-forming fungi: can publicly available sequence databases aid in lichen diversity inventories of Mount Cameroon (West Africa)?	833
FAVERO-LONGO, S. E. and PIERVITTORI, R.	Cultivation of isidia and transplantation of adult thalli of <i>Xanthoparmelia tinctina</i> in an abandoned asbestos mine	840
Book Reviews		845

The Lichenologist, Vol. 44, Part 6 was published on 8 October 2012

### Cambridge Journals Online

For further information about this journal please go to the journal website at: journals.cambridge.org/lic **CAMBRIDGE** UNIVERSITY PRESS