



## Erratum

**Cite this article:** Dalir S, Hajiqanbar H, Fathipour Y, Khanamani M (2025) Effectiveness of the predatory mite *Neoseiulus cucumeris* on two-spotted spider mite and western flower thrips: A quantitative assessment - Erratum. *Bulletin of Entomological Research*, 1. <https://doi.org/10.1017/S0007485325000239>

# Effectiveness of the predatory mite *Neoseiulus cucumeris* on two-spotted spider mite and western flower thrips: A quantitative assessment - Erratum

Sajjad Dalir<sup>1</sup>, Hamidreza Hajiqanbar<sup>1</sup>, Yaghoub Fathipour<sup>1</sup> and Mostafa Khanamani<sup>2</sup>

<sup>1</sup>Department of Entomology, Faculty of Agriculture, Tarbiat Modares University, Tehran, Iran and <sup>2</sup>Department of Plant Protection, Faculty of Agriculture, University of Jiroft, Kerman, Iran

<https://doi.org/10.1017/S0007485325000033>, Published online by Cambridge University Press: 7 February 2025

When this article was originally published in the Bulletin of Entomological Research it omitted to include Yaghoub Fathipour as a corresponding author. This article has since been updated to include Dr. Fathipour as a corresponding author as originally intended by the authors.

The publisher apologises for this error.

## References

Dalir S, Hajiqanbar H, Fathipour Y, Khanamani M (2025) Effectiveness of the predatory mite *Neoseiulus cucumeris* on two-spotted spider mite and western flower thrips: A quantitative assessment. *Bulletin of Entomological Research* 115(2), 184–193. doi:[10.1017/S0007485325000033](https://doi.org/10.1017/S0007485325000033)