

# INDIAN JOURNAL OF DAIRY SCIENCE

Volume 27, No. 1

March 1974

## CONTENTS

- Reactivation studies with purified alkaline phosphatase of buffalo milk by R. S. SHARMA and N. C. GANGULI.
- Inter-relationship between fat and protein in the milk of Surti buffalo by S. H. VYAS and B. C. PATEL.
- The mineral status and renneting behaviour of abnormal milk by L. N. SINGH and N. C. GANGULI.
- Solubility of milk solids in buffalo milk by O. N. MATHUR, (Miss) S. PADMA and N. K. ROY.
- Studies on aerobic spore forming bacteria in milk and milk products. Part I. Occurrence in raw and pasteurised milk by J. S. ATWAL, D. N. SHROFF, RATTAN CHAND and R. A. SRINIVASAN.
- Proteolytic activity of *Streptococcus lactis* C<sub>10</sub> in natural milk system by R. S. RAWAT, A. K. CHOWDHERY and E. M. MIKOLAJCIK.
- Production of vitamin B<sub>12</sub> by *Propionibacterium shermanii* in whey by P. A. SHANKAR, P. P. BAMBHA and V. K. N. NAMBU DRIPAD.
- Chemical composition of fodder jowar (*Andropogon sorghum* syn. *Sorghum vulgare*) at different stages of maturity and utilization of minerals in prime jowar (90 days' old) by cattle by M. N. AMRITHKUMAR, M. C. VENKITACHAR, A. SUBBA RAO and S. R. SAMPAT.
- Mineral balances with dairy cows as related to dietary grain forage ratios and stage of lactation by K. PRADHAN, R. W. HEMKEN, W. P. FLATT and P. W. MOE.
- The effect of month and season upon the breeding efficiency of Haryana cows with artificial insemination under farm management by A. S. GREWAL, H. L. ABHI and M. P. NAGPAL.
- Peak yield and days to attain peak yield in Brown Swiss cross-bred (Karan-Swiss) cows by R. S. CHAUHAN, R. R. MISRA and D. S. BHATNAGAR.
- Standardisation of milk yield records of Sahiwal herd with respect to age by RAM KUMAR CHOWDHARY, MAHABIR PRASHAD and P. N. SAXENA.
- Relative economic efficiency of cross-bred and pure bred cows and Murrah buffaloes by BHUPAL SINGH and B. K. RASTOGI.

### Short Communications

- Chemical composition and nutritive value of Berseem (*Trifolium alexandrinum*) hay fed to buffalo heifers by A. L. TAPARIA and B. M. THANWAR.
- Detection of straight chain (C<sub>7</sub>-C<sub>8</sub>) carboxylic acids in cheese by thin layer chromatography by S. E. S. E. RAKSHY, M. A. EL-SODA and M. K. TAHOON.
- Market survey of chemical quality of *Khoa* in Bombay by I. T. ZARIWALA, U. P. SHARMA and K. S. GYAKWAD.
- Utilisation of *paneer* whey for the preparation of flavour concentrates by MADAN LAL. M. P. TIWARI and V. K. N. NAMBU DRIPAD.

Price Rs. 20/- (\$6.00 or £2.00) per annum

Published by INDIAN DAIRY SCIENCE ASSOCIATION

W-III A, Greater Kailash, New Delhi-48, INDIA

## DIRECTIONS TO CONTRIBUTORS

### GENERAL

Papers submitted for publication should be sent to Dr H. Burton (*The Journal of Dairy Research*), National Institute for Research in Dairying, Shinfield, Reading, RG2 9AT, England. Submission of a paper will be held to imply that it reports unpublished original work, that it is not under consideration for publication elsewhere, and that if accepted for the *Journal* it will not be published elsewhere in English or in any other language, without the consent of the Editors.

### FORM OF PAPERS

The onus of preparing a paper in a form suitable for sending to press lies in the first place with the author who, in his own interests, should follow these directions carefully, and consult a current issue of the *Journal* for guidance on details of typographical and other conventions.

Every paper should be headed with its title, the names and initials of the authors (women supplying one given name) and the name and address of the laboratory where the work was done.

Papers should be in English, the spelling being that of the *Shorter Oxford English Dictionary*. They should be typed with double spacing, on one side only of the sheets, and with ample margins for editorial annotations.

Papers should in general be divided into the following parts in the order indicated: (a) Summary, brief and self-contained; (b) Introductory paragraphs, briefly explaining the object of the work but without giving an extensive account of the literature; (c) Experimental or Methods; (d) Results; (e) Discussion and Conclusions; (f) Acknowledgements without a heading; (g) References. Only with some exceptional types of material will headings different from (c), (d) and (e) be necessary.

The use of footnotes should be avoided if possible. Underlining should be used only to indicate italics. Proper nouns, including trade names, should be given a capital initial letter. Wherever possible numerals should be used unless this leads to ambiguity. The typescript should carry the name and address of the person to whom the proofs are to be sent, and give a shortened version of the paper's title, not exceeding 45 letters and spaces, suitable for a running title in the *Journal*.

### TABLES

Tables should be numbered and should carry headings describing their content. They should be comprehensible without reference to the text. They should be typed on separate sheets and their approximate positions in the text indicated. To minimize the cost of printing, the number of tables should be kept to a minimum.

### ILLUSTRATIONS

Line drawings, which must be originals, should be numbered as Figures and photographs as Plates, in Arabic numerals. Drawings should be in Indian ink, on Bristol board or cartridge paper. However, a technique which may be more convenient to authors is to use a double-sized piece of tracing paper, or translucent graph paper faintly lined in blue or grey, folded down the centre with the drawing on one half and the other half acting as a flyleaf.

Attached to every figure and plate there should be a translucent flyleaf cover on the outside of which should

be written legibly: (a) title of paper and name of author; (b) figure or plate number and explanatory legend; (c) the figures and lettering, which are intended to appear on the finished block, in the correct positions relative to the drawing underneath. For each paper there should be also a separate typed sheet listing figure and plate numbers with their legends, and the approximate positions of illustrations should be indicated in the text.

As a rule the photographs and diagrams should be about twice the size of the finished block and not larger over-all than the sheets on which the paper itself is typed. For general guidance in preparing diagrams, it is suggested that for a figure measuring 250 mm × 150 mm all lines, axes and curves should have a thickness of 0.4 mm, thus ———. Graph symbols in order of preference are ○ ●, △ ▲, □ ■, × +, and for a 250 mm × 150 mm graph the circles should be 3 mm in diam. The triangles should be equilateral of 3 mm side, and the squares also of 3 mm side. The crosses should have lines 3 mm long at right angles. Scale marks on the axes should be on the inner side of each axis and should be 3 mm long.

To minimize the cost of blockmaking, the number of illustrations should be kept to a minimum.

### REFERENCES

In the text, references should be quoted by whichever of the following ways is appropriate: Arnold & Barnard (1900); Arnold & Barnard (1900a); Arnold & Barnard (1900a, b); (Arnold & Barnard, 1900). Give all the surnames of 3 authors at the first mention, but in subsequent citations and in all cases where there are more than 3 authors give only the first surname (e.g. Brown *et al.*) provided that there is no possible ambiguity. Reference to anonymous sources is not acceptable.

References should be listed alphabetically at the end of the paper. Titles of journals should be given in full, authors' initials should be included, and each reference should be punctuated in the typescript thus: Arnold, T. B., Barnard, R. N. & Compound, P. J. (1900). *Journal of Dairy Research* 18, 158. References to books should include names of authors, names of editors, year of publication, title, town of publication and name of publisher in that order, thus: Arnold, T. B. (1900). *Dairying*. London: Brown and Chester.

It is the duty of the author to check all references.

### SYMBOLS AND ABBREVIATIONS

The symbols and abbreviations used are those of British Standard 1991: Part 1: 1967. *Letter Symbols, Signs and Abbreviations*.

### DESCRIPTIONS OF SOLUTIONS

Normality and molarity should be indicated thus: N-HCl, 0.1 M-NaH<sub>2</sub>PO<sub>4</sub>. The term '%' means g/100 g solution. For ml/100 ml solution the term '% (v/v)' should be used and for g/100 ml solution the correct abbreviation is '% (w/v)'.

### REPRINTS

Order forms giving quotations for reprints are sent to authors with their proofs.

CONTENTS

Cavitation and separated flow in a simple homogenizing valve and its influence on the break-up of fat globules in milk L. W. PHIPPS	pages 1-8
The influence of lysolecithin on the complex formation between $\beta$ -lactoglobulin and $\kappa$ -casein O. KORVER and H. MEDER	9-17
Influence of dietary proteins on rennin and pepsin content of preruminant calf vell P. GARNOT, E. VALLES, J.-L. THAPON, R. TOULLEC, R. TOMASSONE and B. RIBADEAU-DUMAS	19-23
Separation and estimation of diacetyl and acetoin in milk. B. WALSH and T. M. COGAN	25-30
Further studies on the estimation of diacetyl by the methods of Prill and Hammer and Owades and Jakovac. B. WALSH and T. M. COGAN	31-35
The effect of reduction and alkylation on the primary phase of rennin action on unheated and heated milk. G. A. WILSON, J. V. WHEELOCK and A. KIRK	37-44
Physico-chemical properties of casein micelles reformed from urea-treated milk. T. C. A. MCGANN and P. F. FOX	45-53
A laboratory-scale ultra-high-temperature milk sterilizer for batch operation. A. G. PERKIN	55-63
Diacetyl, acetoin, 2,3-butyleneglycol, 2-butanone and 2-butanol concentrations in ripening Cheddar cheese. A. R. KEEN and N. J. WALKER	65-71
Formation of methyl ketones during ripening of Cheddar cheese. N. J. WALKER and A. R. KEEN	73-80
Sulphur compounds in relation to Cheddar cheese flavour. D. J. MANNING	81-87
The structure of the deposit formed on the membrane during the concentration of milk by reverse osmosis. F. A. GLOVER and B. E. BROOKER	89-93
Hour-to-hour variation in amino-acid arterio-venous concentration differences across the lactating goat mammary gland. T. B. MEPHAM and J. L. LINZELL	95-100
Effects of intramammary arterial infusion of essential amino acids in the lactating goat. J. L. LINZELL and T. B. MEPHAM	101-109
Effects of intramammary arterial infusion of non-essential amino acids and glucose in the lactating goat. T. B. MEPHAM and J. L. LINZELL	111-121
The effect of phosphates in lowering the amount of deposit formation during the heat treatment of milk. M. BURDETT	123-129
Milk gel structure. II. Relation between firmness and ultrastructure of heat-induced skim-milk gels containing 40-60% total solids. M. KALAB and V. R. HARWALKAR	131-135
The release of intracellular dipeptidase from starter streptococci during Cheddar cheese ripening. B. A. LAW, M. E. SHARPE and B. REITER	137-146
A rennin-sensitive bond in $\alpha_{s1}$ $\beta$ -casein. R. D. HILL, E. LAHAV and D. GIVOL	147-153