The Journal of Laryngology and Otology

EDITED BY
G. H. BATEMAN

ASSISTANT EDITOR LIONEL TAYLOR

Contents

| Radiotherapy of cancer of the | laryn | K . | | | M. LEDERMAN | 867 |
|---|--------|--------|--------|--------|--|-----|
| Pharyngeal fistulae after laryng | gector | ny | | | P. C. DE JONG | |
| | | | | | and W. H. STRUBEN | 897 |
| Local application of ε-aminocap in the prevention of haem | | | | | | |
| lectomŷ | | | | | H. C. OVERBOSCH and H. CH. HART | 905 |
| Extramedullary plasmacytoma | of up | per re | spirat | ory | | |
| tract | | | | | E. H. RAINER | 909 |
| The inheritance of otosclerosis | | | | | A. W. Morrison and Sarah E. Bundey | 007 |
| Oculomotor micro-oscillations | and 41 | | ad of | the . | and SARAH E. DUNDEY | 921 |
| slow phase of nystagmus | and u | e spe | ea or | · | ERIK FLUUR | 933 |
| Clinical records— | | | | | | |
| Delayed conductive deafness | | | | | Ivor J. C. Frew | 939 |
| Carcinoma of frontal sinus | | 389 | | | A. K. SINHA | |
| | | | | and | GOPAL NANDAN PRASAD | 943 |
| 'Multifocal chondroma of neck | | | | | M. L. BHATIA, S. C. MISHRA | |
| | | | | | and A. K. SAHA | 947 |
| Choanal polyp | | | | | U. PRASAD, P. C. SAGAR | |
| | | | | and C | A. N. SHAHUL HAMEED | 951 |
| Solitary plasmacytoma larynx | | | | . P. 1 | K. KAKAR, K. R. GUPTA and P. S. SAHARIA | 955 |
| A self-retaining retractor for tra | nsma | xillar | v sure | erv | ABRAHAM BERKSTEIN | |
| 是 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | | | | | and NOE BARAN | 959 |
| A CONTRACT OF THE PARTY OF THE | | | | | | |

Headley Brothers Ltd

Ashford, Kent

The Journal of Laryngology and Otology

(Founded in 1887 by Morell Mackenzie and Norris Wolfenden)

EDITED BY

G. H. BATEMAN

ASSISTANT EDITOR
LIONEL TAYLOR

1. Original articles which have not been published elsewhere are invited and should be sent to the Editor. They are considered for publication on the understanding that they are contributed to this *Journal* solely. Reproduction elsewhere, in whole or in part, is not permitted without the previous written consent of the Author and Editor and the customary acknowledgement must be made.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced. Captions to illustrations should be typed on a separate sheet and sent at the same time as original photographs, etc.

The Harvard system of recording references should be used, e.g. Green, C., and Brown, D. (1951), Journal of Laryngology and Otology, 65, 33. The titles of all Journals should be given without abbreviation.


- It is most important that authors should verify personally the accuracy of every reference before submitting a paper for publication.
- 3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.
- 4. Illustration blocks will normally be held by the Printers for three years, after which they will be destroyed. Any author is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to Headley Brothers Ltd., The Invicta Press, Ashford, Kent. Coloured illustrations will be charged to authors, unless a special grant is authorized by the Editor.
- 5. Orders for reprints must be sent when returning galley proofs, and for this purpose special forms are supplied.
- 6. Editorial communications may be addressed to The EDITOR, Journal of Laryngology, c/o HEADLEY BROTHERS LTD., The Invicta Press, Ashford, Kent.
- 7. The annual subscription is £8 (eight pounds sterling) post free; U.S.A. \$23 post free, and payable in advance.
- 8. Single copies of current or back numbers (when available) will be on sale at £1 (including postage) each.
- 9. All subscriptions, advertising and business communications should be sent to the publishers, or subscription agents.

HEADLEY BROTHERS LTD.

The Invicta Press, AshFORD, Kent.

O Journal of Laryngology and Otology Ltd., 1970

Don't think!



This knob will do it for you!

We believe at Amplivox that life is difficult enough and that audiometry can become altogether too complicated with the complex tests that are being done today.


We believe that an audiometer should do all the thinking for you. With the Model 103 Clinical Audiometer all audiometric tests can be reached by switching only one knob.

One knob and you can switch to 18 different functions:

- Pure Tone Air Conduction
- Pure Tone Bone Conduction
- Narrow Band Masking
 Will Band (W) its Naise
- Wide Band (White Noise)
 Masking
- Alternate Binaural Loudness Balance
- Simultaneous Binaural Loudness Balance
- Speech, Live Voice
- Speech, Recorded
- Speech with Masking
- SISI Test
- Lüscher DL Test
- Audiometer Weber Test
- SAL Test
- Rainville Test
- Shifting Voice
- Stenger Test
- Modified Stenger Test
- Tone Decay Test

Model 103 engineering is functional engineering with the operator in mind. We believe the audiometer should do the thinking and that the operator should have an easy relaxed life.

| To: Amplivox Hearing Conserva Beresford Avenue, Wembley, Mi Tel: 01-902 8991 | |
|--|-------|
| NAME | |
| ADDRESS | |
| ☐ Please send demonstrator☐ Please send leaflet | JLO 9 |



PETERS CLINIC AUDIOMETERS AND BÉKÉSY

ARE THE IDEAL TOOLS FOR MORE ADVANCED AUDIOMETRY

The Audiometers offer:


- Two continuously variable attenuators accurate to 1 db.
- SISI Test (built-in) and automatic alternate loudness balance switching.
- Maximum attenuation of 120 db for loudness discomfort level tests.
- Narrow band SYNCHRONOUS masking (a new semi-automatic masking technique).
- Full speech test facilities with white noise masking.
- Plug-in circuit boards and operator output checks.
- Conversion to a true BÉKÉSY AUDIOMETER at will.
- Extra features not listed are offered by the AP/6 compared to the AP/5 AUDIOMETER.

write for full details to:

ALFRED PETERS AND SONS LTD GELL STREET SHEFFIELD 3



A new research product



The symptoms of vertigo, tinnitus, nausea and vomiting found in Meniere's Syndrome have been clinically proved to be highly responsive to the early and long-term administration of SERC.

References: 1. Angiology (1965) 16,644. 2. Clin. Med. (1967) 74,63.

3. Eye, Ear, Nose Thr. Monthly (1967) 46,891.

4. Arch. Otolaryng. (1967) 86,610.

Full information is available on request.

duphar Duphar Laboratories, Basingstoke, Hants. Duphar Telephone: Basingstoke 26351



Serc gives new hope to patients with meniere's syndrome measurable relief from vertigo and tinnitus and a possibility of arresting hearing loss

Oto-, Rhino-, Laryngology

Important, up-to-date, and scientifically accurate abstracts of reports from the world's biomedical literature dealing with Oto-, Rhino-, Laryngology are brought to your desk in this monthly publication.

First published in 1948,
Oto-, Rhino-, Laryngology currently contains some 4,750 abstracts each year.

MAIN CHAPTER HEADINGS

- 1. SKULL
- 2. FACE AND LIPS
- 3. MOUTH
- 4. TONGUE
- 5. SALIVARY GLANDS
- 6. NECK
- 7. PHARYNX
- 8. ESOPHAGUS
- 9. LARYNX
- 10. TRACHEA
- 11. BRONCHI, LUNGS, MEDIASTINUM
- 12. OLFACTORY SYSTEM
- 13. EXTERNAL NOSE
- 14. NASAL CAVITY
- 15. NASAL SEPTUM


- 16. NASOPHARYNX
- 17. NASAL SINUSES
- 18. EXTERNAL EAR
- 19. MIDDLE EAR
- 20. INTERNAL EAR'
- 21. OTOSCLEROSIS
- 22. MENIERE DISEASE
- 23. FACIAL NERVE
- 24. VESTIBULAR SYSTEM
- 25. CEREBELLOPONTINE ANGLE TUMORS
- 26. HEARING
- 27. SPEECH
- 28. PHONIATRICS
- 29. ANESTHESIA

Specimen copies are available on request.

Annual Subscription Rate: U.S. \$50.00/£20. 19. 0d. Sterling/Dfl. 180,00

EXCERPTA MEDICA

Herengracht 119-123, Amsterdam, The Netherlands



the drop that soothes and clears infected ears

soothes by reducing inflammation with hydrocortisone clears by rapidly destroying virtually all bacteria commonly found in ear infections

OTOSPORIN drops contain polymyxin B sulphate, neomycin sulphate and hydrocortisone in a bland suspension designed to facilitate penetration. Supplied in dropper bottles of 5 ml. Full information is available on request.

*Trade Mark OTOSDC



THE LARYNGOSCOPE

A Monthly Journal devoted to the disease of EAR, NOSE AND THROAT

Official organ for the American Laryngological Rhinological and Otological Society

Price \$22.00 per year Canada \$23.00 per year Foreign \$23.00 per year

ESTABLISHED 1896

THEODORE E. WALSH, M.D. EDITOR

222 PINE LAKE ROAD, COLLINSVILLE, ILLINOIS 62234


For advertisement space in this Journal

apply to

HEADLEY BROTHERS LTD.

Ashford, Kent

New for the infected ear OTOSEPTIL eardrops



Containing a broad spectrum antibiotic and possessing antifungal properties

Candida and aspergillus are found in about 20% of cases of otitis externa. Otoseptil ear drops destroy both pathogenic bacteria and fungi commonly found in ear infections.

Otoseptil ear drops contain:

Neomycin Undecylenate — antibacterial and antifungal.

Tyrothricin — active against gram-positive cocci.

(Containing gramicidin and tyrocin).

Hydrocortisone alcohol — anti-inflammatory.


Ethylene oxide polyoxypropylene glycol condensate— to ensure rapid tissue contact.

Otoseptil ear drops control infection, relieve pain, erythema and itching. Neomycin Undecylenate was researched by H R Napp Ltd. Presentation: 8 ml bottle with separate dropper.

Samples and full information available to the medical profession upon request. H R Napp Ltd Watford wd2 7RA England

A new product by Napp - Developed by International Research Group. Dedicated to Physician and Patient for over 40 years.

Tegretol® controls seizures without sedation and improves behaviour and mood



Please mention The Journal of Laryngology and Otology when replying to advertisements