

The Journal of Laryngology and Otology

EDITED BY
WALTER HOWARTH

WITH THE ASSISTANCE OF
W. M. MOLLISON

Contents

SURGERY OF AURAL SUPPURATION AFTER RADICAL
MASTOIDECTOMY J. A. HARPMAN

A NEW METHOD OF TRANSVERSE PHARYNGOTOMY A. RÉTHI

THE TREATMENT OF INFLAMMATIONS OF THE INNER
EAR BY SULFA-DRUGS A. A. J. VAN EGMOND
and L. B. W. JONGKEES

CLINICAL RECORDS—

A CASE OF GAS-FILLED ABSCESS IN THE TEMPORAL
LOBE WILLIAM MCKENZIE

A CASE OF SUBMUCOUS ABSCESS OF THE
OESOPHAGUS J. V. CLARK

SOCIETIES' PROCEEDINGS—

ROYAL SOCIETY OF MEDICINE—SECTION OF OTOTOLOGY

ABSTRACTS—

THE EAR THE TONSIL MISCELLANEOUS
THE NOSE THE LARYNX

London

Headley Brothers

109 Kingsway, W.C.2

Monthly, 4/- net post free

Annual Subscriptions 40/- net

The Journal of Laryngology and Otology

(Founded in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY

WALTER HOWARTH

ASSISTED BY


W. M. MOLLISON

1. Original Articles are accepted on the condition that they have not been published elsewhere.
2. Manuscripts should be typewritten, on one side only of the paper, and well spaced.
3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked and no additional matter added.
4. Orders for reprints should be sent when returning galley proofs, and for this purpose special forms are supplied, on which the price of the reprints is stated.
5. Authors of Original Communications on Oto-Laryngology in other Journals are invited to send a copy, or two reprints, to the *Journal of Laryngology*. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.
6. Editorial Communications may be addressed to THE EDITOR, *Journal of Laryngology*, c/o HEADLEY BROTHERS, 109 Kingsway, London, W.C.2.
7. The Annual Subscription commencing with the January issue is Two Pounds sterling, post free, and is payable in advance.
8. Single copies, both of the present and the previous series, are on sale at Four Shillings each.
9. All Subscriptions, advertising and business communications should be sent to the Publishers, HEADLEY BROTHERS, 109 Kingsway, London, W.C.2.


United States of America

Orders for this Journal may be sent either through a local bookseller, or to Messrs. G. E. STECHERT & Co., 31-33 East 10th Street, New York, or may be sent direct to the Publishers, HEADLEY BROTHERS, 109 Kingsway, London, W.C.2, England.

Please mention *The Journal of Laryngology* when replying to advertisements



**NEGUS' ENDOSCOPIC TABLE
WITH SUCTION PUMP**



**Cesophagoscope with detachable Suction Tube and Proximal
Lighting as designed for V. E. NEGUS, M.S., F.R.C.S.
Obtainable in 4 sizes**

MADE BY


THE G_{ENITO.} U_{RINARY} MFG. CO. LTD.

28a DEVONSHIRE STREET, LONDON, W.1

Telephone:
WELBECK 2835 (3 lines)

Telegrams:
CYSTOSCOPE, WESDO, LONDON


Please mention *The Journal of Laryngology* when replying to advertisements





WATER

SUCTION APPARATUS

Particulars on application



FOOT POWER



ELECTRIC

DOWN BROS. & MAYER & PHELPS Ltd.

Correspondence: 23 PARK HILL RISE, CROYDON

Telephone: Croydon 6133, 6134, 6135

Showrooms: 32/34 NEW CAVENDISH STREET, LONDON, W.1

Telephone: WELBECK 3764

DOWN BROS. AND MAYER & PHELPS HAVE AMALGAMATED.
THE PERSONAL MANagements REMAIN AS HERETOFORE.

Please mention *The Journal of Laryngology* when replying to advertisements

PRESCRIBE THE EASY EFFECTIVE METHOD

When spraying, the patient can hold his head in a natural position, yet the solution spreads throughout the nasal cavity, assuring thorough treatment. Effective dropper-application, on the other hand, requires a complicated posture technique which patients are apt to neglect in home treatment.



**DeVilbiss
ATOMIZERS**



DROPPER ?



ATOMIZER?

These illustrations, which are based on X-ray research, clearly demonstrate the advantages of the atomizer as compared with the dropper
The **AEROGRAPH Co., Ltd.**, Lower Sydenham, London, S.E.26
Sole Distributors of DeVilbiss Products in the United Kingdom.
Telephones: Sydenham 6060—8 Lines.

CVS—225

FOR ORAL MEDICATION

**KERFOOTS
Proflavine
LOZENGES**

enable the affected tissues to be bathed in a naturally buffered antiseptic solution.

Each contains Proflavine Sulphate 3 mg. In bottles of 30 and 500



**KERFOOTS
Sulphanilamide
LOZENGES**

are of special value in throat affections due to local streptococcal infection.

Each contains Sulphanilamide gr. 1 In bottles of 50 and 500

Professional samples on request.

Thomas Kerfoot & Co. Ltd., Vale of Bardsley, Lancashire

K17

Please mention *The Journal of Laryngology* when replying to advertisements


CHRONALGICIN

(*Benger*)

EAR DROPS

for

CHRONIC SUPPURATIVE OTITIS MEDIA



Relieves Congestion

Removes Debris

Controls Infection

Promotes Drainage

Destroys Odour

Eliminates Discharge

Combines Urea, Ephedrine, Silver Proteinate, Phenyl Mercuric Nitrate for effective action.


*In acute otitis media
"AURALGICIN" (*Benger*)
is indicated.*

Further information can be obtained from our Medical Department:

BENGER'S LIMITED, HOLMES CHAPEL, CHESHIRE

Please mention *The Journal of Laryngology* when replying to advertisements

THE AMPLIVOX AUDIOMETER



The Basic Instrument of Modern Otology

NEW TESTS NOW POSSIBLE

Speech-loss measurement in decibels now obtainable through dynamic microphone and speech input meter.

Loudness balance control gives measurement of the recruitment factor.

Input for group-test equipment and gramophone.

CONSISTENT ACCURACY OF RESULTS

Eleven exact test frequencies 125-12,000 c.p.s.

Voltage compensation ensures that signal intensity does not vary should mains voltage do so.

CALIBRATED MASKING TONE

Masking intensity varies equally with normal hearing acuity over range 125-4,000 c.p.s., permitting accurate masking control. Calibrated in decibels.

SIMPLICITY OF OPERATION

Twin matched headphones (on double headband) for all air conduction tests; bone conductor on single headband, or interchangeable with one 'phone.

Hearing Loss dial calibrated in 5 dB steps from minus 10 dB to plus 100 dB.

Same figures on dial are read for air and bone conduction, and for all frequencies.

Full details are available from the manufacturer, who will gladly arrange demonstrations, if required.

AMPLIVOX LTD., 2 BENTINCK ST., LONDON, W.I. (Welbeck 2591)

Please mention *The Journal of Laryngology* when replying to advertisements

NOW READY

THE ACOUSTIC METHOD

For the Training of the Deaf and Hard-of-Hearing Child

By **MAX A. GOLDSTEIN, M.D., LL.D.**

This Volume contains 244 pages; 50 illustrations

Textile Leather (Waterproof) Binding

\$3.00 Postage Prepaid

Twelve chapters, including Evolution of the Acoustic Method — Definition and Principles of the Acoustic Method — The Practice of the Acoustic Method — The Pupil: (1) The Deaf Child; (2) The Hard-of-Hearing Child; (3) The Pre-School Deaf Child — The Teacher — Case Recording — Tests of Hearing — Audiometers — The Audiogram — Hearing Aids — Tactile Training — Anatomy of the Ear.

Published by **THE LARYNGOSCOPE PRESS**

640 South Kingshighway

St. Louis, Mo.

BINDING

Journal of Laryngology & Otology

Subscribers wishing to have their Journals bound can do so by sending them to the Publishers.

Volumes are strongly bound in whole dark blue buckram cases, with gold lettering on spine. The cost of binding is 15s. per volume, including postage.

Missing parts can be supplied at 4s. each, or the whole volume, complete in the above binding, for 50s.

Publishers' cases can be supplied for 5s.

HEADLEY BROTHERS, 109 KINGSWAY, LONDON, W.C.2

Please mention *The Journal of Laryngology* when replying to advertisements

Contributions to Aviation Otolaryngology

By Air-Commodore

E. D. DALZIEL DICKSON

and other members of the Royal Air Force
Otolaryngological Department

including G. H. Bateman, J. F. Simpson, A. W. G. Ewing,
T. S. Littler, T. M. Banham, A. C. P. Campbell,
J. E. G. McGibbon, W. M. L. Turner, W. H. Winfield,
W. Harvey, D. B. Fry, G. E. Swindell, R. E. C. Brown.

Reprinted from the Journal of Laryngology and Otology

Now available in one volume. 258 pages and 37 plates

Price 20s. (including postage)

The Journal of Laryngology and Otology Index for Volumes XLVI—LV 1931—1940

This comprehensive Author and Subject Index has
been prepared and is now available to subscribers.

Price 10s. per copy (including postage)

Published by

HEADLEY BROTHERS

109 KINGSWAY, LONDON, W.C.2

Please mention *The Journal of Laryngology* when replying to advertisements

CONTENTS

	PAGE
SURGERY OF AURAL SUPPURATION AFTER RADICAL MASTOIDECTOMY. J. A. Harpman (Warwick)	435
A NEW METHOD OF TRANSVERSE PHARYNGOTOMY. A. Réthi (Budapest)	440
THE TREATMENT OF INFLAMMATIONS OF THE INNER EAR BY SULFA-DRUGS. A. A. J. van Egmond and L. B. W. Jongkees (Utrecht)	447
CLINICAL RECORDS—	
A Case of Gas-filled Abscess in the Temporal Lobe. William McKenzie (London)	460
A Case of Submucous Abscess of the Oesophagus. J. V. Clark (Tunbridge Wells)	461
SOCIETIES' PROCEEDINGS—	
Royal Society of Medicine—Section of Otology	465
ABSTRACTS—	
Ear	477
Nonvibratory Tinnitus: factors underlying Subaudible and Audible Irritations. E. P. Fowler, M.D.; Ménière's Disease. Terence Cawthorne; Cerebral Edema stimulating Orogenous Temporal Lobe Abscess. A. and H. Reisner; Factors in Otosclerotic Deafness. F. Miskolczy-Fodor.	
Nose	479
Plastic Repair of the obstructing Nasal Septum. Samuel Fomon, M.D., J. G. Gilbert, M.D., A. G. Silver, M.D., and V. R. Syracuse, M.D.; Nasal hæmorrhage: studies of Ascorbic Acid, Prothrombin and Vitamin K. H. Neivert, M.D., Recha Engelberg, Ph.D., and L. A. Pirk, Ph.D.; Subdural Empyema secondary to Frontal Sinusitis. Frank M. Anderson; The Histologic effect of repeated application of certain Nose Drops to the Nasal Mucous Membrane of Rabbits. Robert E. Ryan; The use of Streptomycin in the treatment of Diffuse External Otitis. B. H. Senturia and R. H. Broh-Kahn; The Classification and treatment of patients with Chronic Nasal Symptoms. Edward D. King; Congenital Choanal Atresia: A new surgical approach. William K. Wright, G. E. Shambaugh (Jnr.) and Lois Green.	
Tonsil	482
The question of Prothrombinopenic Hæmorrhage from Post-Tonsillectomy use of chewing gum containing Acetylsalicylic Acid. G. S. Livingston, M.D., and Edward R. Neary, M.D.	
Larynx	483
Laryngeal Polypoid Granuloma following Intratracheal Anæsthesia. Harold S. Tuft and Simon H. Ratner; Granuloma of the Larynx; A late complication of Endotracheal Anæsthesia. Lewis W. Barton.	
Miscellaneous	483
Chemical Meningitis following use of Tyrothricin: A clinical and experimental study. F. J. Otenasek, M.D. and D. Fairman, M.D.; Some present day concepts of Headache. Joseph H. Hersh; The treatment of certain specific types of Headache with Histamine. French K. Hansel; Acoustic Neuritis associated with Keratitis. Donald K. Lewis; Endocranial complications in chronic Meso-tympanic Otitis. B. Kecht; On the applicability of Ventriculo- and Encephalography in Oto-rhinology. O. Novotny.	