

PREPARATION OF MANUSCRIPTS

Authors of articles submitted for publication in the Journal are asked to ensure that their manuscripts are in a form suitable for sending to the printer. The necessary preparation should be done by the author before initial submission. We set out below a brief statement of the main points we ask authors to observe.

1. The author should keep a complete copy of the submitted article.

2. Manuscripts should be typed, on high quality quarto bond paper, on one side only, with at least double spacing, and with a margin of at least one and a half inches all around. A duplicate copy should accompany the submitted manuscript.

3. Do not supply a separate title page. Adopt the form of heading in use in the Journal, leaving a space for insertion of the date of receipt. If the title is long, supply also a shortened form of title. If the author wishes to give acknowledgements of support and the like, these should be given in the body of the article, or by footnote attached to the name of the author. Affiliation is shown at the end of the article, not at the beginning.

4. The ordinary forms of grammar should be observed, both in the text and in the mathematics, including the displayed formulae. In particular, please ensure that the punctuation carries through the mathematics in the proper manner. Eschew abbreviations such as "eqn", "etc.", "Thm", "w.r.t.". Spelling and use of hyphens should be consistent.

5. Authors are asked to note the following points, and to mark the manuscript accordingly.

(a) Latin italics are indicated by a single underline, thus: \underline{a} , \underline{A} . Such symbols need not be so indicated when they occur in displayed formulae, but should be underlined when they appear in the text if there is any possibility of ambiguity. Formal statements of lemmas and theorems are in italics, and should be so shown in the manuscript. See also 6 below.

(b) Explain clearly what symbols, if any, are to be set in script and fraktur (= German) founts, and what is required with any unusual symbols. This is best done by attaching to the manuscript a separate page, entitled "Notes to the compositor", in which the author's conventions and requirements are fully and clearly set out, and by drawing attention to particular symbols at their first appearance in the manuscript.

Symbols which might be confused with others, for example α , a , d , should be described at their first appearance in the manuscript. When used as order symbols, o and O should be shown as \underline{o} , \underline{O} .

(c) References in the text to other articles listed at the end are by Roman numerals in square brackets. The preferred style for listing references at the end is shown by the following examples:

- [1] E. A. Clarkson and Y. Midei, 'Weakly open translation-invariant functionals', *Ann. of Math.* (2) 42 (1941), 276—285.
- [2] L. Grüsschen, 'Quasi-ergodic theorems', *J. Aust. Math. Soc.* 2 (1960), 2—3.
- [3] L. Grüsschen, 'Pseudo-quasi-ergodic theorems', *J. Aust. Math. Soc.* 4 (1964), 479—495.
- [4] I. N. Märchenmacher, *Introduction to Cybernetics* (G.U.P., 2nd ed. 1962).

6. The setting out of the manuscript should imitate as closely as possible the intended final printed pages, particularly with regard to paragraphing, indentation of paragraphs, use and spacing of displayed formulae. Indent the titles LEMMA, THEOREM, PROOF, REMARK, and the like. Such words will appear correctly in small capitals if they are underlined thus:

LEMMA.

The Journal places main headings centrally, and equation numbers on the left. Please observe these conventions. Boldface type is used for main headings and should be shown thus:

2. Preliminaries

THE JOURNAL

Manuscripts (two copies) for publication should be sent either to the editor or to the appropriate associate editor at the address given in the list below. Manuscripts should be typewritten on good quality quarto sized white paper, the typing should be double spaced, on one side of the paper only, and there should be wide (at least $1\frac{1}{4}$ inches) margins all round. Authors are asked to read the section "Preparation of Manuscripts" on the opposite page.

Correspondence concerning the printing of papers after their acceptance for publication should be addressed to the assistant editor, A. R. JONES, Department of Mathematics, La Trobe University, Bundoora, Victoria 3083.

Authors receive 50 free offprints of their papers; additional offprints may be ordered at cost. Excessive costs incurred by the Society through corrections to or the withdrawal of articles may be charged to the authors concerned.

Each volume of the Journal consists of four parts. The price is \$ 15.

Editor

B. MOND, Department of Mathematics, La Trobe University, Bundoora, Victoria 3083.

Associate Editors

E. S. BARNES,
Department of Mathematics,
University of Adelaide,
Adelaide, South Australia 5001.

C. A. HURST,
Department of Mathematical
Physics,
University of Adelaide,
Adelaide, South Australia 5001.

G. B. PRESTON,
Department of Mathematics,
Monash University,
Clayton, Victoria 3168.

G. SZEKERES,
School of Mathematics,
The University of New South Wales,
P.O. Box 1,
Kensington, N.S.W. 2033.

J. N. CROSSLEY,
Department of Mathematics,
Monash University,
Clayton, Victoria 3168.

J. B. MILLER,
Department of Mathematics,
Monash University,
Clayton, Victoria 3168,

J. P. O. SILBERSTEIN,
Department of Mathematics,
The University of Western
Australia,
Nedlands, Western Australia 6009

J. VIRSIK
Department of Mathematics,
Monash University,
Clayton, Victoria 3168.

K. C. WESTFOLD,
Faculty of Science,
Monash University,
Clayton, Victoria 3168.

P. D. FINCH,
Department of Mathematics,
Monash University,
Clayton, Victoria 3168.

A. F. PILLOW,
Department of Mathematics,
University of Queensland,
St. Lucia, Queensland 4067.

E. STRZELECKI,
Department of Mathematics,
Monash University,
Clayton, Victoria 3168.

G. E. WALL,
Department of Mathematics
(Pure Mathematics),
University of Sydney,
Sydney, N.S.W. 2006.

N. A. WIEGMAN	<i>Quasi-normal matrices and products</i>	329
JOHN COSSEY	<i>On decomposable varieties of groups</i>	340
J. M. GOETHALS and J. J. SEIDEL	<i>A skew Hadamard matrix of order 36</i>	343
MIREILLE P. GRILLET	<i>Examples of semirings of endomorphisms of semi- groups</i>	345
T. E. HALL	<i>The radical of the algebra of any finite semigroup over any field.</i>	350
M. R. VAUGHAN-LEE	<i>On the laws of some varieties of groups</i>	353
ALEXANDER ABIAN	<i>Direct-sum decomposition of atomic and orthogo- nally complete rings</i>	357
C. T. NG	<i>Uniqueness theorems for a general class of func- tional equations.</i>	362
HELEN HUTCHENS and R. G. KEATS	<i>The convolutional approach to the estimation of spectral maxima directly from the autocovari- ance function</i>	367
S. LIGH and J. J. MALONE, Jr.	<i>Zero divisors and finite near-rings</i>	374
S. B. RAO	<i>On a problem of Ore on maximal trees</i>	379
W. D. WALLIS	<i>A non-existence theorem for (v, k, λ)-graphs</i>	381
